


| METRIC | 3RD ANGLE PROJECTION                                                            | NUMBER     |
|--------|---------------------------------------------------------------------------------|------------|
|        |  | C-17343688 |



1. MATERIAL:  
HOUSING: THERMOPLASTIC HIGH TEMP.,GLASS FIBER FILLED.  
UL 94V-0 RATED, COLOR: SEE TABLE.  
CONTACT: BRASS, THICKNESS=0.25mm.  
SHELL: PHOSPHOR BRONZE, THICKNESS=0.40mm.  
BACK SHELL: STEEL, THICKNESS=0.30mm.
2. FINISH :  
CONTACT: 30  $\mu$ " MIN. GOLD PLATING ON CONTACT AREA,  
120  $\mu$ " MIN. TIN-Cu PLATING ON SOLDER TAILS,  
50  $\mu$ " MIN. NICKEL UNDERPLATING OVERALL.  
SHELL: 100  $\mu$ " MIN. NICKEL PLATING OVER 100  $\mu$ " MIN. Cu UNDERPLATED.  
BACK SHELL: 100  $\mu$ " MIN. NICKEL PLATING OVER 100  $\mu$ " MIN. Cu UNDERPLATED.
3. REFLOW SOLDER CAPABLE TO 260°C PER TYCO SPEC 109-201, CONDITION B.

|         |            |             |
|---------|------------|-------------|
| REEL    | NATURAL    | 1-1734368-2 |
|         | BLACK      | 1-1734368-1 |
| TUBE    | NATURAL    | 1734368-2   |
|         | BLACK      | 1734368-1   |
| PACKAGE | HSG. COLOR | PART NUMBER |

|                                                                                                                                           |                                        |                        |                        |                                                                                                                                         |          |
|-------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|------------------------|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|----------|
| TOLERANCES UNLESS OTHERWISE SPECIFIED:<br>0 PLC $\pm$ 0.50<br>1 PLC $\pm$ 0.38<br>2 PLC $\pm$ 0.25<br>3 PLC $\pm$ 0.05<br>ANGLES $\pm$ 3' | DWN                                    | O. HU<br>25-MAY-2005   |                        |  TYCO HOLDINGS (BERMUDA)<br>VII LTD. TAIWAN BRANCH |          |
|                                                                                                                                           | CHK                                    | S. HOU<br>25-MAY-2005  |                        |                                                                                                                                         |          |
| MATERIAL<br><br>SEE NOTE                                                                                                                  | APVD                                   | W.J. KE<br>25-MAY-2005 |                        | NAME<br><br>SOCKET ASSEMBLY, RIGHT ANGLE<br>6 POS. FLAT SMT, IEEE 1394                                                                  |          |
|                                                                                                                                           | PRODUCT SPEC<br>108-57559              |                        |                        |                                                                                                                                         |          |
| FINISH<br><br>SEE NOTE                                                                                                                    | QUALIFICATION TEST REPORT<br>501-57651 | LOC<br>DW              | SIZE<br>A <sub>3</sub> | DRAWING NO<br>C-1734368                                                                                                                 | REV<br>0 |
|                                                                                                                                           | WEIGHT<br>2.25g                        | SCALE<br>--            |                        | SHEET<br>1 OF 3                                                                                                                         |          |

|     |                 |     |            |               |
|-----|-----------------|-----|------------|---------------|
|     |                 |     |            |               |
|     |                 |     |            |               |
| O   | FIRST RELEASED  |     | OH<br>AW   | 27MAR<br>2005 |
| LTR | REVISION RECORD | ECN | DWN<br>CHK | DATE          |

CUSTOMER DRAWING

D

C


B

A

THIS INFORMATION IS CONFIDENTIAL AND IS DISCLOSED TO YOU ON CONDITION THAT NO FURTHER DISCLOSURE IS MADE BY YOU TO OTHER THAN AMP PERSONNEL WITHOUT WRITTEN AUTHORIZATION FROM AMP (TAIWAN) LTD. DIMENSIONS IN MILLIMETERS. DO NOT SCALE PRINT.


PRINT  
DW

METRIC



NUMBER  
C-1734368

- NOTE:
- MATERIAL:  
TUBE : PS.  
SHIPPING CARTON : CORRUGATED FIBERBOARD.
  - DIMENSION:  
TUBE : L=400, W=19.9, H=16.5mm.  
SHIPPING CARTON : L=419.1, W=162.4, H=162.4mm.
  - QUANTITY:  
PRIMARY PACKING : 29 PCS/TUBES  
SECONDARY PACKING : 40 TUBES/CARTON(1160PCS).
  - WEIGHT:  
NET WEIGHT : 2.6kg.  
GROSS WEIGHT : 3.8kg.



|     |                 |     |            |      |
|-----|-----------------|-----|------------|------|
|     | SEE SHEET 1.    |     |            |      |
| LTR | REVISION RECORD | ECN | DWN<br>CHK | DATE |


|                                                                                                |                                |                                                                                        |                              |                         |          |
|------------------------------------------------------------------------------------------------|--------------------------------|----------------------------------------------------------------------------------------|------------------------------|-------------------------|----------|
| TOLERANCES UNLESS OTHERWISE SPECIFIED:<br>0 PLC ±<br>1 PLC ±<br>2 PLC ±<br>3 PLC ±<br>ANGLES ± | DWN<br>O. HU<br>25-MAY-2005    | <b>tyco</b><br><b>Electronics</b><br>TYCO HOLDINGS (BERMUDA)<br>VII LTD. TAIWAN BRANCH |                              |                         |          |
|                                                                                                | CHK<br>S. HOU<br>25-MAY-2005   |                                                                                        |                              |                         |          |
| MATERIAL<br><br>SEE SHEET 1.                                                                   | APVD<br>W.J. KE<br>25-MAY-2005 | NAME<br><br>SOCKET ASSEMBLY, RIGHT ANGLE<br>6 POS. FLAT SMT, IEEE 1394                 |                              |                         |          |
|                                                                                                | PRODUCT SPEC                   |                                                                                        |                              |                         |          |
| FINISH<br><br>SEE SHEET 1.                                                                     | QUALIFICATION TEST REPORT      | LOC<br>DW                                                                              | SIZE<br><b>A<sub>3</sub></b> | DRAWING NO<br>C-1734368 | REV<br>O |
|                                                                                                | WEIGHT                         | SCALE<br>--                                                                            | SHEET<br>2 OF 3              |                         |          |

CUSTOMER DRAWING






THIS INFORMATION IS CONFIDENTIAL AND IS DISCLOSED TO YOU ON CONDITION THAT NO FURTHER DISCLOSURE IS MADE BY YOU TO OTHER THAN AMP PERSONNEL WITHOUT WRITTEN AUTHORIZATION FROM AMP (TAIWAN) LTD.  
DIMENSIONS IN MILLIMETERS. DO NOT SCALE PRINT.

PRINT DIST  
DW

METRIC



NUMBER  
C-1734368



PACKING BOX

SECTION A-A

- NOTE:
- MATERIAL:  
EMBOSSED CARRIER :PS .  
COVER TAPE : PET.  
SHIPPING CARTON : CORRUGATED FIBERBOARD.
  - DIMENSION:  
REEL : W=32,  $\phi A=330$ mm.  
SHIPPING CARTON : L=348, W=348, H=340mm.
  - QUANTITY:  
PRIMARY PACKING : 200 PCS/REEL.  
SECONARY PACKING : 8 REEL/CARTON(1,600PCS).
  - WEIGHT:  
NET WEIGHT : 9.5kg.  
GROSS WEIGHT : 10.5kg.
  - PEELING RESISTANCE :10gf ~130gf
  - PEELING SPEED : 300 mm/minutes.

|              |                 |     |     |      |
|--------------|-----------------|-----|-----|------|
| SEE SHEET 1. | ECN             | DWN | CHK | DATE |
| LTR          | REVISION RECORD |     |     |      |

|                                                                                                                    |                                |                                                                                  |
|--------------------------------------------------------------------------------------------------------------------|--------------------------------|----------------------------------------------------------------------------------|
| TOLERANCES UNLESS OTHERWISE SPECIFIED:<br>0 PLC $\pm$<br>1 PLC $\pm$<br>2 PLC $\pm$<br>3 PLC $\pm$<br>ANGLES $\pm$ | DWN<br>O. HU<br>25-MAY-2005    | tyco<br>Electronics<br>NAME<br>TYCO HOLDINGS (BERMUDA)<br>VII LTD. TAIWAN BRANCH |
|                                                                                                                    | CHK<br>S. HOU<br>25-MAY-2005   |                                                                                  |
| MATERIAL<br>SEE SHEET 1.                                                                                           | APVD<br>W.J. KE<br>25-MAY-2005 | PRODUCT SPEC<br>SOCKET ASSEMBLY, RIGHT ANGLE<br>6 POS. FLAT SMT, IEEE 1394       |
| FINISH<br>SEE SHEET 1.                                                                                             | QUALIFICATION TEST REPORT      |                                                                                  |
| WEIGHT                                                                                                             |                                | LOC<br>DW                                                                        |
|                                                                                                                    |                                | SIZE<br>A <sub>3</sub>                                                           |
|                                                                                                                    |                                | DRAWING NO<br>C-1734368                                                          |
|                                                                                                                    |                                | REV<br>O                                                                         |
|                                                                                                                    |                                | SCALE<br>--                                                                      |
|                                                                                                                    |                                | SHEET<br>3 OF 3                                                                  |



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.