








LOC	DIST	REVISIONS 変更					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
	-		A	INITIAL	05DEC2018	F.Z	R.B



RECOMMEND PC BOARD HOLE PATTERN : CONNECTOR MOUNT SIDE(NOT ACCUMULATE TOLERANCE)
PC BOARD THICKNESS : 1.0~1.6±0.1

AS SHOWN : I-2348454-0 (20POS:X-KEY)
ONLY 4POS---SEE SHEET 2 OF 3

20	X	9	22.5	26.0	27.6	I-2348454-0
16	X	7	17.5	21.0	22.6	I-2348454-8
12	X	5	12.5	16.0	17.6	I-2348454-6
10	X	4	10.0	13.5	15.1	I-2348454-5
8	X	3	7.5	11.0	12.6	I-2348454-4
6	X	2	5.0	8.5	10.1	I-2348454-3
4	X	1	2.5	6.0	7.6	I-2348454-2
POS	KEY	n	A	B	C	PART NO

1.MATERIAL:HOUSING:GLASS FIBER THERMO PLASTIC
POLYESTER(94V-0),COLOR:BLACK
CONTACT:COPPER ALLOY
RETENTION LEG:PRE-TIN COPPER ALLOY

2.FINISH(ALL OVER):NICKEL PL. 1.27µmMIN










3.FINISH(CONTACT OVER):TIN PL. 1.0µmMIN AFTER 2

4.THE SHAPE, SIZE AND POSITION OF THE CHARACTER SHOW THE OUTLINE.
THEY DON'T SHOW DETAILS.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 05DEC2018 FISHER.ZHU	TE Connectivity			
DIMENSIONS: 単位: 耗 mm		CHK 05DEC2018 RICK.BIAN				
TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差 ±0.3, ±5° 0-PLC ± 1-PLC ±0.3 2-PLC ±0.10 3-PLC ±0.001 4-PLC ±0.0001 ANGLES ± FINISH 仕上 -		APVD 05DEC2018 RICK.BIAN	NAME 名称 DYNAMIC D1200D 2.5mmPITCH HDR ASSY (V-TYPE) TIN PLATING 4-20POS			
MATERIAL 材料 &material		PRODUCT SPEC 製品規格 108-78298	SIZE CAGE CODE DRAWING NO 番号 A300779 C-2348454			
		APPLICATION SPEC 取付適用規格 114-5377	RESTRICTED TO			
		WEIGHT -	RESTRICTED CUSTOMER			
			SCALE 尺度 4:1 SHEET 1 OF 3 REV A			



THIS DRAWING IS UNPUBLISHED.
RELEASED FOR PUBLICATION
20
COPYRIGHT 20 BY Tyco Electronics Japan G.K. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN APVD
				SEE SHEET 1 OF 3		



6POS(X-KEY):1-2348454-3

8POS(X-KEY):1-2348454-4



SCALE 2:1

4POS(X-KEY):1-2348454-2

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 05DEC2018 FISHER.ZHU	 TE Connectivity		
DIMENSIONS: mm		CHK 05DEC2018 RICK.BIAN			
		APVD 05DEC2018 RICK.BIAN	NAME DYNAMIC D1200D 2.5mmPITCH HDR ASSY (V-TYPE) TIN PLATING 4-20POS		
		PRODUCT SPEC 108-78298			
MATERIAL &material		APPLICATION SPEC 114-5377	SIZE A300779		
		WEIGHT -			
FINISH -		RESTRICTED CUSTOMER	DRAWING NO C-2348454		
			SCALE 4:1	SHEET 2 OF 3	REV A

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY Tyco Electronics Japan G.K.

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR










DESCRIPTION

DATE

DWN

APVD

SEE SHEET 1 OF 3



10POS(X-KEY):1-2348454-5

12POS(X-KEY):1-2348454-6

16POS(X-KEY):1-2348454-8

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm



MATERIAL

&material

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±0.3
1 PLC ±0.10
2 PLC ±0.10
3 PLC ±0.001
4 PLC ±0.0001
ANGLES ±0.001

FINISH

-

DWN

FISHER.ZHU

05DEC2018

CHK

RICK.BIAN

05DEC2018

APVD

RICK.BIAN

05DEC2018

PRODUCT SPEC

108-78298

APPLICATION SPEC

114-5377

WEIGHT

-

RESTRICTED CUSTOMER



TE Connectivity

NAME
DYNAMIC D1200D 2.5mmPITCH
HDR ASSY (V-TYPE) TIN PLATING
4-20POS

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C-2348454

SCALE

4:1

SHEET

3

OF

3

REV

A



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.