

**Device markers**  
**CC DIA 30/4.2 MC NE GR****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 16


D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com



The **CC DIA 30 MC** is used for labelling hydraulic hoses, lights and indicators. M4 screws can be used for the variants with 4.2-mm holes or cables ties can also be used for mounting. 3.2-mm blind rivets can be used with the variant that is fitted with 3.5-mm holes.

According to DIN V VDE V 0108 part 100 from Jan. 2010, the safety lighting (as well as the junctions and branch-offs that make up the safety lighting system) must be marked in red or green so they can be easily and clearly identified. The distributor, circuit and lamp ID numbers must be attached next to the lamps.

**General ordering data**

|            |                                                                   |
|------------|-------------------------------------------------------------------|
| Order No.  | <a href="#">1248540000</a>                                        |
| Type       | CC DIA 30/4.2 MC NE GR                                            |
| Version    | Device markers, MultiCard, 30 x 30 mm, Polyamide 66, Colour: Grey |
| GTIN (EAN) | 4050118038910                                                     |
| Qty.       | 60 pc(s).                                                         |

## Device markers

### CC DIA 30/4.2 MC NE GR

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

## Technical data

### Dimensions and weights

|          |        |            |         |
|----------|--------|------------|---------|
| Length   | 30 mm  | Width      | 30 mm   |
| Height   | 1.2 mm | Net weight | 2.217 g |
| Diameter | 30 mm  |            |         |

### Markings

|                                              |        |                                                |              |
|----------------------------------------------|--------|------------------------------------------------|--------------|
| Cadmium                                      | No     | Can be labelled with thermal transfer printers | No           |
| Can be printed with plotter                  | Yes    | Can be written with dot-matrix printer         | No           |
| Can be written with laser printer            | No     | Colour                                         | Grey         |
| Conductor O.D.                               |        | Drill-hole diameter                            | 4.2 mm       |
| Halogen                                      | No     | Material                                       | Polyamide 66 |
| Material colour according to resistance code | 8      | Operating temperature range, max.              | 100 °C       |
| Operating temperature range, min.            | -40 °C | Pin can be written (STI)                       | Yes          |
| PrintJet                                     | Yes    | Silicone                                       | No           |
| Speed marking laser                          | Yes    | UL 94 flammability rating                      | V-2          |

### Classifications

|            |             |            |             |
|------------|-------------|------------|-------------|
| eClass 6.2 | 27-14-91-29 | eClass 7.1 | 27-14-91-29 |
|------------|-------------|------------|-------------|

### Approvals

|           |         |
|-----------|---------|
| Approvals |         |
| ROHS      | Conform |

**Device markers**  
**CC DIA 30/4.2 MC NE GR**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

**Example of use**



Product is similar to illustration

**Example of use**





Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.