




P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	REVISED PER ECR-17-014561	10OCT2017	RK	JL
	A1	REVISED PER ECR-17-015644	25OCT2017	RK	JL

- NOTES:
- 1. PARTS COMPLY TO TE SOLDERABILITY SPEC 109-11-3.
 - 2. MATERIALS:
 - HOUSING:GF-LCP
COLOR:SEE TABLE
 - CONTACT:PHOSPHOR BRONZE
PLATING:TIN



RECOMMENDED MOUNTING HOLE PATTERN
FOR 1.57 THICK PC BOARD
SCALE 4:1

2213756-1, 1-2213756-1
SHOWN



BLACK	15 POS UMNL HEADER HOUSING POLARIZED	1-2213756-4
BLACK	12 POS UMNL HEADER HOUSING POLARIZED	1-2213756-3
BLACK	9 POS UMNL HEADER HOUSING POLARIZED	1-2213756-2
BLACK	6 POS UMNL HEADER HOUSING POLARIZED	1-2213756-1
NATURAL	15 POS UMNL HEADER HOUSING POLARIZED	2213756-4
NATURAL	12 POS UMNL HEADER HOUSING POLARIZED	2213756-3
NATURAL	9 POS UMNL HEADER HOUSING POLARIZED	2213756-2
NATURAL	6 POS UMNL HEADER HOUSING POLARIZED	2213756-1
COLOR	POSITION	PART NO.




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. SHAFFER 02NOV2015	 TE Connectivity				
DIMENSIONS:		CHK M. MOSTOLLER 02NOV2015					
mm		APVD M. MOSTOLLER 02NOV2015	NAME 3 ROW SOCKET HEADER ASSEMBLY,UMNL,HIGH TEMPERATURE				
		PRODUCT SPEC 108-1053	SIZE A2		CAGE CODE -	DRAWING NO C=2213756	RESTRICTED TO -
		APPLICATION SPEC 114-133083					
TOLERANCES UNLESS OTHERWISE SPECIFIED:		WEIGHT -	SCALE 2:1		SHEET 1 OF 4	REV A1	
MATERIAL - -		FINISH - -	CUSTOMER DRAWING				

D


D

C

C



2213756-2, 1-2213756-2
SHOWN



A

A

RECOMMENDED MOUNTING HOLE PATTERN
FOR 1.57 THICK PC BOARD
SCALE 4:1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DWN J. SHAFFER 02NOV2015	TE Connectivity	
mm		CHK M. MOSTOLLER 02NOV2015		
	0 PLC ±	APVD M. MOSTOLLER 02NOV2015	NAME 3 ROW SOCKET HEADER ASSEMBLY, UMNL, HIGH TEMPERATURE	
	1 PLC ±0.5	PRODUCT SPEC 108-1053	SIZE A2	CAGE CODE -
MATERIAL -	2 PLC ±0.13	APPLICATION SPEC 114-133083	DRAWING NO C-2213756	
-	3 PLC ±	WEIGHT -	RESTRICTED TO -	
	4 PLC ±	CUSTOMER DRAWING	SCALE 2:1	SHEET 2 OF 4
	ANGLES ±		REV A1	
	FINISH -			
	-			

D

C

B





A

D

C

B

A



2213756-3, 1-2213756-3
SHOWN

RECOMMENDED MOUNTING HOLE PATTERN
FOR 1.57 THICK PC BOARD
SCALE 4:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. SHAFFER 02NOV2015	TE Connectivity			
DIMENSIONS:		CHK M. MOSTOLLER 02NOV2015				
mm		APVD M. MOSTOLLER 02NOV2015	NAME 3 ROW SOCKET HEADER ASSEMBLY, UMNL, HIGH TEMPERATURE			
		PRODUCT SPEC	SIZE		CAGE CODE	DRAWING NO
		108-1053	A2		-	C-2213756
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC	RESTRICTED TO		-	
0 PLC ±		114-133083	SCALE		2:1	SHEET
1 PLC ±0.5		WEIGHT	CUSTOMER DRAWING		3	OF
2 PLC ±0.13					4	REV
3 PLC ±					A1	
4 PLC ±						
ANGLES ±						
FINISH						
-						
-						

D

C

B






A

D

C

B

A



2213756-4, 1-2213756-4
SHOWN

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. SHAFFER 02NOV2015	TE Connectivity			
DIMENSIONS:		CHK M. MOSTOLLER 02NOV2015				
mm		APVD M. MOSTOLLER 02NOV2015	NAME 3 ROW SOCKET HEADER ASSEMBLY, UMNL, HIGH TEMPERATURE			
		PRODUCT SPEC	108-1053		SIZE	RESTRICTED TO
		APPLICATION SPEC	114-133083		CAGE CODE	
MATERIAL		WEIGHT	-		DRAWING NO	
		CUSTOMER DRAWING			SCALE	
			2:1		SHEET	
			4 OF 4		REV	
			A1			

RECOMMENDED MOUNTING HOLE PATTERN
FOR 1.57 THICK PC BOARD
SCALE 4:1



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.