

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	REVISED PER ECR-17-014561	10OCT2017	RK	JL
	A1	REVISED PER ECR-17-015644	25OCT2017	RK	JL

D

D

NOTES:
1. PARTS COMPLY TO TE SOLDERABILITY SPEC 109-11-3.
2. MATERIALS:
- HOUSING:GF-LCP
 COLOR:SEE TABLE
- CONTACT:PHOSPHOR BRONZE
 PLATING:TIN

C

C

Ø2.05±0.05
NON-PLATED
THRU HOLE

FOR POLARIZATION
FEATURE

Ø2.00^{+0.08}_{-0.03}
PLATED THRU
HOLE

6.35
TYP

RECOMMENDED MOUNTING HOLE PATTERN
FOR 1.57 THICK PC BOARD
SCALE 4:1

2213756-1, 1-2213756-1
SHOWN

B

B

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±-
1 PLC ±0.5
2 PLC ±0.13
3 PLC ±-
4 PLC ±-
ANGLES ±-
FINISH -
-

DWN J. SHAFFER 02NOV2015
CHK M. MOSTOLLER 02NOV2015
APVD M. MOSTOLLER 02NOV2015

PRODUCT SPEC

108-1053

APPLICATION SPEC

114-133083

WEIGHT -

CUSTOMER DRAWING

TE Connectivity

3 ROW SOCKET HEADER ASSEMBLY,UMNL,HIGH TEMPERATURE

SIZE A2

CAGE CODE -

DRAWING NO C-2213756

RESTRICTED TO -

SCALE 2:1

SHEET 1 OF 4

REV A1

A

A




4

3


2

1


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			



2213756-2, 1-2213756-2
SHOWN



RECOMMENDED MOUNTING HOLE PATTERN
FOR 1.57 THICK PC BOARD
SCALE 4:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. SHAFFER 02NOV2015	 TE Connectivity		
DIMENSIONS:		CHK M. MOSTOLLER 02NOV2015			
mm		APVD M. MOSTOLLER 02NOV2015	NAME 3 ROW SOCKET HEADER ASSEMBLY, UMNL, HIGH TEMPERATURE		
		PRODUCT SPEC	SIZE		
		108-1053	A2		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC	CAGE CODE		
0 PLC ±		114-133083	DRAWING NO		
1 PLC ±0.5		WEIGHT	-		
2 PLC ±0.13		CUSTOMER DRAWING	SCALE 2:1		
3 PLC ±			SHEET 2 OF 4		
4 PLC ±			REV A1		
ANGLES ±					
FINISH					
-					
-					

D

C

B





A

D

C

B

A



2213756-3, 1-2213756-3
SHOWN

RECOMMENDED MOUNTING HOLE PATTERN
FOR 1.57 THICK PC BOARD
SCALE 4:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. SHAFFER 02NOV2015	TE Connectivity			
DIMENSIONS:		CHK M. MOSTOLLER 02NOV2015				
mm		APVD M. MOSTOLLER 02NOV2015	NAME 3 ROW SOCKET HEADER ASSEMBLY, UMNL, HIGH TEMPERATURE			
		PRODUCT SPEC	SIZE		CAGE CODE	DRAWING NO
		108-1053	A2		-	C-2213756
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC	RESTRICTED TO		-	
0 PLC ±		114-133083	SCALE		2:1	SHEET
1 PLC ±0.5		WEIGHT	CUSTOMER DRAWING		3	OF
2 PLC ±0.13					4	REV
3 PLC ±					A1	
4 PLC ±						
ANGLES ±						
FINISH						
-						
-						

D

C

B






A

D

C


B

A



RECOMMENDED MOUNTING HOLE PATTERN
FOR 1.57 THICK PC BOARD
SCALE 4:1

2213756-4, 1-2213756-4
SHOWN

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. SHAFFER 02NOV2015	 TE Connectivity			
DIMENSIONS:		CHK M. MOSTOLLER 02NOV2015				
mm		APVD M. MOSTOLLER 02NOV2015	NAME 3 ROW SOCKET HEADER ASSEMBLY, UMNL, HIGH TEMPERATURE			
		PRODUCT SPEC	SIZE			
		108-1053	A2			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC	CAGE CODE		DRAWING NO	
0 PLC ±-		114-133083	-		C-2213756	
1 PLC ±0.5		WEIGHT			RESTRICTED TO	
2 PLC ±0.13		CUSTOMER DRAWING			-	
3 PLC ±-		SCALE	2:1		SHEET	
4 PLC ±-		4	OF		4	
ANGLES ±-		REV			A1	
FINISH ±-						
-						
-						



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.