

## Class R Fuseblocks Catalog Data

| Catalog Number | Covers       |                | Voltage | Current | Number of Poles | Label       |
|----------------|--------------|----------------|---------|---------|-----------------|-------------|
|                | Class R      | w/o Indication |         |         |                 |             |
| RM25100-1CR    | CVR-RH-25100 | CVRI-RH-25100  | 250     | 100     | 1               | RM25100-1CR |
| RM25100-2CR    |              |                |         |         | 2               | RM25100-2CR |
| RM25100-3CR    |              |                |         |         | 3               | RM25100-3CR |
| RM25200-1CR    | CVR-RH-25200 | CVRI-RH-25200  |         | 200     | 1               | RM25200-1CR |
| RM25200-2CR    |              |                |         |         | 2               | RM25200-2CR |
| RM25200-3CR    |              |                |         |         | 3               | RM25200-3CR |
| RM25400-1CR    | CVR-RH-25400 | CVRI-RH-25400  |         | 400     | 1               | RM25400-1CR |
| RM25400-2CR    |              |                |         |         | 2               | RM25400-2CR |
| RM25400-3CR    |              |                |         |         | 3               | RM25400-3CR |
| RM25600-1CR    | CVR-RH-25600 | CVRI-RH-25600  |         | 600     | 1               | RM25600-1CR |
| RM25600-2CR    |              |                |         |         | 2               | RM25600-2CR |
| RM25600-3CR    |              |                |         |         | 3               | RM25600-3CR |

| Catalog Number | Covers       |                | Voltage | Current | Number of Poles | Label       |
|----------------|--------------|----------------|---------|---------|-----------------|-------------|
|                | Class R      | w/o Indication |         |         |                 |             |
| RM60100-1CR    | CVR-RH-60100 | CVRI-RH-60100  | 600     | 100     | 1               | RM60100-1CR |
| RM60100-2CR    |              |                |         |         | 2               | RM60100-2CR |
| RM60100-3CR    |              |                |         |         | 3               | RM60100-3CR |
| RM60200-1CR    | CVR-RH-60200 | CVRI-RH-60200  |         | 200     | 1               | RM60200-1CR |
| RM60200-2CR    |              |                |         |         | 2               | RM60200-2CR |
| RM60200-3CR    |              |                |         |         | 3               | RM60200-3CR |
| RM60400-1CR    | CVR-RH-60400 | CVRI-RH-60400  |         | 400     | 1               | RM60400-1CR |
| RM60400-2CR    |              |                |         |         | 2               | RM60400-2CR |
| RM60400-3CR    |              |                |         |         | 3               | RM60400-3CR |
| RM60600-1CR    | CVR-RH-60600 | CVRI-RH-60600  |         | 600     | 1               | RM60600-1CR |
| RM60600-2CR    |              |                |         |         | 2               | RM60600-2CR |
| RM60600-3CR    |              |                |         |         | 3               | RM60600-3CR |


**COOPER Bussmann**  
St. Louis MO 63178

TITLE:  
**Class R fuse holder-CUST**


SCALE: 1:1 SIZE: A3 SHEET: 1 OF 14




PUSH DOWN



LIFT UP, THEN  
ROTATE OVER




LIFT UP

|   |             |                   |
|---|-------------|-------------------|
| <br>St. Louis MO 63178 |             |                   |
| TITLE:  |             |                   |
| <b>Class R fuse holder-CUST</b>   |             |                   |
| SCALE:<br>1:2   | SIZE:<br>A3 | SHEET:<br>2 OF 14 |




**RM25100-1CR**




**RM25100-1CR WITH CVR-RH-25100 INSTALLED**




**RM25100-1CR WITH CVRI-RH-25100 INSTALLED**



**CVR-RH-25100**



**CVRI-RH-25100**




**COOPER Bussmann**  
St. Louis MO 63178

TITLE: **Class R fuse holder-CUST-250V**


SCALE: 1:1      SIZE: A3      SHEET: 3 OF 14

DESIGN UNITS: METRIC (mm)  
UNLESS OTHERWISE SPECIFIED  
[INCHES]




THIRD ANGLE PROJECTION







**RM25100-2CR**



**RM25100-2CR  
WITH CVR-RH-25100 INSTALLED**



**RM25100-2CR  
WITH CVRI-RH-25100 INSTALLED**



**COOPER Bussmann**  
St. Louis MO 63178

**Class R fuse holder-CUST-250V**

SCALE: 1:1      SIZE: A3      SHEET: 4 OF 14




DESIGN UNITS: METRIC (mm)  
UNLESS OTHERWISE SPECIFIED  
[INCHES]



THIRD ANGLE PROJECTION







**RM25100-3CR**



**RM25100-3CR  
WITH CVR-RH-25100 INSTALLED**



**RM25100-3CR  
WITH CVRI-RH-25100 INSTALLED**



**COOPER Bussmann**  
St. Louis MO 63178

TITLE:  
**Class R fuse holder-CUST-250V**

SCALE: 1:1      SIZE: A3      SHEET: 5 OF 14

DESIGN UNITS: METRIC (mm)  
UNLESS OTHERWISE SPECIFIED [INCHES]




THIRD ANGLE PROJECTION




**RM25200-1CR**



**RM25200-1CR  
WITH CVR-RH-25200 INSTALLED**



**RM25200-1CR  
WITH CVRI-RH-25200 INSTALLED**





**COOPER Bussmann**  
**RM 25200-1CR**




250V-200A  
USE CLASS R FUSE  
WITHSTAND RATING  
200K RMS SYM AMPS  
90C/75C WIRE  
TORQUE: CU/AL  
250 MCM-1 AWG=42 NM/375 LB.IN  
2-6 AWG=31 NM/275 LB.IN  
ASSEMBLED IN MEXICO T06

**UL LISTED 430P**

**CVR-RH-25200**



**CVRI-RH-25200**



**COOPER Bussmann**  
St. Louis MO 63178

TITLE:  
**Class R fuse holder-CUST-250V**

SCALE: 1:1 SIZE: A3 SHEET: 6 OF 14

DESIGN UNITS: METRIC (mm)  
UNLESS OTHERWISE SPECIFIED [INCHES]



THIRD ANGLE PROJECTION

**RM25200-2CR**

**RM25200-2CR  
WITH CVR-RH-25200 INSTALLED**

**RM25200-2CR  
WITH CVRI-RH-25200 INSTALLED**



**COOPER Bussmann**  
St. Louis MO 63178

TITLE:  
**Class R fuse holder-CUST-250V**

SCALE: 1:1      SIZE: A3      SHEET: 7 OF 14

DESIGN UNITS: METRIC (mm)  
UNLESS OTHERWISE SPECIFIED [INCHES]





THIRD ANGLE PROJECTION

**RM25200-3CR**

**RM25200-3CR  
WITH CVR-RH-25200 INSTALLED**

**RM25200-3CR  
WITH CVRI-RH-25200 INSTALLED**

ALLEN KEY #:  
3/8" (10.0MM)



**COOPER Bussmann**  
St. Louis MO 63178

TITLE:  
**Class R fuse holder-CUST-250V**

SCALE: 1:1      SIZE: A3      SHEET: 8 OF 14


DESIGN UNITS: METRIC (mm)  
UNLESS OTHERWISE SPECIFIED  
[INCHES]

THIRD ANGLE PROJECTION


**RM25400-1CR**



**RM25400-1CR  
WITH CVR-RH-25400 INSTALLED**





**RM25400-1CR  
WITH CVRI-RH-25400 INSTALLED**



**CVR-RH-25400**



**CVRI-RH-25400**



**COOPER Bussmann**  
St. Louis MO 63178

**Class R fuse holder-CUST-250V**

SCALE: 1:1 SIZE: A3 SHEET: 9 OF 14

DESIGN UNITS: METRIC (mm)  
UNLESS OTHERWISE SPECIFIED [INCHES]



THIRD ANGLE PROJECTION


**RM25400-2CR**



**RM25400-2CR  
WITH CVR-RH-25400 INSTALLED**



**RM25400-2CR  
WITH CVRI-RH-25400 INSTALLED**




**COOPER Bussmann**  
St. Louis MO 63178

TITLE:  
**Class R fuse holder-CUST-250V**

SCALE: 1:1      SIZE: A3      SHEET: 10 OF 14

DESIGN UNITS: METRIC (mm)  
UNLESS OTHERWISE SPECIFIED  
[INCHES]








THIRD ANGLE PROJECTION

**RM25400-3CR**

**RM25400-3CR  
WITH CVR-RH-25400 INSTALLED**

**RM25400-3CR  
WITH CVRI-RH-25400 INSTALLED**



**COOPER Bussmann**  
St. Louis MO 63178


TITLE:  
**Class R fuse holder-CUST-250V**

SCALE: 1:1      SIZE: A3      SHEET: 11 OF 14




DESIGN UNITS: METRIC (mm) UNLESS OTHERWISE SPECIFIED  
 THIRD ANGLE PROJECTION





**RM25600-1CR**



**RM25600-1CR WITH CVR-RH-25600 INSTALLED**




**RM25600-1CR WITH CVRI-RH-25600 INSTALLED**




**CVR-RH-25600**



**CVRI-RH-25600**



| WIRE SIZE    | CUT TORQUE         | AL TORQUE          |
|--------------|--------------------|--------------------|
| 600 KCMIL    | 87 NM / 620 IN-LBS |                    |
| DUAL 304 AWG | 37 NM/600 IN-LBS   | 33.9 NM/300 IN-LBS |
| 100 KCMIL    | 51 NM/450 IN-LBS   |                    |



CUT OPEN ALONG THIS DOTTED LINE FOR WIRES ABOVE 250 KCMIL

**COOPER Bussmann**  
 St. Louis MO 63178

**Class R fuse holder-CUST-250V**

SCALE: 1:1 SIZE: A3 SHEET: 12 OF 14





DESIGN UNITS: METRIC (mm)  
UNLESS OTHERWISE SPECIFIED  
[INCHES]



THIRD ANGLE PROJECTION

**RM25600-3CR**



**RM25600-3CR  
WITH CVR-RH-25600 INSTALLED**



**RM25600-3CR  
WITH CVRI-RH-25600 INSTALLED**



**COOPER Bussmann**  
St. Louis MO 63178

TITLE:  
**Class R fuse holder-CUST-250V**





SCALE: 1:1      SIZE: A3      SHEET: 14 OF 14

| REVISIONS |      |             | DATE | ECN | BY |
|-----------|------|-------------|------|-----|----|
| REV       | ZONE | DESCRIPTION |      |     |    |

**RM60100-1CR**





**RM60100-1CR WITH CVR-RH-60100 INSTALLED**

**RM60100-1CR WITH CVRI-RH-60100 INSTALLED**



**CVR-RH-60100**

**CVRI-RH-60100**



**COOPER Bussmann**  
St. Louis MO 63178

TITLE: **Class R fuse holder-CUST-600V**

SCALE: 1:1 SIZE: A3 SHEET: 1 OF 12

DESIGN UNITS: METRIC (mm)  
UNLESS OTHERWISE SPECIFIED  
[INCHES]



THIRD ANGLE PROJECTION

| REVISIONS |      |             |      |     |    |
|-----------|------|-------------|------|-----|----|
| REV       | ZONE | DESCRIPTION | DATE | ECN | BY |
|           |      |             |      |     |    |

**RM60100-2CR**

**RM60100-2CR  
WITH CVR-RH-60100 INSTALLED**

**RM60100-2CR  
WITH CVRI-RH-60100 INSTALLED**

ALLEN KEY  
#3/16" (5.5MM)



**COOPER Bussmann**  
St. Louis MO 63178

TITLE:  
**Class R fuse holder-CUST-600V**

SCALE: 1:1      SIZE: A3      SHEET: 2 OF 12

**RM60100-3CR**

**RM60100-3CR WITH CVR-RH-60100 INSTALLED**

**RM60100-3CR WITH CVRI-RH-60100 INSTALLED**



**COOPER Bussmann**  
St. Louis MO 63178

TITLE:  
**Class R fuse holder-CUST-600V**



SCALE: 1:1      SIZE: A3      SHEET: 3 OF 12

| REVISIONS |      |             | DATE | ECN | BY |
|-----------|------|-------------|------|-----|----|
| REV       | ZONE | DESCRIPTION |      |     |    |

**RM60200-1CR**

**RM60200-1CR WITH CVR-RH-60200 INSTALLED**

**RM60200-1CR WITH CVRI-RH-60200 INSTALLED**



**CVR-RH-60200**

**CVRI-RH-60200**



**COOPER Bussmann**  
St. Louis MO 63178




TITLE: **Class R fuse holder-CUST-600V**

SCALE: 1:1 SIZE: A3 SHEET: 4 OF 12

**RM60200-2CR**

**RM60200-2CR  
WITH CVR-RH-60200 INSTALLED**

**RM60200-2CR  
WITH CVRI-RH-60200 INSTALLED**



**COOPER Bussmann**  
St. Louis MO 63178




TITLE: **Class R fuse holder-CUST-600V**

SCALE: 1:1      SIZE: A3      SHEET: 5 OF 12

**RM60200-3CR**

**RM60200-3CR  
WITH CVR-RH-60200 INSTALLED**

**RM60200-3CR  
WITH CVRI-RH-60200 INSTALLED**



**COOPER Bussmann**  
St. Louis MO 63178

TITLE:  
**Class R fuse holder-CUST-600V**

SCALE: 1:1      SIZE: A3      SHEET: 6 OF 12




**RM60400-1CR**



**RM60400-1CR WITH CVR-RH-60400 INSTALLED**




**RM60400-1CR WITH CVRI-RH-60400 INSTALLED**




**COOPER Bussmann RM60400-1CR**  
600V-400A  
USE CLASS R FUSE  
WITHSTAND RATING  
200K RMS SYM AMPS  
TORQUE CU/AL 75C WIRE  
CR 600KCMIL = 57 NM / 500 IN-LBS  
2 x 3/0 - 4 AWG = 57 NM / 500 IN-LBS  
CR 500KCMIL - 4 AWG = 51 NM / 450 IN-LBS  
ASSEMBLED IN MEXICO T06

**UL LISTED 430P**

**CVR-RH-60400**



**CVRI-RH-60400**



CUT OPEN ALONG THIS DOTTED LINE FOR WIRES ABOVE 250 KCMIL

**COOPER Bussmann**  
St. Louis MO 63178

TITLE:  
**Class R fuse holder-CUST-600V**

SCALE: 1:1 SIZE: A3 SHEET: 7 OF 12

| REVISIONS |      |             | DATE | ECN | BY |
|-----------|------|-------------|------|-----|----|
| REV       | ZONE | DESCRIPTION |      |     |    |

**RM60400-2CR**



**RM60400-2CR  
WITH CVR-RH-60400 INSTALLED**



**RM60400-2CR  
WITH CVRI-RH-60400 INSTALLED**



**COOPER Bussmann**  
St. Louis MO 63178

TITLE:  
**Class R fuse holder-CUST-600V**

SCALE: 1:1      SIZE: A3      SHEET: 8 OF 12

| REVISIONS |      |             | DATE | ECN | BY |
|-----------|------|-------------|------|-----|----|
| REV       | ZONE | DESCRIPTION |      |     |    |

**RM60400-3CR**

**RM60400-3CR  
WITH CVR-RH-60400 INSTALLED**

**RM60400-3CR  
WITH CVRI-RH-60400 INSTALLED**



**COOPER Bussmann**  
St. Louis MO 63178

TITLE:  
**Class R fuse holder-CUST-600V**

SCALE: 1:1      SIZE: A3      SHEET: 9 OF 12



| REVISIONS |      |             | DATE | ECN | BY |
|-----------|------|-------------|------|-----|----|
| REV       | ZONE | DESCRIPTION |      |     |    |


**RM60600-2CR**



**RM60600-2CR  
WITH CVR-RH-60600 INSTALLED**



**RM60600-2CR  
WITH CVRI-RH-60600 INSTALLED**



**COOPER Bussmann**  
St. Louis MO 63178

TITLE:  
**Class R fuse holder-CUST-600V**

SCALE: 1:5      SIZE: A3      SHEET: 11 OF 12

| REVISIONS |      |             |  | DATE | ECN | BY |
|-----------|------|-------------|--|------|-----|----|
| REV       | ZONE | DESCRIPTION |  |      |     |    |
|           |      |             |  |      |     |    |


**RM60600-3CR**



**RM60600-3CR WITH CVR-RH-60600 INSTALLED**



**RM60600-3CR WITH CVRI-RH-60600 INSTALLED**



**COOPER Bussmann**  
St. Louis MO 63178

TITLE:  
**Class R fuse holder-CUST-600V**

SCALE: 1:5      SIZE: A3      SHEET: 12 OF 12



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.