

Cables & Connectivity Products



1111 W. 35th Street, Chicago, IL 60609 • www.triplite.com

Contact Us Today!

| | |
|---------------------------|----------------|
| To Place Order: | (773) 869-1797 |
| For Technical Assistance: | (773) 869-1234 |
| For Fax Orders: | (773) 869-1329 |
| For Return Information: | (773) 869-1103 |
| For General Office: | (773) 869-1111 |

Tripp Lite offers the most convenient, cost-effective solutions for connecting and controlling computers, electronic equipment and peripherals in any environment: corporate, education, retail, small/home office, IT lab, government, data center and more.

USB/FIREWIRE® SOLUTIONS

Take advantage of the latest in USB and FireWire technology with high-speed data transfer rates up to 800 Mbps.



| | |
|---|-------|
| USB Cables & Hubs | pg. 2 |
| USB Adapters | pg. 2 |
| USB 2.0 Sharing Switch & Hard Drive Enclosure | pg. 3 |
| FireWire 800 Cables | pg. 3 |
| FireWire Cables & PCI Cards | pg. 3 |

COMPUTER SOLUTIONS

Include superior molded construction and superior conductivity for all your computer connectivity needs.



| | |
|---------------------------------------|---------|
| Printer Cables | pg. 3 |
| Modem/Null Modem Cables & Coupler | pg. 4 |
| Ribbon & Internal Cables | pg. 4 |
| Serial ATA (SATA) Cables | pg. 4 |
| File Transfer Cables | pg. 5 |
| Keyboard/Mouse Cables | pg. 5 |
| Monitor Cables & Adapters | pg. 5-6 |
| AC Power Cords | pg. 7 |
| Adapters & Gender Changers | pg. 8 |
| Miscellaneous Audio Cables & Adapters | pg. 8 |

HOME/BUSINESS THEATER SOLUTIONS


Provide all home/business theater components with premium audio/video connection solutions and get the best performance out of your equipment.



| | |
|------------------------------------|-------|
| Composite & Component Video Cables | pg. 9 |
| S-Video Cables | pg. 9 |
| RF Digital Coax Audio Cables | pg. 9 |
| High Resolution Audio Cables | pg. 9 |
| Digital Optical Audio Cables | pg. 9 |
| HDTV Home Theater Kits | pg. 9 |

CATEGORY 6/5e NETWORK SOLUTIONS

Keep your network on the cutting edge by meeting the most current industry standards and providing fast data transfer.



| | |
|---|-----------|
| Cat6 Shielded (STP) Patch Cables | pg. 9 |
| Cat6 Snagless (UTP) Patch Cables | pg. 10 |
| Cat6 Snagless (UTP) Cross-Over Cables | pg. 10 |
| Cat6a (Augmented Cat6) Snagless 10Gb Certified Patch Cables | pg. 11 |
| Cat5/5e Retractable Patch Cable | pg. 11 |
| Cat5e Shielded (STP) Patch Cables | pg. 11 |
| Cat5e Snagless Patch Cables | pg. 11-12 |
| Cat5e Patch Cables & Cross-Over Cables | pg. 12-13 |
| Cat5e Bulk Cables, Connectors & In-Line Couplers | pg. 13 |
| Cat5e Patch Panels | pg. 13 |
| Cat6 Bulk Cables & In-Line Coupler | pg. 13 |
| Cat6 Patch Panels | pg. 13 |
| Patch Panel Brackets | pg. 14 |
| CX4 Cables | pg. 14 |

FIBER OPTIC SOLUTIONS


Provide nearly unlimited bandwidth at high speeds over long distances with a full line of fiber optic cables.



| | |
|---|-----------|
| 62.5/125 Multimode Fiber Optic Patch Cables | pg. 14-16 |
| 50/125 Multimode Fiber Optic Patch Cables | pg. 16 |
| 8.3/125 Singlemode Fiber Optic Patch Cables | pg. 17 |
| Mode Conditioning Fiber Optic Patch Cables | pg. 18 |
| 10Gbps 50/125 Multimode Aqua Fiber Optic Patch Cables | pg. 18 |
| Couplers | pg. 18 |
| Media Converters | pg. 18 |
| Adapters | pg. 19 |
| Patch Panels | pg. 19 |

SCSI/FIBRE CHANNEL SOLUTIONS


Offer the latest SCSI cabling with cross-generational solutions to link all your system's SCSI devices.



| | |
|-----------------------------------|--------|
| SCSI Adapters | pg. 19 |
| SCSI Terminators | pg. 19 |
| SCSI Ribbon Cables | pg. 20 |
| SCSI External Cables | pg. 20 |
| SAS (Serial Attached SCSI) Cables | pg. 20 |
| Fibre Channel Cables | pg. 21 |

KVM SWITCH SOLUTIONS


Save time, money and space by controlling multiple computers from a single keyboard/monitor/mouse console.



| | |
|-----------------|--------|
| KVM Switches | pg. 21 |
| KVM Cable Kits | pg. 21 |
| KVM Accessories | pg. 22 |

SWITCH SOLUTIONS


Save significant installation costs by reducing the number of peripherals deployed.



| | |
|--------------------------------|--------|
| Manual Switches | pg. 23 |
| Automatic Switches | pg. 23 |
| VGA/SVGA Video Splitters | pg. 23 |
| Straight-Through/Switch Cables | pg. 23 |
| DVI/HDMI Switches | pg. 23 |

EASY-PULL CABLE SOLUTIONS

Threaded, removable connectors and integrated pull tabs allow cable to be run through conduit and other tight spaces.



| | |
|---|--------|
| Easy-Pull Type A Cables and Connectors (SVGA) | pg. 24 |
| Easy-Pull Type B Cables and Connectors (DVI & HDMI) | pg. 24 |
| Easy-Pull Cable/Connector Kits | pg. 24 |

USB/FireWire® Solutions

A USB (Universal Serial Bus) port provides a universal connector to link digital cameras, printers and other peripherals to a computer. The USB's universal connector eliminates the need to add a costly and confusing array of adapters to your system. The significantly faster data transfer rates of FireWire and USB 2.0 make them perfect for multimedia applications.

USB Cables & Hubs

- All Tripp Lite USB 2.0 cables include superior foil shielding for reliable, error-free data communications
- Gold-plated contacts provide superior conductivity for low- and high-speed devices (1.5 to 480 Mbps)
- USB 2.0 hubs link multiple USB devices to one computer

| Item # | Description | Length | Ports | Connector | Connector |
|------------|--|--------|-------|------------------------------|--|
| U002-010 | USB A/B Gold Cable | 10 ft. | — | USB A (Male) A | USB B (Male) B |
| U002-010-R | USB A/B Gold Cable (Retail Package) | 10 ft. | — | USB A (Male) A | USB B (Male) B |
| U004-010 | USB A/A Extension Gold Cable | 10 ft. | — | USB A (Male) A | USB A (Female) C |
| U004-010-R | USB A/A Extension Gold Cable (Retail Package) | 10 ft. | — | USB A (Male) A | USB A (Female) C |
| U005-10I | USB Right Angle Gold Extension Cable | 10 in. | — | USB A (Male) A | USB A (Female) C |
| U007-40M | USB Over Cat5 Extension Kit | — | — | USB A (Male) A | RJ45 (Female) G |
| | | | | USB A (Female) C | RJ45 (Female) G |
| U012-006 | USB A/B Cable with Adjustable Angle A Connector | 6 ft. | — | USB A (Male) A | USB B (Male) B |
| U012-010 | USB A/B Cable with Adjustable Angle A Connector | 10 ft. | — | USB A (Male) A | USB B (Male) B |
| U013-006 | USB A/B Cable with Adjustable Angle B Connector | 6 ft. | — | USB A (Male) A | USB B (Male) B |
| U014-006 | USB A/A Extension Cable with Adjustable Angle A Connector | 6 ft. | — | USB A (Male) A | USB A (Female) C |
| U014-10I | USB A/A Extension Cable with Adjustable Angle A Connector | 10 in. | — | USB A (Male) A | USB A (Female) C |
| U021-003 | USB 2.0 Certified A/B Device Cable | 3 ft. | — | USB A (Male) A | USB B (Male) B |
| U022-006 | USB 2.0 Certified Gold A/B Device Cable | 6 ft. | — | USB A (Male) A | USB B (Male) B |
| U022-006-R | USB 2.0 Certified Gold A/B Device Cable (Retail Package) | 6 ft. | — | USB A (Male) A | USB B (Male) B |
| U022-010 | USB 2.0 Certified Gold A/B Device Cable | 10 ft. | — | USB A (Male) A | USB B (Male) B |
| U022-010-R | USB 2.0 Certified Gold A/B Device Cable (Retail Package) | 10 ft. | — | USB A (Male) A | USB B (Male) B |
| U022-015 | USB 2.0 Certified Gold A/B Device Cable | 15 ft. | — | USB A (Male) A | USB B (Male) B |
| U024-006 | USB 2.0 Gold A/A Extension Cable | 6 ft. | — | USB A (Male) A | USB A (Female) C |
| U024-010 | USB 2.0 Gold A/A Extension Cable | 10 ft. | — | USB A (Male) A | USB A (Female) C |
| U026-016 | USB 2.0 Certified Active Extension Cable | 16 ft. | — | USB A (Male) A | USB A (Female) C |
| U028-006 | USB 2.0 A to 4 Pin Mini-B Cable | 6 ft. | — | USB A (Male) A | USB Mini-B 4 Pin (Male) D |
| U029-006 | USB 2.0 A to 4 Pin Mini-B Cable | 6 ft. | — | USB A (Male) A | USB Round Mini-B 4 Pin (Male) F |
| U030-006 | USB 2.0 A to 5 Pin Mini-B Cable | 6 ft. | — | USB A (Male) A | USB Mini-B 5 Pin (Male) E |
| U032-004-R | USB 2.0 Retractable A/B Device Cable | 4 ft. | — | USB A (Male) A | USB B (Male) B |
| U034-004-R | USB 2.0 Retractable A/A Extension Cable | 4 ft. | — | USB A (Male) A | USB A (Female) C |
| U042-036 | USB 2.0 Extra-Long Active Device Cable | 36 ft. | — | USB A (Male) A | USB B (Male) B |
| U222-004-R | USB 2.0 Certified Ultra Mini Hub with Extension Cable & 100-250V Adapter | — | 4 | (x4) USB A (Female) C | USB A (Male) A |
| U222-007-R | USB 2.0 Certified Hub with 100-250V AC Adapter | — | 7 | (x7) USB A (Female) C | USB A (Male) A |
| U225-004-R | USB 2.0 Certified Hub with 100-250V AC Adapter | — | 4 | (x4) USB A (Female) C | USB A (Male) A |
| U232-006 | USB 2.0 File Transfer Cable | 6 ft. | — | USB A (Male) A | USB A (Male) A |

USB Adapters

- Adapters link USB and non-USB computers and peripherals

| Item # | Description | Length | Ports | Connector | Connector |
|------------|--|--------|-------|-----------------------|--|
| B015-000 | USB to PS/2 Adapter | — | — | USB A (Male) A | (x2) MiniDIN6 (Female) L |
| U206-006-R | USB to IEEE Gold Parallel Printer Adapter Cable | 6 ft. | — | USB A (Male) A | Centronics 36 (Male) M |
| U209-000-R | USB Serial Adapter | — | — | USB A (Male) A | DB9 (Male) N |
| U209-004 | USB Serial Adapter | — | 4 | USB A (Male) A | (x4) DB9 (Male) N |
| U209-008 | USB Serial Adapter | — | 8 | USB A (Male) A | (x8) DB9 (Male) N |
| U219-000-R | USB to PS/2 Adapter | — | — | USB A (Male) A | (x2) MiniDIN6 (Female) L |
| U238-000 | USB 2.0 to SATA / IDE Combo Adapter (For 2.5" or 3.5" SATA and IDE Hard Drives) | 1 ft. | — | USB A (Male) A | 7 Pin SATA (Female) I 40 pin IDE (Female) J 44 pin IDE (Female) K |
| U239-000-R | USB 2.0 / SATA Hard Drive Cradle (For 2.5" or 3.5" SATA Hard Drive) | 6 ft. | — | USB A (Male) A | SATA Cradle (Female) I |
| U260-000-R | Bluetooth USB 2.0 Adapter with AFH (Adaptive Frequency Hopping) | — | — | USB A (Male) A | — |

A USB A (Male)



B USB B (Male)



C USB A (Female)



D USB Mini-B 4 Pin (Male)



E USB Mini-B 5 Pin (Male)



F USB Round Mini-B 4 Pin (Male)



G RJ45 (Female)



I SATA Cradle (Female)



J 7 Pin SATA (Female)



K 40 Pin IDE (Female)



L 44 Pin IDE (Female)



M MiniDIN6 (Female)



N Centronics 36 (Male)



O DB9 (Male)



USB/FireWire Solutions (continued)

USB 2.0 Sharing Switch & Hard Drive Enclosure

- USB sharing switch allows up to four computers to share one printer
- Hard drive enclosure allows you to access data while traveling

| Item # | Description | Ports | Connector | Connector |
|------------|---|-------|------------------------------|-------------------------|
| U215-004-R | USB 2.0 Peripheral Sharing Switch | 4 | (x4) USB A (Female) E | USB B (Female) F |
| U256-025-R | USB 2.0 External 2.5 in. Hard Drive Enclosure | — | — | — |

FireWire 800 Cables

- Twice the speed of original FireWire—data transfers to 800 Mbps
- Backward compatible to original FireWire components

| Item # | Description | Length | Connector | Connector |
|----------|---|--------|-----------------------|-----------------------|
| F015-006 | IEEE 1394b FireWire 800 Gold Hi-speed Cable | 6 ft. | 9 Pin (Male) G | 9 Pin (Male) G |
| F015-010 | IEEE 1394b FireWire 800 Gold Hi-speed Cable | 10 ft. | 9 Pin (Male) G | 9 Pin (Male) G |
| F017-006 | IEEE 1394b FireWire 800 Gold Hi-speed Cable | 6 ft. | 9 Pin (Male) G | 6 Pin (Male) H |
| F017-010 | IEEE 1394b FireWire 800 Gold Hi-speed Cable | 10 ft. | 9 Pin (Male) G | 6 Pin (Male) H |
| F019-006 | IEEE 1394b FireWire 800 Gold Hi-speed Cable | 6 ft. | 9 Pin (Male) G | 4 Pin (Male) I |
| F019-010 | IEEE 1394b FireWire 800 Gold Hi-speed Cable | 10 ft. | 9 Pin (Male) G | 4 Pin (Male) I |

FireWire Cables & PCI Cards

- Premium quadruple-shielded cables with tinned copper braid and aluminum mylar foil on each twisted pair as well as on the cable as a whole—data transfers up to 400 Mbps
- PCI cards add high-performance FireWire capability or extra USB ports to your desktop/notebook computer

| Item # | Description | Length | Connector | Connector |
|------------|---|--------|------------------------------|-----------------------|
| F005-006 | IEEE 1394 FireWire Gold Cable | 6 ft. | 6 Pin (Male) J | 6 Pin (Male) J |
| F005-015 | IEEE 1394 FireWire Gold Cable | 15 ft. | 6 Pin (Male) J | 6 Pin (Male) J |
| F007-003 | IEEE 1394 FireWire Gold Cable | 3 ft. | 6 Pin (Male) H | 4 Pin (Male) I |
| F007-006 | IEEE 1394 FireWire Gold Cable | 6 ft. | 6 Pin (Male) H | 4 Pin (Male) I |
| F007-015 | IEEE 1394 FireWire Gold Cable | 15 ft. | 6 Pin (Male) H | 4 Pin (Male) I |
| F009-006 | IEEE 1394 FireWire Gold Cable | 6 ft. | 4 Pin (Male) I | 4 Pin (Male) I |
| F200-003-R | IEEE 1394 PCI Card Kit with 6/4 Cable (6') & Video Editing Software | — | (x3) 6 Pin (Female) J | — |

Computer Solutions

Maximize the functionality of your desktop or notebook computer and peripherals with an assortment of cables, adapters and more featuring the latest high-speed data transfer technology.

Printer Cables

- Superior molded cables with integral strain relief and foil shielding for maximum EMI/RFI protection

| Item # | Description | Length | Connector | Connector |
|------------|---|--------|----------------------|------------------------------------|
| P602-006-R | Bidirectional Parallel Printer A/B Cable | 6 ft. | DB25 (Male) K | Centronics 36 (Male) C |
| P602-010 | Bidirectional Parallel Printer A/B Cable | 10 ft. | DB25 (Male) K | Centronics 36 (Male) C |
| P604-006 | Premium Bidirectional Parallel Printer A/B Cable | 6 ft. | DB25 (Male) K | Centronics 36 (Male) C |
| P604-025 | Premium Bidirectional Parallel Printer A/B Cable | 25 ft. | DB25 (Male) K | Centronics 36 (Male) C |
| P606-003 | IEEE1284 Gold Parallel Printer A/B Cable | 3 ft. | DB25 (Male) K | Centronics 36 (Male) C |
| P606-006 | IEEE1284 Gold Parallel Printer A/B Cable | 6 ft. | DB25 (Male) K | Centronics 36 (Male) C |
| P606-006-R | IEEE1284 Gold Parallel Printer A/B Cable (Retail Package) | 6 ft. | DB25 (Male) K | Centronics 36 (Male) C |
| P606-010 | IEEE1284 Gold Parallel Printer A/B Cable | 10 ft. | DB25 (Male) K | Centronics 36 (Male) C |
| P606-015 | IEEE1284 Gold Parallel Printer A/B Cable | 15 ft. | DB25 (Male) K | Centronics 36 (Male) C |
| P606-020 | IEEE1284 Gold Parallel Printer A/B Cable | 20 ft. | DB25 (Male) K | Centronics 36 (Male) C |
| P608-006 | IEEE1284 Parallel Printer A/C Cable | 6 ft. | DB25 (Male) K | Mini Centronics 36 (Male) L |

A MiniDIN6 (Female)



J 6 Pin (Male)




B USB A (Male)



I 4 Pin (Male)




C Centronics 36 (Male)



J 6 Pin (Female)



D DB9 (Male)




K DB25 (Male)



E USB A (Female)



L Mini Centronics 36 (Male)



F USB B (Female)



G 9 Pin (Male)



Modem/Null Modem Cables & Coupler

- Superior molded cables with foil shielding for maximum EMI/RFI protection
- In-line coupler inexpensively extends two telephone cords

| Item # | Description | Length | Connector | Connector |
|-------------|---|--------|------------------------|------------------------|
| P402-006 | Serial Modem Gold Cable | 6 ft. | DB25 (Female) A | DB25 (Male) B |
| P402-006-R | Serial Modem Gold Cable (Retail Package) | 6 ft. | DB25 (Female) A | DB25 (Male) B |
| P404-006 | AT Serial Modem Gold Cable | 6 ft. | DB9 (Female) C | DB25 (Male) B |
| P404-006-R | AT Serial Modem Gold Cable (Retail Package) | 6 ft. | DB9 (Female) C | DB25 (Male) B |
| P410-007-SR | Fax/Modem Silver Flat Patch Cable | 7 ft. | RJ11 (Male) D | RJ11 (Male) D |
| P412-008 | Retractable Fax/Modem Cable | 8 ft. | RJ11 (Male) D | RJ11 (Male) D |
| P415-014-R | High Speed Internet Modem Cable | 14 ft. | RJ11 (Male) D | RJ11 (Male) D |
| P420-001 | RJ11 In-Line Coupler | — | RJ11 (Female) E | RJ11 (Female) E |
| P450-006 | Null Modem Gold Cable | 6 ft. | DB9 (Female) C | DB9 (Female) C |
| P454-006 | Null Modem Gold Cable | 6 ft. | DB9 (Male) F | DB9 (Female) C |
| P456-006 | Null Modem Gold Cable | 6 ft. | DB9 (Female) C | DB25 (Male) B |

Ribbon & Internal Cables

- An assortment of high-quality ribbon cables, power cables and CD-ROM cable assemblies

| Item # | Description | Length | Connector |
|-------------|---|--------|-----------------------------------|
| P906-18I | UATA/UDMA EIDE 2-Drive Ribbon Cable | 18 in. | (x3) 40-pin IDE (Female) G |
| P906-18I-BP | UATA/UDMA EIDE 2-Drive Ribbon Cable (Bulk Pack) | 18 in. | (x3) 40-pin IDE (Female) G |
| P906-26I | UATA/UDMA EIDE 2-Drive Ribbon Cable | 26 in. | (x3) 40-pin IDE (Female) G |
| P906-30I | UATA/UDMA EIDE 2-Drive Ribbon Cable | 30 in. | (x3) 40-pin IDE (Female) G |
| P909-18I-BL | UATA/UDMA EIDE 2-Drive Blue Round Ribbon Cable | 18 in. | (x3) 40-pin IDE (Female) G |
| P920-006 | Power Y Splitter 5.25" Cable | 6 in. | — |
| P930-26I | Universal CD-ROM Audio Cable Assembly | 26 in. | — |

Serial ATA (SATA) Cables


- Signal cables connect any high speed Serial ATA device to a Serial ATA controller
- Support much higher data transfer rates (up to 1.5 Gbps)
- Design helps improve internal air flow

| Item # | Description | Length | Connector | Connector |
|-------------|---|--------|---|---|
| P940-08I | Serial ATA (SATA) Signal Cable | 8 in. | 7 pin straight (Male) H | 7 pin straight (Male) I |
| P940-19I | Serial ATA (SATA) Signal Cable | 19 in. | 7 pin straight (Male) H | 7 pin straight (Male) I |
| P940-19I-BP | Serial ATA (SATA) Signal Cable (Bulk Pack) | 19 in. | 7 pin straight (Male) H | 7 pin straight (Male) I |
| P940-39I | Serial ATA (SATA) Signal Cable | 39 in. | 7 pin straight (Male) H | 7 pin straight (Male) I |
| P940-39I-BP | Serial ATA (SATA) Signal Cable (Bulk Pack) | 39 in. | 7 pin straight (Male) H | 7 pin straight (Male) I |
| P941-19I | Serial ATA (SATA) Signal Cable | 19 in. | 7 pin straight (Male) H | 7 pin right-angle up (Male) J |
| P942-19I | Serial ATA (SATA) Signal Cable | 19 in. | 7 pin straight (Male) H | 7 pin right-angle down (Male) J |
| P943-19I | Serial ATA (SATA) Signal Cable | 19 in. | 7 pin right-angle up (Male) I | 7 pin right-angle down (Male) J |
| P944-06I | Serial ATA (SATA) Power Cable | 6 in. | 15 pin (Male) K | 4 pin (Male) L |
| P944-06I-BP | Serial ATA (SATA) Power Cable (Bulk Pack) | 6 in. | 15 pin (Male) K | 4 pin (Male) L |
| P945-06I | Serial ATA (SATA) Power Adapter/Extension Cable | 6 in. | 15 pin (Male) K | (x2) 4 pin (Male) L |
| P945-06I-BP | Serial ATA (SATA) Power Adapter/Extension Cable (Bulk Pack) | 6 in. | 15 pin (Male) K | (x2) 4 pin (Male) L |
| P946-12I | Serial ATA (SATA) Dual Power Adapter Cable | 12 in. | 4 pin (Male) L | (x2) 15 pin (Male) K |
| P950-18I | Serial ATA (eSATA) II Signal Cable | 18 in. | 7 pin straight latching (Male) M | 7 pin straight latching (Male) M |
| P950-36I | Serial ATA (eSATA) II Signal Cable | 36 in. | 7 pin straight latching (Male) M | 7 pin straight latching (Male) M |
| P952-003 | SATA to eSATA Transition Cable | 3 ft. | 7 pin straight latching (Male) M | 7 pin straight (Female) N |
| P952-18I | SATA to eSATA Transition Cable | 18 in. | 7 pin straight latching (Male) M | 7 pin straight (Female) N |

A DB25 (Female)



B DB25 (Male)



C DB9 (Female)



D RJ11 (Male)



E RJ11 (Female)



F DB9 (Male)



G 40-pin IDE (Female)



H 7 pin straight (Male)



I 7 pin right-angle up (Male)



J 7 pin right-angle down (Male)



K 15 pin (Male)



L 4 pin (Male)



M 7 pin straight latching (Male)



N 7 pin straight (Female)



Computer Solutions (continued)

File Transfer Cables

- Used to transfer files between two computers via the serial or parallel ports

| Item # | Description | Length | Connector | Connector |
|------------|--|--------|------------------------------|------------------------------|
| P804-006 | Parallel File Transfer Gold Cable | 6 ft. | DB25 (Male) A | DB25 (Male) A |
| P804-010 | Parallel File Transfer Gold Cable | 10 ft. | DB25 (Male) A | DB25 (Male) A |
| P804-010-R | Parallel File Transfer Gold Cable (Retail Package) | 10 ft. | DB25 (Male) A | DB25 (Male) A |
| P806-010-R | Universal File Transfer Serial Gold Cable | 10 ft. | DB25/DB9 (Female) B/C | DB25/DB9 (Female) B/C |

Keyboard/Mouse Cables

- AT and PS/2 keyboard cables connect keyboards and mice to a computer

| Item # | Description | Length | Connector | Connector |
|----------|---|--------|--------------------------|---------------------------------|
| P203-006 | AT Keyboard Extension Cable, Straight | 6 ft. | DIN5 (Male) D | DIN5 (Female) E |
| P220-006 | PS/2 Keyboard/Mouse Extension Cable, Coiled | 6 ft. | MiniDIN6 (Male) F | MiniDIN6 (Female) G |
| P222-006 | PS/2 Keyboard/Mouse Extension Cable | 6 ft. | MiniDIN6 (Male) F | MiniDIN6 (Female) G |
| P222-010 | PS/2 Keyboard/Mouse Extension Cable | 10 ft. | MiniDIN6 (Male) F | MiniDIN6 (Female) G |
| P222-015 | PS/2 Keyboard/Mouse Extension Cable | 15 ft. | MiniDIN6 (Male) F | MiniDIN6 (Female) G |
| P230-001 | PS/2 Keyboard/Mouse Y Cable | 1 ft. | MiniDIN6 (Male) F | (x2) MiniDIN6 (Female) G |

Monitor Cables & Adapters

- Superior molded cables with foil shielding for maximum EMI/RFI protection

| Item # | Description | Length | Connector | Connector |
|-------------|--|---------|-----------------------|-----------------------------|
| P500-006 | SVGA Monitor Extension Gold Cable with RGB Coax | 6 ft. | HD15 (Male) H | HD15 (Female) I |
| P500-010 | SVGA Monitor Extension Gold Cable with RGB Coax | 10 ft. | HD15 (Male) H | HD15 (Female) I |
| P500-025 | SVGA Monitor Extension Gold Cable with RGB Coax | 25 ft. | HD15 (Male) H | HD15 (Female) I |
| P500-050 | SVGA Monitor Extension Gold Cable with RGB Coax | 50 ft. | HD15 (Male) H | HD15 (Female) I |
| P500-075 | SVGA Monitor Extension Gold Cable with RGB Coax | 75 ft. | HD15 (Male) H | HD15 (Female) I |
| P500-100 | SVGA Monitor Extension Gold Cable with RGB Coax | 100 ft. | HD15 (Male) H | HD15 (Female) I |
| P500-100-P | SVGA Plenum Rated Monitor Extension Gold Cable with RGB Coax | 100 ft. | HD15 (Male) H | HD15 (Female) I |
| P502-006 | SVGA Monitor Gold Cable with RGB Coax | 6 ft. | HD15 (Male) H | HD15 (Male) H |
| P502-015 | SVGA Monitor Gold Cable with RGB Coax | 15 ft. | HD15 (Male) H | HD15 (Male) H |
| P502-025 | SVGA Monitor Gold Cable with RGB Coax | 25 ft. | HD15 (Male) H | HD15 (Male) H |
| P502-025-P | SVGA Plenum Rated Monitor Gold Cable with RGB Coax | 25 ft. | HD15 (Male) H | HD15 (Male) H |
| P502-050 | SVGA Monitor Gold Cable with RGB Coax | 50 ft. | HD15 (Male) H | HD15 (Male) H |
| P502-050-P | SVGA Plenum Rated Monitor Gold Cable with RGB Coax | 50 ft. | HD15 (Male) H | HD15 (Male) H |
| P502-100 | SVGA Monitor Gold Cable with RGB Coax | 100 ft. | HD15 (Male) H | HD15 (Male) H |
| P504-010 | SVGA Monitor Cable with RGB Coax and Audio | 10 ft. | HD15 (Male) H | HD15 (Male) H |
| P504-025 | SVGA Monitor Cable with RGB Coax and Audio | 25 ft. | HD15 (Male) H | HD15 (Male) H |
| P504-025-P | SVGA Plenum Rated Monitor Cable with RGB Coax and Audio | 25 ft. | HD15 (Male) H | HD15 (Male) H |
| P504-050 | SVGA Monitor Cable with RGB Coax and Audio | 50 ft. | HD15 (Male) H | HD15 (Male) H |
| P510-006 | VGA Monitor Extension Gold Cable | 6 ft. | HD15 (Male) H | HD15 (Female) I |
| P510-010 | VGA Monitor Extension Gold Cable | 10 ft. | HD15 (Male) H | HD15 (Female) I |
| P510-015 | VGA Monitor Extension Gold Cable | 15 ft. | HD15 (Male) H | HD15 (Female) I |
| P510-025 | VGA Monitor Extension Gold Cable | 25 ft. | HD15 (Male) H | HD15 (Female) I |
| P512-006 | VGA Monitor Gold Cable | 6 ft. | HD15 (Male) H | HD15 (Male) H |
| P512-010 | VGA Monitor Gold Cable | 10 ft. | HD15 (Male) H | HD15 (Male) H |
| P516-001 | VGA/XVGA Monitor Y Splitter | 1 ft. | HD15 (Male) H | (x2) HD15 (Female) I |
| P516-001-HR | VGA/XVGA Monitor Y Splitter (High Resolution) | 1 ft. | HD15 (Male) H | (x2) HD15 (Female) I |
| P520-006 | CGA/EGA Monitor/Mouse Extension Cable | 6 ft. | DB9 (Male) J | DB9 (Female) C |
| P556-006 | DVI Male to HD15 Male Monitor Cable | 6 ft. | DVI-I (Male) K | HD15 (Male) H |
| P560-006 | DVI Dual Link TDMS Cable | 6 ft. | DVI-D (Male) L | DVI-D (Male) L |
| P560-006-A | DVI Dual Link TDMS Cable with Audio | 6 ft. | DVI-D (Male) L | DVI-D (Male) L |
| P560-010 | DVI Dual Link TDMS Cable | 10 ft. | DVI-D (Male) L | DVI-D (Male) L |
| P560-010-A | DVI Dual Link TDMS Cable with Audio | 10 ft. | DVI-D (Male) L | DVI-D (Male) L |
| P560-025 | DVI Dual Link TDMS Cable | 25 ft. | DVI-D (Male) L | DVI-D (Male) L |
| P560-050 | DVI Dual Link TDMS Cable | 50 ft. | DVI-D (Male) L | DVI-D (Male) L |
| P560-100 | DVI Dual Link TDMS Cable | 100 ft. | DVI-D (Male) L | DVI-D (Male) L |

A DB25 (Male)



B DB25 (Female)



C DB9 (Female)



D DIN5 (Male)



E DIN5 (Female)



F MiniDIN6 (Male)



G MiniDIN6 (Female)



H HD15 (Male)



I HD15 (Female)



J DB9 (Male)



K DVI-I (Male)
Single Link



L DVI-D (Male)
Dual Link



Monitor Cables & Adapters (continued)

| Item # | Description | Length | Connector | Connector |
|--------------|--|---------|---------------------------|------------------------------|
| P561-006 | DVI Single Link TDMS Cable | 6 ft. | DVI-D (Male) A | DVI-D (Male) A |
| P561-010 | DVI Single Link TDMS Cable | 10 ft. | DVI-D (Male) A | DVI-D (Male) A |
| P561-050 | DVI Single Link TDMS Cable | 50 ft. | DVI-D (Male) A | DVI-D (Male) A |
| P561-100 | DVI Single Link TDMS Cable | 100 ft. | DVI-D (Male) A | DVI-D (Male) A |
| P562-001-45L | DVI Dual Link Extension Cable with 45° Left Male Connector | 1 ft. | DVI-D (Male) G | DVI-D (Female) B |
| P562-006 | DVI Dual Link Extension Cable | 6 ft. | DVI-D (Male) G | DVI-D (Female) B |
| P564-001 | DVI Dual Link Splitter Cable | 1 ft. | DVI-D (Male) G | (x2) DVI-I (Female) K |
| P566-006 | HDMI to DVI Gold Digital Video Cable | 6 ft. | HDMI (Male) C | DVI-D (Male) A |
| P566-010 | HDMI to DVI Gold Digital Video Cable | 10 ft. | HDMI (Male) C | DVI-D (Male) A |
| P566-016 | HDMI to DVI Gold Digital Video Cable | 16 ft. | HDMI (Male) C | DVI-D (Male) A |
| P568-003-FL | HDMI Gold Digital Video Cable (Flat) | 3 ft. | HDMI (Male) C | HDMI (Male) C |
| P568-006 | HDMI Gold Digital Video Cable | 6 ft. | HDMI (Male) C | HDMI (Male) C |
| P568-006-FL | HDMI Gold Digital Video Cable (Flat) | 6 ft. | HDMI (Male) C | HDMI (Male) C |
| P568-010 | HDMI Gold Digital Video Cable | 10 ft. | HDMI (Male) C | HDMI (Male) C |
| P568-010-FL | HDMI Gold Digital Video Cable (Flat) | 10 ft. | HDMI (Male) C | HDMI (Male) C |
| P568-016 | HDMI Gold Digital Video Cable | 16 ft. | HDMI (Male) C | HDMI (Male) C |
| P568-025 | HDMI Gold Digital Video Cable | 25 ft. | HDMI (Male) C | HDMI (Male) C |
| P568-050 | HDMI Gold Digital Video Cable | 50 ft. | HDMI (Male) C | HDMI (Male) C |
| P568-100 | HDMI Gold Digital Video Cable | 100 ft. | HDMI (Male) C | HDMI (Male) C |
| P570-006 | HDMI to Mini HDMI Gold Digital Video Cable | 6 ft. | HDMI (Male) C | Mini HDMI (Male) E |
| P572-006 | Mini HDMI Gold Digital Video Cable | 6 ft. | Mini HDMI (Male) E | Mini HDMI (Male) E |
| P120-000 | DVI Adapter | — | DVI-A (Male) D | HD15 (Female) F |
| P122-000 | DVI Adapter | — | DVI-D (Male) A | DFP (Female) H |
| P126-000 | DVI Adapter | — | DVI-I (Female) K | HD15 (Male) I |
| P130-000 | HDMI to DVI Gold Adapter | — | HDMI (Female) J | DVI-D (Male) A |
| P132-000 | DVI to HDMI Gold Adapter | — | DVI-D (Female) B | HDMI (Male) C |
| B120-000 | DVI Dual Link Extender Adapter | — | DVI-I (Female) K | DVI-I (Female) K |
| B122-000 | HDMI Signal Extender | — | HDMI (Female) J | HDMI (Female) J |
| P158-000 | Compact Gold Gender Changer | — | HD15 (Male) I | HD15 (Male) I |
| P160-000 | Compact Gold Gender Changer | — | HD15 (Female) F | HD15 (Female) F |
| P162-000 | Compact Gold Gender Changer | — | DVI-I (Female) K | DVI-I (Female) K |
| P164-000 | Compact Gold Gender Changer | — | HDMI (Female) J | HDMI (Female) J |

A DVI-D (Male)
Single Link



B DVI-D (Female)



C HDMI (Male)



D DVI-A (Male)



E Mini HDMI (Male)



F HD15 (Female)



G DVI-D (Male)
Dual Link



H DFP (Female)



I HD15 (Male)



J HDMI (Female)



K DVI-I (Female)



AC Power Cords

- Deliver AC power to a variety of electronic equipment

| Item # | Description | Length | Connector | Connector |
|------------|--|--------|---------------------------|-----------------------------|
| P002-002 | Power Converter Cable | 2 ft. | IEC-320-C14 A | NEMA 5-15R B |
| P002-002-R | Power Converter Cable (Retail Package) | 2 ft. | IEC-320-C14 A | NEMA 5-15R B |
| P004-006 | AC Power Extension Cable | 6 ft. | IEC-320-C14 A | IEC-320-C13 C |
| P004-002-5 | AC Power Cable (Pack of 5) | 2 ft. | IEC-320-C14 A | IEC-320-C13 C |
| P005-010 | Heavy Duty AC Power Cable | 10 ft. | IEC-320-C13 C | IEC-320-C14 A |
| P006-006 | AC Power Replacement Cable | 6 ft. | IEC-320-C13 C | NEMA 5-15P D |
| P007-010 | Heavy Duty AC Power Cable | 10 ft. | IEC-320-C13 C | NEMA 5-15P D |
| P010-012 | AC Power Replacement Cable | 12 ft. | NEMA 5-15P D | IEC-320-C13 C |
| P012-006 | Notebook Power Adapter Cable | 6 ft. | NEMA 1-15P E | IEC-320-C7 F |
| P022-001 | AC Power Cable | 1 ft. | NEMA 5-15R B | NEMA 5-15P D |
| P022-001-2 | AC Power Cable | 1 ft. | (x2) NEMA 5-15R B | NEMA 5-15P D |
| P024-06I | AC Power Cable | 6 in. | NEMA 5-20R G | NEMA 5-15P D |
| P032-007 | AC Power Cable | 7 ft. | IEC-320-C13 C | IEC-320-C20 H |
| P034-010 | Heavy Duty AC Power Cable | 10 ft. | IEC-320-C19 I | NEMA 5-15P D |
| P036-002 | AC Power Cable | 2 ft. | IEC-320-C19 I | IEC-320-C20 H |
| P036-006 | AC Power Cable | 6 ft. | IEC-320-C19 I | IEC-320-C20 H |
| P040-010 | AC Power Cable | 10 ft. | IEC-320-C19 I | NEMA L6-20P J |
| P041-001-2 | AC Power Cable | 1 ft. | (x2) NEMA L6-30R K | NEMA L6-30P L |
| P043-002 | AC Power Cable | 2 ft. | NEMA L5-20R M | NEMA L5-30P N |
| P044-06I | AC Power Adapter Cable | 6 in. | NEMA L5-20R M | NEMA 5-20P O |
| P045-010 | Heavy Duty AC Power Cable | 10 ft. | IEC-320-C19 I | NEMA L5-20P P |
| P047-010 | Heavy Duty AC Power Cable | 10 ft. | IEC-320-C19 I | IEC-320-C14 A |
| P049-010 | Heavy Duty AC Power Cable | 10 ft. | IEC-320-C19 I | NEMA 5-20P O |
| P050-008 | AC Power Cable (International) | 8 ft. | IEC-320-C19 I | CEE 7/7 SHUKO Plug Q |
| P052-008 | AC Power Cable (International) | 8 ft. | IEC-320-C19 I | BS1363 UK Plug R |

A IEC-320-C14



B NEMA 5-15R



C IEC-320-C13



D NEMA 5-15P



E NEMA 1-15P



F IEC-320-C7



G NEMA 5-20R



H IEC-320-C20



I IEC-320-C19



J NEMA L6-20P



K NEMA L6-30R



L NEMA L6-30P



M NEMA L5-20R



N NEMA L5-30P



O NEMA 5-20P



P NEMA L5-20P



Q CEE 7/7 SHUKO Plug



R BS1363 UK Plug




Adapters & Gender Changers

- AT, PS/2, Serial, Null Modem, HDMI and DVI adapters convert a variety of connections and are an inexpensive alternative to buying new cables
- Gold gender changers allow you to connect male/female cables

| Item # | Description | Length | Connector | Connector |
|------------|---|--------|----------------------------|-----------------------------|
| B120-000 | DVI Dual Link Signal Extender with AC Adapter | — | DVI-I (Female) M | DVI-I (Female) M |
| B122-000 | HDMI Signal Extender with AC Adapter | — | HDMI (Female) O | HDMI (Female) O |
| B123-001 | HDMI Active Signal Extender Cable (Bus-Powered) | 1 ft. | HDMI (Female) O | HDMI (Male) P |
| P100-000-R | AT Serial Gold Adapter | — | DB9 (Female) A | DB25 (Male) B |
| P100-001 | AT Serial Gold Adapter | 1 ft. | DB9 (Female) A | DB25 (Male) B |
| P102-000 | AT Serial Gold Adapter | — | DB9 (Female) A | DB25 (Female) C |
| P106-000 | AT-PS/2 Keyboard Adapter | — | DIN5 (Female) E | MiniDIN6 (Male) F |
| P106-061 | AT-PS/2 Keyboard Adapter | 6 in. | DIN5 (Female) E | MiniDIN6 (Male) F |
| P108-000 | PS/2-AT Keyboard Adapter | — | DIN5 (Male) G | MiniDIN6 (Female) H |
| P108-000-R | PS/2-AT Keyboard Adapter | — | DIN5 (Male) G | MiniDIN6 (Female) H |
| P110-000-R | Combo-Mouse Serial-PS/2 Adapter | — | MiniDIN6 (Male) F | DB9 (Male) D |
| P112-000 | Combo-Mouse Serial-PS/2 Adapter | — | MiniDIN6 (Female) H | DB9 (Female) A |
| P118-000 | DVI Adapter | — | DVI-D (Male) U | DVI-I (Female) M |
| P120-000 | DVI Adapter | — | DVI-A (Male) I | HD15 (Female) J |
| P120-000-2 | DVI Adapter | — | DVI-A (Male) I | (x2) HD15 (Female) J |
| P122-000 | DVI Adapter | — | DVI-D (Male) U | DFP (Female) L |
| P126-000 | DVI Adapter | — | DVI-I (Female) M | HD15 (Male) N |
| P130-000 | HDMI to DVI Gold Adapter | — | HDMI (Female) O | DVI-D (Male) K |
| P132-000 | DVI to HDMI Gold Adapter | — | DVI-D (Female) V | HDMI (Male) P |
| P150-000 | Compact Gold Gender Changer | — | DB9 (Female) A | DB9 (Female) A |
| P152-000 | Compact Gold Gender Changer | — | DB9 (Male) D | DB9 (Male) D |
| P154-000 | Compact Gold Gender Changer | — | DB25 (Female) C | DB25 (Female) C |
| P156-000 | Compact Gold Gender Changer | — | DB25 (Male) B | DB25 (Male) B |
| P158-000 | Compact Gold Gender Changer | — | HD15 (Male) N | HD15 (Male) N |
| P160-000 | Compact Gold Gender Changer | — | HD15 (Female) J | HD15 (Female) J |
| P162-000 | Compact Gold Gender Changer | — | DVI-I (Female) M | DVI-I (Female) M |
| P164-000 | Compact Gold Gender Changer | — | HDMI (Female) O | HDMI (Female) O |
| P166-001-A | HDMI Wallplate (Active) | — | HDMI (Female) O | HDMI (Female) O |
| P166-001-P | HDMI Wallplate (Passive) | — | HDMI (Female) O | HDMI (Female) O |

Miscellaneous Audio Cables and Adapters

| Item # | Description | Length | Connector | Connector |
|----------|------------------------------|--------|------------------------|--------------------------|
| P312-006 | Stereo Mini Plug Audio Cable | 6 ft. | 3.5 mm (Male) S | 3.5 mm (Male) S |
| P312-010 | Stereo Mini Plug Audio Cable | 10 ft. | 3.5 mm (Male) S | 3.5 mm (Male) S |
| P312-025 | Stereo Mini Plug Audio Cable | 25 ft. | 3.5 mm (Male) S | 3.5 mm (Male) S |
| P312-050 | Stereo Mini Plug Audio Cable | 50 ft. | 3.5 mm (Male) S | 3.5 mm (Male) S |
| P314-006 | Audio Cable Y Adapter | 6 ft. | 3.5 mm (Male) S | (x2) RCA (Male) T |
| P314-012 | Audio Cable Y Adapter | 12 ft. | 3.5 mm (Male) S | (x2) RCA (Male) T |



Home/Business Theater Solutions

A full line of premium-quality Tripp Lite cables for the best home/business theater performance available.

Composite & Component Video Cables

- High-purity copper coaxial cable for improved signal transfer and low energy loss
- Double-shielded construction provides superior protection against EMI/RFI
- Excellent noise isolation with 100% aluminum foil/braid shielding

| Item # | Description | Length | Connector | Connector |
|----------|--|--------|--------------------------|--------------------------|
| A004-006 | Composite Video Gold Cable with Silver Plated Center Conductor | 6 ft. | RCA (Male) A | RCA (Male) A |
| A004-012 | Composite Video Gold Cable with Silver Plated Center Conductor | 12 ft. | RCA (Male) A | RCA (Male) A |
| A008-006 | Component Video Gold Cable with Silver Plated Center Conductor | 6 ft. | (x3) RCA (Male) A | (x3) RCA (Male) A |
| A008-012 | Component Video Gold Cable with Silver Plated Center Conductor | 12 ft. | (x3) RCA (Male) A | (x3) RCA (Male) A |

S-Video Cables

- Constructed of high quality 99.99% pure solid copper conductors
- True 75 ohm impedance for maximum bandwidth

| Item # | Description | Length | Connector | Connector |
|----------|--------------------|--------|---------------------|---------------------|
| A012-006 | S-Video Gold Cable | 6 ft. | MD4 (Male) B | MD4 (Male) B |
| A012-012 | S-Video Gold Cable | 12 ft. | MD4 (Male) B | MD4 (Male) B |

RF Digital Coax Audio Cables

- Superior audio quality for movies with Dolby Digital and DTS surround sound
- Double shielded construction for maximum EMI/RFI protection

| Item # | Description | Length | Connector | Connector |
|----------|--|--------|---------------------|---------------------|
| A060-006 | RF Digital Coax Gold Audio Cable with Silver Plated Center Conductor | 6 ft. | RCA (Male) A | RCA (Male) A |
| A060-012 | RF Digital Coax Gold Audio Cable with Silver Plated Center Conductor | 12 ft. | RCA (Male) A | RCA (Male) A |

High Resolution Audio Cables

- Designed to provide a clear, accurate sound, as well as eliminate noise and interference that can compromise your listening pleasure
- 75 ohm coaxial cables made of 99.99% pure copper, and precision machined, 6-cut, Gold RCA connectors that are corrosion resistant

| Item # | Description | Length | Connector | Connector |
|----------|---|--------|--------------------------|--------------------------|
| A050-006 | High Resolution Gold Audio Cables with Silver Plated Center Conductor | 6 ft. | (x2) RCA (Male) A | (x2) RCA (Male) A |
| A050-012 | High Resolution Gold Audio Cables with Silver Plated Center Conductor | 12 ft. | (x2) RCA (Male) A | (x2) RCA (Male) A |

Digital Optical Audio Cables

- Provide the ultimate in pure, digital audio quality
- Superior-grade optical fiber and precision polished optical terminations

| Item # | Description | Length | Connector | Connector |
|----------|-----------------------------|--------------|------------------|------------------|
| A102-02M | Digital Optical Audio Cable | 2 m (6 ft.) | Toslink C | Toslink C |
| A102-04M | Digital Optical Audio Cable | 4 m (12 ft.) | Toslink C | Toslink C |

HDTV Home Theater Kits

| Item # | Description | Length | Connector | Connector |
|------------|---|--------|-----------|-----------|
| A150-006 | HDTV Connection Kit (6 cables; 1 adapter) | 6 ft. | — | — |
| A152-000-2 | HDTV Wallplate Kit | — | — | — |

Category 6/5e Network Solutions

Category 6 and Category 5e cabling provides faster network transmission speeds (up to 1 Gigabit per second) and supports a wide variety of applications: 1000BASE-T (1 Gbps Ethernet); 100BASE-T (Ethernet); 10BASE-T (Ethernet); 100 Mbps TPDDI; 155 Mbps ATM; ISDN; and Voice.

Cat6 Shielded (STP) Patch Cables

- Protect network data from EMI/RFI interference
- Manufactured from PVC, 4-pair, stranded shielded twisted pair, and rated for 550MHz/1Gbps communication

| Item # | Description | Length | Connector | Connector |
|-------------|--|--------|----------------------|----------------------|
| N125-007-GY | Cat6 Gigabit Gray Shielded Patch Cable | 7 ft. | RJ45 (Male) D | RJ45 (Male) D |
| N125-010-GY | Cat6 Gigabit Gray Shielded Patch Cable | 10 ft. | RJ45 (Male) D | RJ45 (Male) D |
| N125-025-GY | Cat6 Gigabit Gray Shielded Patch Cable | 25 ft. | RJ45 (Male) D | RJ45 (Male) D |
| N125-050-GY | Cat6 Gigabit Gray Shielded Patch Cable | 50 ft. | RJ45 (Male) D | RJ45 (Male) D |

A RCA (Male)



B MD4 (Male)



C Toslink



































































































D RJ45 (Male)



Category 6/5e Network Solutions (continued)





Cat6 Snagless (UTP) Patch Cables


- High-speed (up to 550 Mhz) Cat6 snagless patch cables to distribute data, voice and video
- Designed for use in Category 6, Category 5e and Category 5 applications

| Item # | Description | Length | Connector | Connector |
|---------------|--|---------|---|---|
| N201-001-BK | Cat6 Gigabit Black Snagless Patch Cable | 1 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-001-BL | Cat6 Gigabit Blue Snagless Patch Cable | 1 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-001-GY | Cat6 Gigabit Gray Snagless Patch Cable | 1 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-002-BK | Cat6 Gigabit Black Snagless Patch Cable | 2 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-002-BL | Cat6 Gigabit Blue Snagless Patch Cable | 2 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-002-GY | Cat6 Gigabit Gray Snagless Patch Cable | 2 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-003-BK | Cat6 Gigabit Black Snagless Patch Cable | 3 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-003-BL | Cat6 Gigabit Blue Snagless Patch Cable | 3 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-003-GN | Cat6 Gigabit Green Snagless Patch Cable | 3 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-003-GY | Cat6 Gigabit Gray Snagless Patch Cable | 3 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-003-OR | Cat6 Gigabit Orange Snagless Patch Cable | 3 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-003-YW | Cat6 Gigabit Yellow Snagless Patch Cable | 3 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-005-BK | Cat6 Gigabit Black Snagless Patch Cable | 5 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-005-BL | Cat6 Gigabit Blue Snagless Patch Cable | 5 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-005-GN | Cat6 Gigabit Green Snagless Patch Cable | 5 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-005-GY | Cat6 Gigabit Gray Snagless Patch Cable | 5 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-005-OR | Cat6 Gigabit Orange Snagless Patch Cable | 5 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-005-YW | Cat6 Gigabit Yellow Snagless Patch Cable | 5 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-007-BK | Cat6 Gigabit Black Snagless Patch Cable | 7 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-007-BL | Cat6 Gigabit Blue Snagless Patch Cable | 7 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-007-BL-R | Cat6 Gigabit Blue Snagless Patch Cable (Retail Package) | 7 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-007-GN | Cat6 Gigabit Green Snagless Patch Cable | 7 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-007-GN-R | Cat6 Gigabit Green Snagless Patch Cable (Retail Package) | 7 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-007-GY | Cat6 Gigabit Gray Snagless Patch Cable | 7 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-007-OR | Cat6 Gigabit Orange Snagless Patch Cable | 7 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-007-YW | Cat6 Gigabit Yellow Snagless Patch Cable | 7 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-010-BK | Cat6 Gigabit Black Snagless Patch Cable | 10 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-010-BL | Cat6 Gigabit Blue Snagless Patch Cable | 10 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-010-GN | Cat6 Gigabit Green Snagless Patch Cable | 10 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-010-GY | Cat6 Gigabit Gray Snagless Patch Cable | 10 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-010-OR | Cat6 Gigabit Orange Snagless Patch Cable | 10 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-010-YW | Cat6 Gigabit Yellow Snagless Patch Cable | 10 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-014-BK | Cat6 Gigabit Black Snagless Patch Cable | 14 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-014-BL | Cat6 Gigabit Blue Snagless Patch Cable | 14 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-014-BL-R | Cat6 Gigabit Blue Snagless Patch Cable (Retail Package) | 14 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-014-GN | Cat6 Gigabit Green Snagless Patch Cable | 14 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-014-GY | Cat6 Gigabit Gray Snagless Patch Cable | 14 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-014-OR | Cat6 Gigabit Orange Snagless Patch Cable | 14 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-014-YW | Cat6 Gigabit Yellow Snagless Patch Cable | 14 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-025-BK | Cat6 Gigabit Black Snagless Patch Cable | 25 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-025-BL | Cat6 Gigabit Blue Snagless Patch Cable | 25 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-025-GN | Cat6 Gigabit Green Snagless Patch Cable | 25 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-025-GY | Cat6 Gigabit Gray Snagless Patch Cable | 25 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-025-OR | Cat6 Gigabit Orange Snagless Patch Cable | 25 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-025-YW | Cat6 Gigabit Yellow Snagless Patch Cable | 25 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-050-GY | Cat6 Gigabit Gray Snagless Patch Cable | 50 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-050-GY-P | Cat6 Gigabit Gray Snagless Patch Cable (Plenum) | 50 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N201-100-GY-P | Cat6 Gigabit Gray Snagless Patch Cable (Plenum) | 100 ft. | RJ45 (Male)  | RJ45 (Male)  |

Cat6 Snagless (UTP) Cross-Over Cables

- High-speed (up to 550 Mhz) Cat6 snagless cross-over patch cables to distribute data, voice and video
- Designed for use in Category 6, Category 5e and Category 5 applications
- Designed to connect hub-to-hub, PC-to-PC or Mac-to-Mac and perfect in conjunction with 10/100/1000 BASE-T networks

| Item # | Description | Length | Connector | Connector |
|-------------|--|--------|---|---|
| N210-007-GY | Cat6 Gigabit Gray Cross-Over Patch Cable | 7 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N210-010-GY | Cat6 Gigabit Gray Cross-Over Patch Cable | 10 ft. | RJ45 (Male)  | RJ45 (Male)  |







 RJ45 (Male)



Category 6/5e Network Solutions (continued)

Cat6a (Augmented Cat6) Snagless 10Gb Certified Patch Cables

- Next-generation Cat6 patch cables—10Gbps communication
- NEXT performance beyond 650 Mhz

| Item # | Description | Length | Connector | Connector |
|-------------|--|--------|---|---|
| N261-007-AQ | Cat6a 10Gb Aqua Certified Snagless Patch Cable | 7 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N261-014-AQ | Cat6a 10Gb Aqua Certified Snagless Patch Cable | 14 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N261-025-AQ | Cat6a 10Gb Aqua Certified Snagless Patch Cable | 25 ft. | RJ45 (Male)  | RJ45 (Male)  |













Cat5/5e Retractable Patch Cable

- Ideal for connecting the RJ45 network port on a notebook to a network

| Item # | Description | Length | Connector | Connector |
|------------|---------------------------------------|--------|---|---|
| N009-004-R | Retractable RJ45 Ethernet Patch Cable | 4 ft. | RJ45 (Male)  | RJ45 (Male)  |









































































Cat5e Shielded (STP) Patch Cables


- These cables are manufactured from PVC, 4-pair, stranded shielded twisted pair, and are rated for 350MHz/1Gbps communication

| Item # | Description | Length | Connector | Connector |
|-------------|---|---------|---|---|
| N105-007-GY | Cat5e 350MHz Molded Gray Shielded Patch Cable | 7 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N105-010-GY | Cat5e 350MHz Molded Gray Shielded Patch Cable | 10 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N105-025-GY | Cat5e 350MHz Molded Gray Shielded Patch Cable | 25 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N105-050-GY | Cat5e 350MHz Molded Gray Shielded Patch Cable | 50 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N105-100-GY | Cat5e 350MHz Molded Gray Shielded Patch Cable | 100 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N105-500-GY | Cat5e 350MHz Molded Gray Shielded Patch Cable | 500 ft. | RJ45 (Male)  | RJ45 (Male)  |

Cat5e Snagless Patch Cables

- Premium cabling for Category 5 and 5e applications—rated for 350MHz/1Gbps communications

| Item # | Description | Length | Connector | Connector |
|---------------|---|--------|---|---|
| N001-003-BK | Cat5e 350MHz Black Snagless Molded Patch Cable | 3 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N001-003-BK-R | Cat5e 350MHz Black Snagless Molded Patch Cable (Retail Package) | 3 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N001-003-BL | Cat5e 350MHz Blue Snagless Molded Patch Cable | 3 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N001-003-BL-R | Cat5e 350MHz Blue Snagless Molded Patch Cable (Retail Package) | 3 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N001-003-GY | Cat5e 350MHz Gray Snagless Molded Patch Cable | 3 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N001-005-BK | Cat5e 350MHz Black Snagless Molded Patch Cable | 5 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N001-005-BK-R | Cat5e 350MHz Black Snagless Molded Patch Cable (Retail Package) | 5 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N001-005-BL | Cat5e 350MHz Blue Snagless Molded Patch Cable | 5 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N001-005-BL-R | Cat5e 350MHz Blue Snagless Molded Patch Cable (Retail Package) | 5 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N001-005-GY | Cat5e 350MHz Gray Snagless Molded Patch Cable | 5 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N001-005-GY-R | Cat5e 350MHz Gray Snagless Molded Patch Cable (Retail Package) | 5 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N001-007-BK | Cat5e 350MHz Black Snagless Molded Patch Cable | 7 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N001-007-BK-R | Cat5e 350MHz Black Snagless Molded Patch Cable (Retail Package) | 7 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N001-007-BL | Cat5e 350MHz Blue Snagless Molded Patch Cable | 7 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N001-007-BL-R | Cat5e 350MHz Blue Snagless Molded Patch Cable (Retail Package) | 7 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N001-007-GY | Cat5e 350MHz Gray Snagless Molded Patch Cable | 7 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N001-007-GY-R | Cat5e 350MHz Gray Snagless Molded Patch Cable (Retail Package) | 7 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N001-010-BK | Cat5e 350MHz Black Snagless Molded Patch Cable | 10 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N001-010-BK-R | Cat5e 350MHz Black Snagless Molded Patch Cable (Retail Package) | 10 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N001-010-BL | Cat5e 350MHz Blue Snagless Molded Patch Cable | 10 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N001-010-BL-R | Cat5e 350MHz Blue Snagless Molded Patch Cable (Retail Package) | 10 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N001-010-GY | Cat5e 350MHz Gray Snagless Molded Patch Cable | 10 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N001-010-GY-R | Cat5e 350MHz Gray Snagless Molded Patch Cable (Retail Package) | 10 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N001-014-BK | Cat5e 350MHz Black Snagless Molded Patch Cable | 14 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N001-014-BK-R | Cat5e 350MHz Black Snagless Molded Patch Cable (Retail Package) | 14 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N001-014-BL | Cat5e 350MHz Blue Snagless Molded Patch Cable | 14 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N001-014-BL-R | Cat5e 350MHz Blue Snagless Molded Patch Cable (Retail Package) | 14 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N001-014-GY | Cat5e 350MHz Gray Snagless Molded Patch Cable | 14 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N001-014-GY-R | Cat5e 350MHz Gray Snagless Molded Patch Cable (Retail Package) | 14 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N001-015-GY | Cat5e 350MHz Gray Snagless Molded Patch Cable | 15 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N001-025-BK | Cat5e 350MHz Black Snagless Molded Patch Cable | 25 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N001-025-BK-R | Cat5e 350MHz Black Snagless Molded Patch Cable (Retail Package) | 25 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N001-025-BL | Cat5e 350MHz Blue Snagless Molded Patch Cable | 25 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N001-025-BL-R | Cat5e 350MHz Blue Snagless Molded Patch Cable (Retail Package) | 25 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N001-025-GY | Cat5e 350MHz Gray Snagless Molded Patch Cable | 25 ft. | RJ45 (Male)  | RJ45 (Male)  |
| N001-025-GY-R | Cat5e 350MHz Gray Snagless Molded Patch Cable (Retail Package) | 25 ft. | RJ45 (Male)  | RJ45 (Male)  |

 RJ45 (Male)



Category 6/5e Network Solutions (continued)

Cat5e Snagless Patch Cables (continued)

| Item # | Description | Length | Connector | Connector |
|-------------|--|---------|----------------------|----------------------|
| N001-050-BK | Cat5e 350MHz Black Snagless Molded Patch Cable | 50 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N001-050-BL | Cat5e 350MHz Blue Snagless Molded Patch Cable | 50 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N001-050-GY | Cat5e 350MHz Gray Snagless Molded Patch Cable | 50 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N001-075-GY | Cat5e 350MHz Gray Snagless Molded Patch Cable | 75 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N001-100-GY | Cat5e 350MHz Gray Snagless Molded Patch Cable | 100 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N001-125-GY | Cat5e 350MHz Gray Snagless Molded Patch Cable | 125 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N001-150-GY | Cat5e 350MHz Gray Snagless Molded Patch Cable | 150 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N001-200-GY | Cat5e 350MHz Gray Snagless Molded Patch Cable | 200 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N001-250-GY | Cat5e 350MHz Gray Snagless Molded Patch Cable | 250 ft. | RJ45 (Male) A | RJ45 (Male) A |

Cat5e Patch Cables & Cross-Over Cables

| Item # | Description | Length | Connector | Connector |
|-------------|--|--------|----------------------|----------------------|
| N002-001-BK | Cat5e 350MHz Black Molded Patch Cable | 1 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-001-BL | Cat5e 350MHz Blue Molded Patch Cable | 1 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-001-GY | Cat5e 350MHz Gray Molded Patch Cable | 1 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-002-BK | Cat5e 350MHz Black Molded Patch Cable | 2 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-002-BL | Cat5e 350MHz Blue Molded Patch Cable | 2 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-002-GY | Cat5e 350MHz Gray Molded Patch Cable | 2 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-003-BK | Cat5e 350MHz Black Molded Patch Cable | 3 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-003-BL | Cat5e 350MHz Blue Molded Patch Cable | 3 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-003-GN | Cat5e 350MHz Green Molded Patch Cable | 3 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-003-GY | Cat5e 350MHz Gray Molded Patch Cable | 3 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-003-RD | Cat5e 350MHz Red Molded Patch Cable | 3 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-003-YW | Cat5e 350MHz Yellow Molded Patch Cable | 3 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-003-WH | Cat5e 350MHz White Molded Patch Cable | 3 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-005-BK | Cat5e 350MHz Black Molded Patch Cable | 5 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-005-BL | Cat5e 350MHz Blue Molded Patch Cable | 5 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-005-GN | Cat5e 350MHz Green Molded Patch Cable | 5 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-005-GY | Cat5e 350MHz Gray Molded Patch Cable | 5 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-005-RD | Cat5e 350MHz Red Molded Patch Cable | 5 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-005-WH | Cat5e 350MHz White Molded Patch Cable | 5 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-005-YW | Cat5e 350MHz Yellow Molded Patch Cable | 5 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-007-BK | Cat5e 350MHz Black Molded Patch Cable | 7 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-007-BL | Cat5e 350MHz Blue Molded Patch Cable | 7 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-007-GN | Cat5e 350MHz Green Molded Patch Cable | 7 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-007-GY | Cat5e 350MHz Gray Molded Patch Cable | 7 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-007-RD | Cat5e 350MHz Red Molded Patch Cable | 7 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-007-WH | Cat5e 350MHz White Molded Patch Cable | 7 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-007-YW | Cat5e 350MHz Yellow Molded Patch Cable | 7 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-010-BK | Cat5e 350MHz Black Molded Patch Cable | 10 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-010-BL | Cat5e 350MHz Blue Molded Patch Cable | 10 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-010-GN | Cat5e 350MHz Green Molded Patch Cable | 10 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-010-GY | Cat5e 350MHz Gray Molded Patch Cable | 10 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-010-RD | Cat5e 350MHz Red Molded Patch Cable | 10 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-010-WH | Cat5e 350MHz White Molded Patch Cable | 10 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-010-YW | Cat5e 350MHz Yellow Molded Patch Cable | 10 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-014-BK | Cat5e 350MHz Black Molded Patch Cable | 14 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-014-BL | Cat5e 350MHz Blue Molded Patch Cable | 14 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-014-GN | Cat5e 350MHz Green Molded Patch Cable | 14 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-014-GY | Cat5e 350MHz Gray Molded Patch Cable | 14 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-014-OR | Cat5e 350MHz Orange Molded Patch Cable | 14 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-014-RD | Cat5e 350MHz Red Molded Patch Cable | 14 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-014-WH | Cat5e 350MHz White Molded Patch Cable | 14 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-014-YW | Cat5e 350MHz Yellow Molded Patch Cable | 14 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-015-GY | Cat5e 350MHz Gray Molded Patch Cable | 15 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-020-GY | Cat5e 350MHz Gray Molded Patch Cable | 20 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-025-BK | Cat5e 350MHz Black Molded Patch Cable | 25 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-025-BL | Cat5e 350MHz Blue Molded Patch Cable | 25 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-025-GN | Cat5e 350MHz Green Molded Patch Cable | 25 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-025-GY | Cat5e 350MHz Gray Molded Patch Cable | 25 ft. | RJ45 (Male) A | RJ45 (Male) A |

A RJ45 (Male)



Category 6/5e Network Solutions (continued)

Cat5e Patch Cables & Cross-Over Cables (continued)

| Item # | Description | Length | Connector | Connector |
|-------------|--|---------|----------------------|----------------------|
| N002-025-RD | Cat5e 350MHz Red Molded Patch Cable | 25 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-025-WH | Cat5e 350MHz White Molded Patch Cable | 25 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-025-YW | Cat5e 350MHz Yellow Molded Patch Cable | 25 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-050-GY | Cat5e 350MHz Gray Molded Patch Cable | 50 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-050-BK | Cat5e 350MHz Black Molded Patch Cable | 50 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-075-GY | Cat5e 350MHz Gray Molded Patch Cable | 75 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-100-BL | Cat5e 350MHz Blue Molded Patch Cable | 100 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N002-100-GY | Cat5e 350MHz Gray Molded Patch Cable | 100 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N007-025-GY | Cat5e 350MHz Molded Gray Outdoor Rated Patch Cable | 25 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N007-050-GY | Cat5e 350MHz Molded Gray Outdoor Rated Patch Cable | 50 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N007-100-GY | Cat5e 350MHz Molded Gray Outdoor Rated Patch Cable | 100 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N007-150-GY | Cat5e 350MHz Molded Gray Outdoor Rated Patch Cable | 150 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N007-200-GY | Cat5e 350MHz Molded Gray Outdoor Rated Patch Cable | 200 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N010-007-GY | Cat5e 350MHz Gray Cross-Over Molded Cable | 7 ft. | RJ45 (Male) A | RJ45 (Male) A |
| N010-010-GY | Cat5e 350MHz Gray Cross-Over Molded Cable | 10 ft. | RJ45 (Male) A | RJ45 (Male) A |

Cat5e Bulk Cables, Connectors & In-Line Couplers

- Solid PVC high-speed (up to 350 Mhz) bulk cabling to distribute data, voice and video

| Item # | Description | Length | Connector | Connector |
|-------------|--|----------|------------------------|------------------------|
| N020-01K-GY | Cat5e 350MHz Bulk Stranded Gray PVC Cable | 1000 ft. | — | — |
| N022-01K-GY | Cat5e 350MHz Bulk Solid Gray PVC Cable | 1000 ft. | — | — |
| N024-01K | Cat5e 350MHz Bulk Solid Plenum Cable | 1000 ft. | — | — |
| N031-050 | Cat5e RJ45 Modular Connector, Stranded - 50 Pack | — | RJ45 (Male) A | — |
| N032-001 | Cat5e Modular Coupler Straight | — | RJ45 (Female) B | RJ45 (Female) B |
| N033-001 | Modular Coupler Straight | — | RJ45 (Female) B | RJ45 (Female) B |
| N033-001-R | Modular Coupler Straight (Retail Package) | — | RJ45 (Female) B | RJ45 (Female) B |
| N044-000-R | Network Cable Tester (Cat5e/Cat6/Coax/Phone) | — | RJ45 (Female) B | RJ11 (Female) C |

Cat5e Patch Panels

- Include 110-type termination while meeting and exceeding EIA/TIA TSB-40 Cat5e connecting hardware specifications
- Color coded for both EIA/TIA 568A & 568B installations—19 in. rackmount ready
- Up to 48 ports with high-speed (up to 350 Mhz) communications

| Item # | Description | Ports | Connector |
|----------|-------------------------------------|-------|------------------------------|
| N050-012 | Cat5e Wall-Mount Patch Panel 568B | 12 | (x12) RJ45 (Female) B |
| N052-012 | Cat5e Patch Panel 568B - 1U | 12 | (x12) RJ45 (Female) B |
| N052-024 | Cat5e Patch Panel 568B - 1U | 24 | (x24) RJ45 (Female) B |
| N052-048 | Cat5e Patch Panel 568B - 2U | 48 | (x48) RJ45 (Female) B |
| N054-024 | Cat5e Feed-Through Patch Panel - 1U | 24 | (x24) RJ45 (Female) B |

Cat6 Bulk Cables & In-Line Coupler

- Solid PVC high-speed (up to 550 Mhz) bulk cabling to distribute data, voice and video

| Item # | Description | Length | Connector | Connector |
|-------------|---|----------|------------------------|------------------------|
| N222-01K-BL | Cat6 Gigabit Bulk Solid Blue PVC Cable | 1000 ft. | — | — |
| N222-01K-GY | Cat6 Gigabit Bulk Solid Gray PVC Cable | 1000 ft. | — | — |
| N224-01K-GY | Cat6 Gigabit Bulk Solid Gray Plenum Cable | 1000 ft. | — | — |
| N235-001 | Cat6 Straight-Through Snap-In Black Coupler | — | RJ45 (Female) B | RJ45 (Female) B |

Cat6 Patch Panels

- Include 110-type termination while meeting and exceeding EIA/TIA TSB-40 Cat6 connecting hardware specifications
- Color coded for both EIA/TIA 568A & 568B installations—19 in. rackmount ready
- Up to 48 ports with high-speed (up to 550 Mhz) communications

| Item # | Description | Ports | Connector |
|----------|------------------------------------|-------|------------------------------|
| N250-012 | Cat6 Wallmount Patch Panel 568B | 12 | (x12) RJ45 (Female) B |
| N252-012 | Cat6 Patch Panel 568B - 1U | 12 | (x12) RJ45 (Female) B |
| N252-024 | Cat6 Patch Panel 568B - 1U | 24 | (x24) RJ45 (Female) B |
| N252-048 | Cat6 Patch Panel 568B - 2U | 48 | (x48) RJ45 (Female) B |
| N254-024 | Cat6 Feed-Through Patch Panel - 1U | 24 | (x24) RJ45 (Female) B |

A RJ45 (Male)



B RJ45 (Female)



C RJ11 (Female)



Category 6/5e Network Solutions (continued)

Patch Panel Brackets

| Item # | Description |
|----------|--|
| N060-002 | Hinged Wall Mount Patch Panel Bracket - 2U |
| N060-004 | Hinged Wall Mount Patch Panel Bracket - 4U |

CX4 Cables

- Flexible 28AWG Madison TurboTwin™ cable with ejector-style latch mechanism — full 802.3ak compliance

| Item # | Description | Length | Connector | Connector |
|----------|------------------|--------------|---------------------|---------------------|
| N263-20I | 10Gbps CX4 Cable | 20 in. | CX4 (Male) A | CX4 (Male) A |
| N263-01M | 10Gbps CX4 Cable | 1 m (3 ft.) | CX4 (Male) A | CX4 (Male) A |
| N263-03M | 10Gbps CX4 Cable | 3 m (10 ft.) | CX4 (Male) A | CX4 (Male) A |

Fiber Optic Solutions


Tripp Lite fiber optic patch cables offer unparalleled quality and a wide range of options. Each cable assembly comes with its test data affixed to the package, displaying compliance to ANSI specifications. Choose from singlemode, multimode and mode conditioning cables.

62.5/125 Multimode Fiber Optic Patch Cables

- Premium PVC 62.5/125µm multimode patch cables
- Attenuation loss better than the latest industry standards

| Item # | Description | Length | Connector | Connector |
|----------|---|----------------|-------------|-------------|
| N302-003 | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 1 m (3 ft.) | ST B | ST B |
| N302-006 | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 2 m (6 ft.) | ST B | ST B |
| N302-010 | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 3 m (10 ft.) | ST B | ST B |
| N302-05M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 5 m (16 ft.) | ST B | ST B |
| N302-06M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 6 m (20 ft.) | ST B | ST B |
| N302-08M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 8 m (26 ft.) | ST B | ST B |
| N302-10M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 10 m (33 ft.) | ST B | ST B |
| N302-15M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 15 m (50 ft.) | ST B | ST B |
| N302-18M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 18 m (60 ft.) | ST B | ST B |
| N302-23M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 23 m (75 ft.) | ST B | ST B |
| N302-30M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 30 m (98 ft.) | ST B | ST B |
| N304-003 | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 1 m (3 ft.) | SC C | ST B |
| N304-004 | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 1.2 m (4 ft.) | SC C | ST B |
| N304-006 | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 2 m (6 ft.) | SC C | ST B |
| N304-008 | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 2.5 m (8 ft.) | SC C | ST B |
| N304-010 | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 3 m (10 ft.) | SC C | ST B |
| N304-025 | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 7.5 m (25 ft.) | SC C | ST B |
| N304-05M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 5 m (16 ft.) | SC C | ST B |
| N304-06M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 6 m (20 ft.) | SC C | ST B |
| N304-09M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 9 m (30 ft.) | SC C | ST B |
| N304-10M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 10 m (33 ft.) | SC C | ST B |
| N304-11M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 11 m (36 ft.) | SC C | ST B |
| N304-15M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 15 m (50 ft.) | SC C | ST B |
| N304-23M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 23 m (75 ft.) | SC C | ST B |
| N304-30M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 30 m (98 ft.) | SC C | ST B |
| N306-001 | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 0.35 m (1 ft.) | SC C | SC C |
| N306-002 | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 0.70 m (2 ft.) | SC C | SC C |
| N306-003 | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 1 m (3 ft.) | SC C | SC C |
| N306-004 | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 1.2 m (4 ft.) | SC C | SC C |
| N306-006 | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 2 m (6 ft.) | SC C | SC C |
| N306-010 | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 3 m (10 ft.) | SC C | SC C |
| N306-012 | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 4 m (12 ft.) | SC C | SC C |
| N306-015 | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 4.7 m (15 ft.) | SC C | SC C |
| N306-04M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 4 m (13 ft.) | SC C | SC C |
| N306-05M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 5 m (16 ft.) | SC C | SC C |
| N306-07M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 7 m (23 ft.) | SC C | SC C |
| N306-08M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 8 m (26 ft.) | SC C | SC C |
| N306-09M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 9 m (30 ft.) | SC C | SC C |
| N306-12M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 12 m (40 ft.) | SC C | SC C |
| N306-15M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 15 m (50 ft.) | SC C | SC C |
| N306-23M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 23 m (75 ft.) | SC C | SC C |

A CX4 (Male)



B ST



C SC



Fiber Optic Solutions

62.5/125 Multimode Fiber Optic Patch Cables (continued)

| Item # | Description | Length | Connector | Connector |
|-------------|---|----------------|---------------|---------------|
| N306-25M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 25 m (82 ft.) | SC B | SC B |
| N306-30M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 30 m (98 ft.) | SC B | SC B |
| N306-46M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 46 m (151 ft.) | SC B | SC B |
| N306-60M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 60 m (197 ft.) | SC B | SC B |
| N308-003 | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 1 m (3 ft.) | MTRJ C | ST A |
| N308-006 | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 2 m (6 ft.) | MTRJ C | ST A |
| N308-010 | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 3 m (10 ft.) | MTRJ C | ST A |
| N308-05M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 5 m (16 ft.) | MTRJ C | ST A |
| N308-08M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 8 m (26 ft.) | MTRJ C | ST A |
| N308-15M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 15 m (50 ft.) | MTRJ C | ST A |
| N310-003 | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 1 m (3 ft.) | MTRJ C | SC B |
| N310-006 | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 2 m (6 ft.) | MTRJ C | SC B |
| N310-010 | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 3 m (10 ft.) | MTRJ C | SC B |
| N310-05M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 5 m (16 ft.) | MTRJ C | SC B |
| N310-08M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 8 m (26 ft.) | MTRJ C | SC B |
| N310-11M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 11 m (36 ft.) | MTRJ C | SC B |
| N310-15M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 15 m (50 ft.) | MTRJ C | SC B |
| N310-30M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 30 m (98 ft.) | MTRJ C | SC B |
| N312-01M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 1 m (3 ft.) | MTRJ C | MTRJ C |
| N312-02M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 2 m (6 ft.) | MTRJ C | MTRJ C |
| N312-03M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 3 m (10 ft.) | MTRJ C | MTRJ C |
| N312-05M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 5 m (16 ft.) | MTRJ C | MTRJ C |
| N314-01M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 1 m (3 ft.) | MTRJ C | LC D |
| N314-02M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 2 m (6 ft.) | MTRJ C | LC D |
| N314-03M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 3 m (10 ft.) | MTRJ C | LC D |
| N314-05M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 5 m (16 ft.) | MTRJ C | LC D |
| N314-09M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 9 m (30 ft.) | MTRJ C | LC D |
| N314-15M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 15 m (50 ft.) | MTRJ C | LC D |
| N316-01M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 1 m (3 ft.) | LC D | SC B |
| N316-02M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 2 m (6 ft.) | LC D | SC B |
| N316-03M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 3 m (10 ft.) | LC D | SC B |
| N316-04M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 4 m (13 ft.) | LC D | SC B |
| N316-05M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 5 m (16 ft.) | LC D | SC B |
| N316-06M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 6 m (20 ft.) | LC D | SC B |
| N316-10M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 10 m (33 ft.) | LC D | SC B |
| N316-13M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 13 m (43 ft.) | LC D | SC B |
| N316-15M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 15 m (50 ft.) | LC D | SC B |
| N316-20M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 20 m (65 ft.) | LC D | SC B |
| N316-21M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 21 m (69 ft.) | LC D | SC B |
| N316-25M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 25 m (82 ft.) | LC D | SC B |
| N316-30M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 30 m (98 ft.) | LC D | SC B |
| N316-76M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 76 m (250 ft.) | LC D | SC B |
| N318-01M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 1 m (3 ft.) | LC D | ST A |
| N318-02M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 2 m (6 ft.) | LC D | ST A |
| N318-03M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 3 m (10 ft.) | LC D | ST A |
| N318-05M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 5 m (16 ft.) | LC D | ST A |
| N318-07M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 7 m (23 ft.) | LC D | ST A |
| N318-08M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 8 m (26 ft.) | LC D | ST A |
| N318-09M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 9 m (30 ft.) | LC D | ST A |
| N318-10M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 10 m (33 ft.) | LC D | ST A |
| N318-15M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 15 m (50 ft.) | LC D | ST A |
| N318-20M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 20 m (65 ft.) | LC D | ST A |
| N318-30M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 30 m (98 ft.) | LC D | ST A |
| N320-01M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 1 m (3 ft.) | LC D | LC D |
| N320-01M-RD | Duplex Multimode 62.5/125 Fiber Optic Patch Cable (Red) | 1 m (3 ft.) | LC D | LC D |
| N320-02M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 2 m (6 ft.) | LC D | LC D |
| N320-02M-RD | Duplex Multimode 62.5/125 Fiber Optic Patch Cable (Red) | 2 m (6 ft.) | LC D | LC D |
| N320-03M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 3 m (10 ft.) | LC D | LC D |
| N320-03M-RD | Duplex Multimode 62.5/125 Fiber Optic Patch Cable (Red) | 3 m (10 ft.) | LC D | LC D |
| N320-04M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 4 m (13 ft.) | LC D | LC D |
| N320-05M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 5 m (16 ft.) | LC D | LC D |

A ST

B SC

C MTRJ

D LC



Fiber Optic Solutions (continued)

62.5/125 Multimode Fiber Optic Patch Cables (continued)

| Item # | Description | Length | Connector | Connector |
|-------------|---|----------------|-------------|-------------|
| N320-05M-RD | Duplex Multimode 62.5/125 Fiber Optic Patch Cable (Red) | 5 m (16 ft.) | LC A | LC A |
| N320-06M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 6 m (20 ft.) | LC A | LC A |
| N320-07M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 7 m (23 ft.) | LC A | LC A |
| N320-10M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 10 m (33 ft.) | LC A | LC A |
| N320-10M-RD | Duplex Multimode 62.5/125 Fiber Optic Patch Cable (Red) | 10 m (33 ft.) | LC A | LC A |
| N320-15M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 15 m (50 ft.) | LC A | LC A |
| N320-15M-RD | Duplex Multimode 62.5/125 Fiber Optic Patch Cable (Red) | 15 m (50 ft.) | LC A | LC A |
| N320-20M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 20 m (65 ft.) | LC A | LC A |
| N320-20M-RD | Duplex Multimode 62.5/125 Fiber Optic Patch Cable (Red) | 20 m (65 ft.) | LC A | LC A |
| N320-21M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 21 m (69 ft.) | LC A | LC A |
| N320-25M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 25 m (82 ft.) | LC A | LC A |
| N320-46M | Duplex Multimode 62.5/125 Fiber Optic Patch Cable | 46 m (151 ft.) | LC A | LC A |

50/125 Multimode Fiber Optic Patch Cables


- Premium PVC 50/125 μ m multimode patch cables
- Attenuation loss better than the latest industry standards

| Item # | Description | Length | Connector | Connector |
|-----------|---|-----------------|---------------|-------------|
| N504-02M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 2 m (6 ft.) | SC B | ST C |
| N506-01M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 1 m (3 ft.) | SC B | SC B |
| N506-02M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 2 m (6 ft.) | SC B | SC B |
| N506-03M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 3 m (10 ft.) | SC B | SC B |
| N506-05M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 5 m (16 ft.) | SC B | SC B |
| N506-09M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 9 m (30 ft.) | SC B | SC B |
| N506-10M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 10 m (33 ft.) | SC B | SC B |
| N506-15M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 15 m (50 ft.) | SC B | SC B |
| N506-30M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 30 m (98 ft.) | SC B | SC B |
| N506-50M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 50 m (164 ft.) | SC B | SC B |
| N514-03M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 3 m (10 ft.) | MTRJ D | LC A |
| N516-01M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 1 m (3 ft.) | LC A | SC B |
| N516-02M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 2 m (6 ft.) | LC A | SC B |
| N516-03M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 3 m (10 ft.) | LC A | SC B |
| N516-05M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 5 m (16 ft.) | LC A | SC B |
| N516-07M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 7 m (23 ft.) | LC A | SC B |
| N516-10M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 10 m (33 ft.) | LC A | SC B |
| N516-15M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 15 m (50 ft.) | LC A | SC B |
| N516-20M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 20 m (65 ft.) | LC A | SC B |
| N516-30M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 30 m (98 ft.) | LC A | SC B |
| N516-50M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 50 m (164 ft.) | LC A | SC B |
| N518-01M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 1 m (3 ft.) | LC A | ST C |
| N518-02M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 2 m (6 ft.) | LC A | ST C |
| N518-03M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 3 m (10 ft.) | LC A | ST C |
| N518-05M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 5 m (16 ft.) | LC A | ST C |
| N518-10M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 10 m (33 ft.) | LC A | ST C |
| N518-15M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 15 m (50 ft.) | LC A | ST C |
| N518-20M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 20 m (65 ft.) | LC A | ST C |
| N520-01M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 1 m (3 ft.) | LC A | LC A |
| N520-02M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 2 m (6 ft.) | LC A | LC A |
| N520-03M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 3 m (10 ft.) | LC A | LC A |
| N520-05M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 5 m (16 ft.) | LC A | LC A |
| N520-07M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 7 m (23 ft.) | LC A | LC A |
| N520-10M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 10 m (33 ft.) | LC A | LC A |
| N520-15M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 15 m (50 ft.) | LC A | LC A |
| N520-20M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 20 m (65 ft.) | LC A | LC A |
| N520-25M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 25 m (82 ft.) | LC A | LC A |
| N520-30M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 30 m (98 ft.) | LC A | LC A |
| N520-50M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 50 m (164 ft.) | LC A | LC A |
| N520-100M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 100 m (328 ft.) | LC A | LC A |
| N520-152M | Multimode Duplex 50/125 Fiber Optic Patch Cable | 152 m (500 ft.) | LC A | LC A |

A LC



B SC



C ST



D MTRJ



8.3/125 Singlemode Fiber Optic Patch Cables

- Premium PVC 8.3/125 μm singlemode patch cables
- Attenuation loss better than the latest industry standards

| Item # | Description | Length | Connector | Connector |
|----------|---|---------------|-------------|-------------|
| N352-01M | Duplex Singlemode 8.3/125 Fiber Optic Patch Cable | 1 m (3 ft.) | ST A | ST A |
| N352-02M | Duplex Singlemode 8.3/125 Fiber Optic Patch Cable | 2 m (6 ft.) | ST A | ST A |
| N352-03M | Duplex Singlemode 8.3/125 Fiber Optic Patch Cable | 3 m (10 ft.) | ST A | ST A |
| N352-05M | Duplex Singlemode 8.3/125 Fiber Optic Patch Cable | 5 m (16 ft.) | ST A | ST A |
| N352-09M | Duplex Singlemode 8.3/125 Fiber Optic Patch Cable | 9 m (30 ft.) | ST A | ST A |
| N352-15M | Duplex Singlemode 8.3/125 Fiber Optic Patch Cable | 15 m (50 ft.) | ST A | ST A |
| N354-01M | Duplex Singlemode 8.3/125 Fiber Optic Patch Cable | 1 m (3 ft.) | SC B | ST A |
| N354-02M | Duplex Singlemode 8.3/125 Fiber Optic Patch Cable | 2 m (6 ft.) | SC B | ST A |
| N354-03M | Duplex Singlemode 8.3/125 Fiber Optic Patch Cable | 3 m (10 ft.) | SC B | ST A |
| N354-05M | Duplex Singlemode 8.3/125 Fiber Optic Patch Cable | 5 m (16 ft.) | SC B | ST A |
| N354-09M | Duplex Singlemode 8.3/125 Fiber Optic Patch Cable | 9 m (30 ft.) | SC B | ST A |
| N354-15M | Duplex Singlemode 8.3/125 Fiber Optic Patch Cable | 15 m (50 ft.) | SC B | ST A |
| N356-01M | Duplex Singlemode 8.3/125 Fiber Optic Patch Cable | 1 m (3 ft.) | SC B | SC B |
| N356-02M | Duplex Singlemode 8.3/125 Fiber Optic Patch Cable | 2 m (6 ft.) | SC B | SC B |
| N356-03M | Duplex Singlemode 8.3/125 Fiber Optic Patch Cable | 3 m (10 ft.) | SC B | SC B |
| N356-05M | Duplex Singlemode 8.3/125 Fiber Optic Patch Cable | 5 m (16 ft.) | SC B | SC B |
| N356-06M | Duplex Singlemode 8.3/125 Fiber Optic Patch Cable | 6 m (20 ft.) | SC B | SC B |
| N356-09M | Duplex Singlemode 8.3/125 Fiber Optic Patch Cable | 9 m (30 ft.) | SC B | SC B |
| N356-15M | Duplex Singlemode 8.3/125 Fiber Optic Patch Cable | 15 m (50 ft.) | SC B | SC B |
| N356-30M | Duplex Singlemode 8.3/125 Fiber Optic Patch Cable | 30 m (98 ft.) | SC B | SC B |
| N366-01M | Duplex Singlemode 8.3/125 Fiber Optic Patch Cable | 1 m (3 ft.) | LC C | SC B |
| N366-02M | Duplex Singlemode 8.3/125 Fiber Optic Patch Cable | 2 m (6 ft.) | LC C | SC B |
| N366-03M | Duplex Singlemode 8.3/125 Fiber Optic Patch Cable | 3 m (10 ft.) | LC C | SC B |
| N366-05M | Duplex Singlemode 8.3/125 Fiber Optic Patch Cable | 5 m (16 ft.) | LC C | SC B |
| N366-10M | Duplex Singlemode 8.3/125 Fiber Optic Patch Cable | 10 m (33 ft.) | LC C | SC B |
| N366-15M | Duplex Singlemode 8.3/125 Fiber Optic Patch Cable | 15 m (50 ft.) | LC C | SC B |
| N366-25M | Duplex Singlemode 8.3/125 Fiber Optic Patch Cable | 25 m (82 ft.) | LC C | SC B |
| N368-01M | Duplex Singlemode 8.3/125 Fiber Optic Patch Cable | 1 m (3 ft.) | LC C | ST A |
| N368-02M | Duplex Singlemode 8.3/125 Fiber Optic Patch Cable | 2 m (6 ft.) | LC C | ST A |
| N368-05M | Duplex Singlemode 8.3/125 Fiber Optic Patch Cable | 5 m (16 ft.) | LC C | ST A |
| N368-07M | Duplex Singlemode 8.3/125 Fiber Optic Patch Cable | 7 m (23 ft.) | LC C | ST A |
| N368-10M | Duplex Singlemode 8.3/125 Fiber Optic Patch Cable | 10 m (33 ft.) | LC C | ST A |
| N368-30M | Duplex Singlemode 8.3/125 Fiber Optic Patch Cable | 30 m (98 ft.) | LC C | ST A |
| N370-01M | Duplex Singlemode 8.3/125 Fiber Optic Patch Cable | 1 m (3 ft.) | LC C | LC C |
| N370-02M | Duplex Singlemode 8.3/125 Fiber Optic Patch Cable | 2 m (6 ft.) | LC C | LC C |
| N370-03M | Duplex Singlemode 8.3/125 Fiber Optic Patch Cable | 3 m (10 ft.) | LC C | LC C |
| N370-05M | Duplex Singlemode 8.3/125 Fiber Optic Patch Cable | 5 m (16 ft.) | LC C | LC C |
| N370-10M | Duplex Singlemode 8.3/125 Fiber Optic Patch Cable | 10 m (33 ft.) | LC C | LC C |

A ST



B SC



C LC



Fiber Optic Solutions (continued)

Mode Conditioning Fiber Optic Patch Cables

- For Gigabit Ethernet applications when Gigabit 1000Base-LX routers and switches are installed into existing multimode cable plants

| Item# | Description | Length | Connector | Connector |
|----------|--|---------------|-------------|-------------|
| N422-01M | Gigabit Ethernet Mode Conditioning Fiber Optic Patch Cable | 1 m (3 ft.) | ST B | LC A |
| N422-02M | Gigabit Ethernet Mode Conditioning Fiber Optic Patch Cable | 2 m (6 ft.) | ST B | LC A |
| N422-03M | Gigabit Ethernet Mode Conditioning Fiber Optic Patch Cable | 3 m (10 ft.) | ST B | LC A |
| N422-10M | Gigabit Ethernet Mode Conditioning Fiber Optic Patch Cable | 10 m (33 ft.) | ST B | LC A |
| N424-01M | Gigabit Ethernet Mode Conditioning Fiber Optic Patch Cable | 1 m (3 ft.) | SC C | LC A |
| N424-04M | Gigabit Ethernet Mode Conditioning Fiber Optic Patch Cable | 4 m (13 ft.) | SC C | LC A |
| N424-05M | Gigabit Ethernet Mode Conditioning Fiber Optic Patch Cable | 5 m (16 ft.) | SC C | LC A |
| N426-02M | Gigabit Ethernet Mode Conditioning Fiber Optic Patch Cable | 2 m (6 ft.) | SC C | SC C |
| N426-03M | Gigabit Ethernet Mode Conditioning Fiber Optic Patch Cable | 3 m (10 ft.) | SC C | SC C |
| N426-05M | Gigabit Ethernet Mode Conditioning Fiber Optic Patch Cable | 5 m (16 ft.) | SC C | SC C |

10Gbps 50/125 Multimode Aqua Fiber Optic Patch Cables

- Premium 10Gbps PVC 50/125 µm multimode aqua patch cables
- LSZH—Low Smoke Zero Halogen cable

| Item # | Description | Length | Connector | Connector |
|----------|--|---------------|-------------|-------------|
| N806-01M | 10Gb Multimode Duplex 50/125 LSZH Aqua Fiber Patch Cable | 1 m (3 ft.) | SC C | SC C |
| N806-02M | 10Gb Multimode Duplex 50/125 LSZH Aqua Fiber Patch Cable | 2 m (6 ft.) | SC C | SC C |
| N806-03M | 10Gb Multimode Duplex 50/125 LSZH Aqua Fiber Patch Cable | 3 m (10 ft.) | SC C | SC C |
| N806-05M | 10Gb Multimode Duplex 50/125 LSZH Aqua Fiber Patch Cable | 5 m (16 ft.) | SC C | SC C |
| N806-10M | 10Gb Multimode Duplex 50/125 LSZH Aqua Fiber Patch Cable | 10 m (33 ft.) | SC C | SC C |
| N806-15M | 10Gb Multimode Duplex 50/125 LSZH Aqua Fiber Patch Cable | 15 m (50 ft.) | SC C | SC C |
| N816-01M | 10Gb Multimode Duplex 50/125 LSZH Aqua Fiber Patch Cable | 1 m (3 ft.) | LC A | SC C |
| N816-03M | 10Gb Multimode Duplex 50/125 LSZH Aqua Fiber Patch Cable | 3 m (10 ft.) | LC A | SC C |
| N816-05M | 10Gb Multimode Duplex 50/125 LSZH Aqua Fiber Patch Cable | 5 m (16 ft.) | LC A | SC C |
| N816-10M | 10Gb Multimode Duplex 50/125 LSZH Aqua Fiber Patch Cable | 10 m (33 ft.) | LC A | SC C |
| N816-15M | 10Gb Multimode Duplex 50/125 LSZH Aqua Fiber Patch Cable | 15 m (50 ft.) | LC A | SC C |
| N818-01M | 10Gb Multimode Duplex 50/125 LSZH Aqua Fiber Patch Cable | 1 m (3 ft.) | LC A | ST B |
| N818-02M | 10Gb Multimode Duplex 50/125 LSZH Aqua Fiber Patch Cable | 2 m (6 ft.) | LC A | ST B |
| N818-03M | 10Gb Multimode Duplex 50/125 LSZH Aqua Fiber Patch Cable | 3 m (10 ft.) | LC A | ST B |
| N818-05M | 10Gb Multimode Duplex 50/125 LSZH Aqua Fiber Patch Cable | 5 m (16 ft.) | LC A | ST B |
| N818-10M | 10Gb Multimode Duplex 50/125 LSZH Aqua Fiber Patch Cable | 10 m (33 ft.) | LC A | ST B |
| N820-01M | 10Gb Multimode Duplex 50/125 LSZH Aqua Fiber Patch Cable | 1 m (3 ft.) | LC A | LC A |
| N820-02M | 10Gb Multimode Duplex 50/125 LSZH Aqua Fiber Patch Cable | 2 m (6 ft.) | LC A | LC A |
| N820-03M | 10Gb Multimode Duplex 50/125 LSZH Aqua Fiber Patch Cable | 3 m (10 ft.) | LC A | LC A |
| N820-05M | 10Gb Multimode Duplex 50/125 LSZH Aqua Fiber Patch Cable | 5 m (16 ft.) | LC A | LC A |
| N820-10M | 10Gb Multimode Duplex 50/125 LSZH Aqua Fiber Patch Cable | 10 m (33 ft.) | LC A | LC A |
| N820-15M | 10Gb Multimode Duplex 50/125 LSZH Aqua Fiber Patch Cable | 15 m (50 ft.) | LC A | LC A |

Couplers

- Provide a simple and easy way to link two fiber optic cables

| Item # | Description | Connector | Connector |
|----------|--------------------------------|----------------------|----------------------|
| N452-000 | Duplex Multimode Fiber Coupler | SC (Female) D | SC (Female) D |
| N455-000 | Duplex Multimode Fiber Coupler | LC (Female) E | LC (Female) E |
| N456-000 | Duplex Multimode Fiber Coupler | SC (Female) D | ST (Female) F |

Media Converters

- Converts Cat5e/Cat6 to fiber optic
- UTP port senses network speed (10/100)

| Item # | Description | Connector | Connector |
|-------------|------------------------------------|----------------------|------------------------|
| N784-001-SC | External Multimode Media Converter | SC (Female) D | RJ45 (Female) G |
| N784-001-ST | External Multimode Media Converter | ST (Female) F | RJ45 (Female) G |

A LC



B ST



C SC



D SC (Female)



E LC (Female)



F ST (Female)



G RJ45 (Female)



Fiber Optic Solutions (continued)

Adapters

- Utilize Existing SC or ST Cabling with new LC type switches

| Item # | Description | Length | Connector | Connector |
|-------------|---|--------|-------------|----------------------|
| N457-001-50 | LC/ST M/F 50/125 Duplex Multimode Adapter Cable | 1 ft. | LC A | ST (Female) B |
| N457-001-62 | LC/ST M/F 62.5/125 Duplex Multimode Adapter Cable | 1 ft. | LC A | ST (Female) B |
| N458-001-50 | LC/SC M/F 50/125 Duplex Multimode Adapter Cable | 1 ft. | LC A | SC (Female) C |
| N458-001-62 | LC/SC M/F 62.5/125 Duplex Multimode Adapter Cable | 1 ft. | LC A | SC (Female) C |

Patch Panels

- Provide efficient and easy management of fiber optic cables in a rack or cabinet

| Item # | Description | Ports | Connector | Connector |
|---------------|--------------------------------------|-------|------------------------|------------------------|
| N490-016-LCLC | 1U Rackmount Fiber Optic Patch Panel | 16 | LC (Female) D | LC (Female) D |
| N490-016-MTRJ | 1U Rackmount Fiber Optic Patch Panel | 16 | MTRJ (Female) E | MTRJ (Female) E |
| N490-016-SCSC | 1U Rackmount Fiber Optic Patch Panel | 16 | SC (Female) C | SC (Female) C |
| N490-016-STSC | 1U Rackmount Fiber Optic Patch Panel | 16 | ST (Female) B | SC (Female) C |
| N490-016-STST | 1U Rackmount Fiber Optic Patch Panel | 16 | ST (Female) B | ST (Female) B |

SCSI/Fibre Channel Solutions

All Tripp Lite SCSI cabling is double-shielded (braid and foil) to provide the most reliable, error-free data communications available. Tripp Lite offers a complete line of internal and external solutions for SCSI/RAID and Fibre Channel ranging from the very latest Ultra 320 to legacy SCSI-1 and every combination in between. Since all SCSI generations are backward compatible, they ensure your cabling investment will always keep pace with technology.

SCSI Adapters


- Convert SCSI devices to work with SCSI installations—perfect for upgrading mixed installations

| Item # | Description | Connector | Connector |
|----------|---------------------------|-------------------------------------|---------------------------------|
| S212-000 | Internal SCSI Adapter | HD68 (Female) F | 50 Socket IDC (Female) G |
| S222-000 | Internal SCSI Adapter | SCA UltraMicro 80 (Female) H | HD68 (Female) F |
| S224-000 | Internal SCSI LVD Adapter | LVD UltraMicro 80 (Female) I | HD68 (Female) F |
| S236-000 | External SCSI II Adapter | HD50 (Male) J | DB25 (Female) L |
| S244-000 | External SCSI III Adapter | HD68 (Male) M | Centronics 50 (Female) K |

SCSI Terminators

- Provide reliable termination for high-speed single-ended drive chains

| Item # | Description | Connector |
|----------|--|-------------------------------|
| S101-000 | Internal Active SCSI Single-End Terminator | 50 Header IDC (Male) N |
| S105-000 | Internal Active SCSI III Single-End Terminator | HD68 (Female) F |
| S122-000 | External Active SCSI II Single-End Terminator | HD50 (Male) J |
| S140-000 | External SCSI Ultra320 LVD Active Terminator | HD68 (Male) M |
| S142-000 | External SCSI Ultra320 LVD Active Terminator | VHDCI68 (Male) O |



SCSI/Fibre Channel Solutions (continued)

SCSI Ribbon Cables

- Complete offering of Ultra320/Ultra160/Ultra2 LVD/SE solutions with active terminator

| Item # | Description | Length | Connector |
|----------|--|--------|---------------------------|
| S051-211 | Internal/External SCSI 160 LVD Ribbon Cable | 21 in. | (x2) HD68 (Male) A |
| S052-211 | Internal SCSI 160 2-Drive LVD/SE Ribbon Cable with Terminator | 21 in. | (x3) HD68 (Male) A |
| S053-361 | Internal SCSI 160 3-Drive Ribbon Cable with Terminator | 36 in. | (x4) HD68 (Male) A |
| S054-311 | Internal SCSI 160 4-Drive LVD/SE Ribbon Cable with Terminator | 31 in. | (x5) HD68 (Male) A |
| S054-451 | Internal SCSI 160 4-Drive Ribbon Cable with Terminator | 45 in. | (x5) HD68 (Male) A |
| S055-381 | Internal SCSI 160 5-Drive LVD/SE Ribbon Cable with Terminator | 38 in. | (x6) HD68 (Male) A |
| S057-751 | Internal SCSI 160 7-Drive Ribbon Cable with Terminator | 75 in. | (x8) HD68 (Male) A |
| S063-311 | Internal SCSI 320 3-Drive Ribbon LVD Cable with Terminator | 31 in. | (x4) HD68 (Male) A |
| S065-421 | Internal SCSI 320 5-Drive Ribbon LVD Cable with Terminator | 42 in. | (x6) HD68 (Male) A |
| S073-311 | Internal SCSI 320 3-Drive Round Ribbon LVD Cable with Terminator | 31 in. | (x4) HD68 (Male) A |

SCSI External Cables

- Premium double-shielded cables connect two SCSI devices together

| Item # | Description | Length | Connector | Connector |
|----------|---|--------|-------------------------|-------------------------|
| S362-006 | SCSI II Cable | 6 ft. | HD50 (Male) C | DB25 (Male) B |
| S366-006 | SCSI II Cable | 6 ft. | HD50 (Male) C | HD50 (Male) C |
| S366-010 | SCSI II Cable | 10 ft. | HD50 (Male) C | HD50 (Male) C |
| S404-006 | SCSI III Cable | 6 ft. | HD68 (Male) A | HD68 (Male) A |
| S410-006 | SCSI III to II Cable | 6 ft. | HD50 (Male) C | HD68 (Male) A |
| S442-006 | SCSI III Cable | 6 ft. | VHDCI68 (Male) D | HD50 (Male) C |
| S444-006 | SCSI III Cable | 6 ft. | VHDCI68 (Male) D | HD68 (Male) A |
| S446-006 | SCSI III Cable | 6 ft. | VHDCI68 (Male) D | VHDCI68 (Male) D |
| S450-003 | SCSI Ultra2/U160/U320 LVD/SE Cable | 3 ft. | HD68 (Male) A | HD68 (Male) A |
| S450-006 | SCSI Ultra2/U160/U320 LVD/SE Cable | 6 ft. | HD68 (Male) A | HD68 (Male) A |
| S450-010 | SCSI Ultra2/U160/U320 LVD/SE Cable | 10 ft. | HD68 (Male) A | HD68 (Male) A |
| S454-006 | SCSI Ultra2/U160/U320 LVD/SE Cable Offset | 6 ft. | VHDCI68 (Male) D | HD68 (Male) A |
| S455-003 | SCSI Ultra2/U160/U320 LVD/SE Cable | 3 ft. | VHDCI68 (Male) D | HD68 (Male) A |
| S455-006 | SCSI Ultra2/U160/U320 LVD/SE Cable | 6 ft. | VHDCI68 (Male) D | HD68 (Male) A |
| S455-010 | SCSI Ultra2/U160/U320 LVD/SE Cable | 10 ft. | VHDCI68 (Male) D | HD68 (Male) A |
| S456-003 | SCSI Ultra2/U160/U320 LVD/SE Cable Offset | 3 ft. | VHDCI68 (Male) D | VHDCI68 (Male) D |
| S456-006 | SCSI Ultra2/U160/U320 LVD/SE Cable Offset | 6 ft. | VHDCI68 (Male) D | VHDCI68 (Male) D |
| S456-010 | SCSI Ultra2/U160/U320 LVD/SE Cable Offset | 10 ft. | VHDCI68 (Male) D | VHDCI68 (Male) D |
| S457-006 | SCSI Ultra2/U160/U320 LVD/SE Cable | 6 ft. | VHDCI68 (Male) D | VHDCI68 (Male) D |
| S457-010 | SCSI Ultra2/U160/U320 LVD/SE Cable | 10 ft. | VHDCI68 (Male) D | VHDCI68 (Male) D |

SAS (Serial Attached SCSI) Cables


- Data rates up to 3.0 Gbps

| Item # | Description | Length | Connector | Connector |
|----------|-------------|-------------|-------------------|---------------------------------------|
| S500-01M | SAS Cable | 1 m (3 ft.) | SFF-8484 E | SFF-8484 E |
| S502-01M | SAS Cable | 1 m (3 ft.) | SFF-8484 E | (x4) 7 Pin Straight (Female) F |
| S520-01M | SAS Cable | 1 m (3 ft.) | SFF-8088 G | SFF-8470 H |
| S522-01M | SAS Cable | 1 m (3 ft.) | SFF-8470 H | SFF-8470 H |
| S524-01M | SAS Cable | 1 m (3 ft.) | SFF-8088 G | SFF-8088 G |

A HD68 (Male)



B DB25 (Male)



C HD50 (Male)



D VHDCI68 (Male)



E SFF-8484



F 7-Pin Straight (Female)



G SFF-8088



H SFF-8470



SCSI/Fibre Channel Solutions (continued)

Fibre Channel Cables

- Tripp Lite's Fibre Channel copper cables are RAID cables that connect HSSDC to HSSDC or DB9
- 1000/BASE-CX compliant and meet or exceed industry specifications to ensure optimal performance and data integrity

| Item # | Description | Length | Connector | Connector |
|----------|-----------------------|--------------|-----------------------|-----------------------|
| S802-05M | Fibre/SCSI RAID Cable | 5 m (16 ft.) | HSSDC (Male) A | HSSDC (Male) A |
| S804-05M | Fibre/SCSI RAID Cable | 5 m (16 ft.) | HSSDC (Male) A | DB9 (Male) B |

KVM Switch Solutions

A Keyboard, Video, Mouse (KVM) Switch allows a user to control multiple computers from a single console. Space-saving, convenient and economical, a KVM Switch is flexible enough to meet the needs of any home office, small/mid-size or enterprise application. Plus, a KVM Switch is easy to install, configure and manage.

KVM Switches

- Rackmount, rackmount console and desktop solutions available with up to 32 ports—can control over 4,000 PCs or servers through daisy-chaining additional units

| Item # | Description | Ports |
|----------------|---|-------|
| B004-008 | Standard KVM Switch | 8 |
| B004-DUA2-K-R | Compact DVI/USB KVM Switch with Audio | 2 |
| B004-VPA2-K-R | Compact PS/2 KVM Switch with Audio | 2 |
| B004-VUA2-K-R | Compact USB KVM Switch with Audio | 2 |
| B006-004-R | KVM Switch - USB | 4 |
| B007-008 | KVM Switch with OSD | 8 |
| B020-008-17 | NetDirector KVM Console Switch with 17" Monitor/Touchpad/Keyboard & OSD | 8 |
| B020-008-17-IP | NetDirector KVM Console Switch with 17" Monitor/Touchpad/Keyboard, OSD & IP Remote Access | 8 |
| B020-016 | NetDirector KVM Console Switch with 15" Monitor/Touchpad/Keyboard & OSD | 16 |
| B020-016-17 | NetDirector KVM Console Switch with 17" Monitor/Touchpad/Keyboard & OSD | 16 |
| B021-000-17 | NetDirector 1U Rackmount Console with 17" Monitor/Touchpad/Keyboard | — |
| B021-000-19 | NetDirector 1U Rackmount Console with 19" Monitor/Touchpad/Keyboard | — |
| B022-002-KT-R | Desktop Slim KVM Switch Kit with 2 PS/2 Cables | 2 |
| B022-004-R | Desktop Slim KVM Switch | 4 |
| B022-016 | NetDirector KVM Switch with OSD | 16 |
| B060-016-2 | NetDirector Matrix KVM Switch with OSD - 2 User | 16 |
| B060-032 | NetDirector Matrix KVM Switch with OSD - 4 User | 32 |
| B060-032-8 | NetDirector Matrix KVM Switch with OSD - 8 User | 32 |
| B072-008-1 | NetCommander Cat5 KVM Switch | 8 |
| B072-016-1 | NetCommander Cat5 KVM Switch | 16 |
| B072-016-1-IP | NetCommander Cat5 KVM Switch with IP Remote Access | 16 |


KVM Cable Kits

- Premium cable kits provide superior performance and cable management and include all the necessary cabling to connect a KVM switch to a computer

| Item # | Description | Length |
|----------|--|--------|
| P750-006 | KVM Switch PS/2 Cable Kit for B004-008 | 6 ft. |
| P750-010 | KVM Switch PS/2 Cable Kit for B004-008 | 10 ft. |
| P750-015 | KVM Switch PS/2 Cable Kit for B004-008 | 15 ft. |
| P753-006 | KVM PS/2 Slim Cable Kit for B007-008 | 6 ft. |
| P753-010 | KVM PS/2 Slim Cable Kit for B007-008 | 10 ft. |
| P753-015 | KVM PS/2 Slim Cable Kit for B007-008 | 15 ft. |
| P754-010 | KVM PS/2 Cable Kit for B007-008 | 10 ft. |
| P758-006 | KVM USB Cable Kit for B006-004 | 6 ft. |
| P758-010 | KVM USB Cable Kit for B006-004 | 10 ft. |
| P764-006 | KVM PS/2 Cable Kit for B005-008 | 6 ft. |
| P764-010 | KVM PS/2 Cable Kit for B005-008 | 10 ft. |
| P772-002 | KVM Daisy Chain Cable for B020 Series and B022-016 | 2 ft. |
| P772-006 | KVM Daisy Chain Cable for B020 Series and B022-016 | 6 ft. |
| P772-015 | KVM Daisy Chain Cable for B020 Series and B022-016 | 15 ft. |
| P774-006 | KVM PS/2 Cable Kit for B020/B022 Series Switches | 6 ft. |
| P774-010 | KVM PS/2 Cable Kit for B020/B022 Series Switches | 10 ft. |
| P774-015 | KVM PS/2 Cable Kit for B020/B022 Series Switches | 15 ft. |
| P774-025 | KVM PS/2 Cable Kit for B020/B022 Series Switches | 25 ft. |
| P776-006 | KVM USB Cable Kit for B020/B022 Series Switches | 6 ft. |
| P776-010 | KVM USB Cable Kit for B020/B022 Series Switches | 10 ft. |
| P776-015 | KVM USB Cable Kit for B020/B022 Series Switches | 15 ft. |

A HSSDC (Male)

B DB9 (Male)



KVM Accessories

- A full line of accessories including adapters, interface modules, cables, extender kit, IP remote access unit and more

| Item # | Description | Length |
|--------------|--|--------|
| B012-000 | PS/2 Keyboard and Mouse Emulator | — |
| B013-000 | KVM Console Extender Kit | — |
| B015-000 | USB to PS/2 Adapter | — |
| B019-000 | Two-Post Rackmount Bracket for B020 and B021 NetDirector Consoles | — |
| B050-000 | IP Remote Access Unit (KVM over IP) | — |
| B054-001-PS2 | NetDirector Server Interface Module for B060 Series KVM - PS/2 | — |
| B054-001-SUN | NetDirector Server Interface Module for B060 Series KVM - SUN | — |
| B054-001-USB | NetDirector Server Interface Module for B060 Series KVM - USB | — |
| B062-001-USB | NetDirector Console Interface Module for B060 Series KVM - USB | — |
| B062-002-PS2 | NetDirector Console Interface Module for B060 Series KVM - PS/2 | — |
| B078-001-PS2 | NetCommander Server Interface Unit for B072 KVM - PS/2 | — |
| B078-001-USB | NetCommander Server Interface Unit for B072 KVM - USB | — |
| P772-002 | KVM Daisychain Cable for B020-016, B020-016-17, B020-008, B020-008-17 & B022-016 | 2 ft. |
| P772-006 | KVM Daisychain Cable for B020-016, B020-016-17, B020-008, B020-008-17 & B022-016 | 6 ft. |

Switch Solutions

Tripp Lite switches feature the highest quality components to ensure the reliability of your communications. When you install switches you save money by reducing the number of printers, servers and other equipment that need to be deployed.

Manual Switches

- Allows one user to access multiple parallel devices or multiple users to share a single parallel device

| Item # | Description | Ports | Connector |
|------------|-----------------------------------|-------|------------------------|
| B105-002-R | Manual 2 Position Data Switch | 2 | DB25 (Female) A |
| B105-004-R | Manual 4 Position Data Switch | 4 | DB25 (Female) A |
| B112-002-R | Manual VGA/SVGA 2 Position Switch | 2 | HD15 (Female) B |

Automatic Switches

- Automatic, hands-free switching
- No external power source required
- Reversible design allows multiple computers to share one printer or one computer to use multiple printers

| Item # | Description | Ports | Connector |
|------------|--|-------|------------------------|
| B170-002-R | IEEE Reversible 2 Position Gold Autoswitch | 2 | DB25 (Female) A |
| B170-004-R | IEEE Reversible 4 Position Gold Autoswitch | 4 | DB25 (Female) A |

VGA/SVGA Video Splitters

- Simultaneously displays one video presentation on up to four separate VGA/SVGA monitors up to 210 ft. away
- Ideal for video presentations in sales/training applications

| Item # | Description | Ports | Connector | Connector |
|------------|------------------------------------|-------|----------------------|-----------------------------|
| B114-002-R | VGA/SVGA 350MHz Video Splitter | 2 | HD15 (Male) C | (x2) HD15 (Female) B |
| B114-004-R | VGA/SVGA 350MHz Video Splitter | 4 | HD15 (Male) C | (x4) HD15 (Female) B |
| B114-0H4 | SVGA Hi-Res Video Splitter/Booster | 4 | HD15 (Male) C | (x4) HD15 (Female) B |

Straight-Through/Switch Cables

- Connect a computer to either a manual or automatic switchbox
- Feature a superior molded design to ensure durability
- Gold-plated connectors and contacts offer superior conductivity

| Item # | Description | Length | Connector | Connector |
|------------|---|--------|----------------------|------------------------|
| P702-006-R | RS232 Straight-Through Gold Cable | 6 ft. | DB25 (Male) D | DB25 (Male) D |
| P702-010 | RS232 Straight-Through Gold Cable | 10 ft. | DB25 (Male) D | DB25 (Male) D |
| P702-025 | RS232 Straight-Through Gold Cable | 25 ft. | DB25 (Male) D | DB25 (Male) D |
| P706-006-R | RS232 Straight-Through Extension Gold Cable | 6 ft. | DB25 (Male) D | DB25 (Female) A |
| P710-006 | IEEE 1284 Switch Gold Cable | 6 ft. | DB25 (Male) D | DB25 (Male) D |

DVI/HDMI Switches

- Use multiple DVI displays with a single DVI source
- Use multiple HDMI sources with a single HDMI display

| Item # | Description | Ports | Connector | Connector |
|------------|---------------------------------------|-------|-------------------------|------------------------------|
| B116-002 | DVI Video Splitter/Booster | 2 | DVI-I (Female) E | (x2) DVI-I (Female) E |
| B116-A03 | DVI Video Splitter/Booster with Audio | 3 | DVI-I (Female) E | (x3) DVI-I (Female) E |
| B119-003 | HDMI 3-to-1 Switch with Remote | 3 | HDMI (Female) F | (x3) HDMI (Female) F |
| B119-303-R | HDMI v1.3 3-to-1 Switch with Remote | 3 | HDMI (Female) F | (x3) HDMI (Female) F |

A DB25 (Female)



B HD15 (Female)

C HD15 (Male)

D DB25 (Male)

E DVI-I (Female)

F HDMI (Female)



Easy-Pull Cable Solutions

- Threaded, removable connectors and integrated pull tabs allow cable runs through conduit and other tight spaces

Easy-Pull Type A Cables and Connectors (SVGA)

- For SVGA video applications

| Item # | Description | Length | Connector | Connector |
|-------------|---|---------|----------------------------------|--|
| EZA-035 | Type A Easy-Pull Base Cable | 35 ft. | Easy-Pull A (Female) A | Easy-Pull A (Female) A |
| EZA-035-P | Type A Easy-Pull Base Cable (Plenum Rated) | 35 ft. | Easy-Pull A (Female) A | Easy-Pull A (Female) A |
| EZA-050 | Type A Easy-Pull Base Cable | 50 ft. | Easy-Pull A (Female) A | Easy-Pull A (Female) A |
| EZA-050-P | Type A Easy-Pull Base Cable (Plenum Rated) | 50 ft. | Easy-Pull A (Female) A | Easy-Pull A (Female) A |
| EZA-100 | Type A Easy-Pull Base Cable | 100 ft. | Easy-Pull A (Female) A | Easy-Pull A (Female) A |
| EZA-VGAAF-2 | Easy-Pull Type A Connector (SVGA with Audio) Kit* | — | (x2) Easy-Pull A (Male) B | (x2) HD15 (Male) C (x2) 3.5 mm (Female) D |
| EZA-VGAAM-2 | Easy-Pull Type A Connector (SVGA with Audio) Kit | — | (x2) Easy-Pull A (Male) B | (x2) HD15 (Male) C (x2) 3.5 mm (Male) E |
| EZA-VGAAX-2 | Easy-Pull Type A Connector (SVGA Extension with Audio) Kit* | — | (x2) Easy-Pull A (Male) B | HD15 (Male) C 3.5 mm (Male) E HD15 (Female) F 3.5 mm (Female) D |
| EZA-VGAM-2 | Easy-Pull Type A Connector (SVGA) Kit | — | (x2) Easy-Pull A (Male) B | (x2) HD15 (Male) C |
| EZA-VGAX-2 | Easy-Pull Type A Connector (SVGA Extension) Kit* | — | (x2) Easy-Pull A (Male) B | HD15 (Male) C HD15 (Female) F |
| EZA-VGAF-2 | Easy-Pull Type A Connector (SVGA Extension) Kit* | — | (x2) Easy-Pull A (Male) B | (x2) HD15 (Female) F |

*Each female connector includes a wall faceplate.

Easy-Pull Type B Cables and Connectors (DVI and HDMI)

- For DVI & HDMI video applications


| Item # | Description | Length | Connector | Connector |
|-------------|---|---------|----------------------------------|--|
| EZB-050 | Type B Easy-Pull Base Cable | 50 ft. | Easy-Pull B (Female) G | Easy-Pull B (Female) G |
| EZB-100 | Type B Easy-Pull Base Cable | 100 ft. | Easy-Pull B (Female) G | Easy-Pull B (Female) G |
| EZB-DVIF-2 | Easy-Pull Type B Connector (DVI Extension) Kit* | — | (x2) Easy-Pull B (Male) I | (x2) DVI-D (Female) J |
| EZB-DVIM-2 | Easy-Pull Type B Connector (DVI) Kit | — | (x2) Easy-Pull B (Male) I | (x2) DVI-D (Male) J |
| EZB-DVIX-2 | Easy-Pull Type B Connector (DVI Extension) Kit* | — | (x2) Easy-Pull B (Male) I | DVI-D (Male) J DVI-D (Female) J |
| EZB-HDMIM-2 | Easy-Pull Type B Connector (HDMI) Kit | — | (x2) Easy-Pull B (Male) K | (x2) HDMI (Male) K |

*Each female connector includes a wall faceplate.

Easy-Pull Cable/Connector Kits

- Each kit includes a pre-assembled cable with one removable end

| Item # | Description | Length | Connector | Connector |
|-------------|--|---------|---------------------------|-----------------------------|
| P501-050 | Easy-Pull SVGA Extension Cable with Connectors | 50 ft. | HD15 (Male) C | HD15 (Female) F |
| P501-100 | Easy-Pull SVGA Extension Cable with Connectors | 100 ft. | HD15 (Male) C | HD15 (Female) F |
| P503-050 | Easy-Pull SVGA Cable with Connectors | 50 ft. | HD15 (Male) C | HD15 (Male) C |
| P503-100 | Easy-Pull SVGA Cable with Connectors | 100 ft. | HD15 (Male) C | HD15 (Male) C |
| P504-050-EZ | Easy-Pull SVGA/Audio Cable with Connectors | 50 ft. | (x2) HD15 (Male) C | (x2) 3.5 mm (Male) E |
| P561-050-EZ | Easy-Pull DVI Cable with Connectors | 50 ft. | DVI-D (Male) J | DVI-D (Male) J |
| P561-100-EZ | Easy-Pull DVI Cable with Connectors | 100 ft. | DVI-D (Male) J | DVI-D (Male) J |
| P568-050-EZ | Easy-Pull HDMI Cable with Connectors | 50 ft. | HDMI (Male) K | HDMI (Male) K |
| P568-100-EZ | Easy-Pull HDMI Cable with Connectors | 100 ft. | HDMI (Male) K | HDMI (Male) K |



1111 W. 35th Street, Chicago, IL 60609
www.tripplite.com

The policy of Tripp Lite is one of continuous improvement. Specifications are subject to change without notice. All trademarks are the property of their respective owners.

200710225 95-2901



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.