




Technical drawing of the rear view of the seat assembly. The drawing shows the seat backrest, base, and rear panel. Key dimensions and features include:

- Height dimension: 43.2
- Minimum diameter dimension: $\varnothing 56$ MIN.
- Cam lever swing area: R(28.2)

KEYING OPTIONS
SCALE 2:1

OPTION "G"


OPTION "H"

OPTION "J"


OPTION "K"

OPTION "L"


OPTION "M"



SCALE 2:1



THIS VIEW SHOWS THE
MODIFIED CAM LEVER
SCALE 2:1



1. APPLICABLE TERMINAL PART NUMBERS (SOLD SEPARATELY):
FOR TIN APPLICATIONS: 1393367 AND 1393366.
FOR GOLD APPLICATIONS: 1393365 AND 1393364.
FOR TERMINATION AND REELING OPTIONS
SEE DRAWINGS 1393367, 1393366, 1393365, AND 1393364.

2. COMPATIBLE WIRE SIZES FOR MAT SEAL DESIGN 1.19 TO 2.06 O.D.
(22-18 AWG, 0.35-0.75 mm²)



3. TPA AND CAM LEVER ARE SHIPPED IN THEIR PRE-LOADED POSITION.
ALL ASSEMBLIES ARE TO BE TRAY PACKAGED.

4 CUSTOMER PART NUMBER AND TRACEABILITY CODE (YY = TWO DIGIT YEAR, JJJ = JULIAN DAY, HH = TWO DIGIT MILITARY HOUR, A=ASSEMBLY PROCESS USED) ARE PRINTED IN THIS LOCATION.

5. PART ASSEMBLY WEIGHT WITHOUT TERMINALS AND WITH STANDARD PIN-OUT CONFIGURATION IS 26.09 GRAMS.


6 OPTIONAL WIRESHIELD P/N 8-1419157-8 (SOLD SEPARATELY). PLEASE CONTACT YOUR TYCO ELECTRONICS SALES REPRESENTATIVE FOR AVAILABILITY AND PRICING.

 COLOR CODE INDICATOR TO BE LOCATED APPROX AS SHOWN.
SEE PIN OUT CHART FOR ASSIGNED COLORS.



SCALE 1:1

KEYING OPTION "G" SHOWN
SEE SHEET 2 FOR BILL OF MATERIALS
AND PIN-OUT CHARTS

THIS DRAWING IS A CONTROLLER DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS THE PROPERTY OF TYCO ELECTRONICS CORPORATION AND IT IS NOT TO BE REPRODUCED OR COPIED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF TYCO ELECTRONICS CORPORATION IT SHOULD BE CONTROLLED FOR THE LATEST REVISION.		DWN 41 GRAFF CNR W. WELLSKY APVD W. WELLSKY		 Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± .3 1 PLC ± .40 ID 2 PLC ± .3 3 PLC ± .3 4 PLC ± .3 ANGLES ± 3°		NAME 40 WAY ARM PLUG ASSEMBLY WITH SHORTING BARS, COLOR CODED CUSTOMER SPEC.	
MATERIAL SEE CHART ON SHEET 2		WEIGHT SEE NOTE 5		SIZE A1	
FINISH -		CUSTOMER DRAWING -		CAGE CODE 00779	
DRAWING NO. C=1438483		RESTRICTED TO -		SCALE 3:1	
SHEET 1 OF 2		REV C		DATE 10/1/00	

LOC	DIST	REVISIONS					
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-	-	SEE SHEET 1	-	-	-

CHART 2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
											11	12																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				

1438486-1	1438485-1	1438484-1	1438483-1	ASSEMBLY PART NUMBERS			
1	1	1	1	7	CAM LEVER	PBT 30% GF	GRAY
				7	CAM LEVER WITH MODIFIED TAB	PBT 30% GF	GRAY
1	1	1	1	6	PERIMETER SEAL	SILICONE	GREEN
1	1	1	1	5	GROMMET	SILICONE	BROWN
6	6	6	6	4	SHORTING BAR	S.S.	SEE COMPONET DRAWING
1	1	1	1	3	COVER	PA66 35% GF	BLACK
1	1	1	1	2	TPA FOR SHORTING BAR APPLICATIONS	sPS 30% GF	RED
1					PLUG WITH KEYING OPTION "K" AND 6 SHORTING BAR POSITIONS CONFIGURATION	PA66 35% GF	BLACK
	1				PLUG WITH KEYING OPTION "J" AND 6 SHORTING BAR POSITIONS CONFIGURATION	PA66 35% GF	BLACK
		1		1	PLUG WITH KEYING OPTION "H" AND 6 SHORTING BAR POSITIONS CONFIGURATION	PA66 35% GF	BLACK
			1	1	PLUG WITH KEYING OPTION "G" AND 6 SHORTING BAR POSITIONS CONFIGURATION	PA66 35% GF	BLACK
QUANTITY				ITEM	DESCRIPTION	MATERIAL	FINISH/COLOR

THIS DRAWING IS UNPUBLISHED. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST EDITION.

DWN
AJ GRAFF
20AUG2004

CHK
W WELLINSKY
20AUG2004

APVD
W WELLINSKY
20AUG2004

tyco
Electronics

Tyco Electronics
Harrisburg, PA 17105-3608

NAME
40 WAY ARM PLUG ASSEMBLY WITH SHORTING BARS, COLOR CODED CUSTOMER SPEC.

SIZE
A

CAGE CODE
00779

DRAWING NO.
1438483

RESTRICTED TO
-

DIMENSIONS:
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± .3
1 PLC ±0.10
2 PLC ±
3 PLC ±
4 PLC ±
ANGLES ±.3°
FINISH

MATERIAL
-

WEIGHT
SEE NOTE 5

CUSTOMER DRAWING

SCALE
3:1

SHEET
2

OF
2

REV
C



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.