


Features

- STM8 microcontroller in LQFP64 package
- Flash memory size:
 - 64 Kbytes for STM8L152R8T6
 - 128 Kbytes for STM8S208RBT6
- 4 LEDs
 - USB communication (LD4)
 - 5 V STLINK (LD3)
 - User (LD2)
 - Power (LD1)
- 2 push-buttons: USER and RESET
- 32.768 kHz LSE crystal oscillator for the NUCLEO-8L152R8 only
- Board expansion connectors:
 - Arduino™ Uno V3
 - ST morpho extension pin headers for full access to all STM8 I/Os


- Flexible board power-supply:
 - USB V_{BUS} or external source (3.3 V, 5 V, 7 - 12 V)
 - Power management access point
- On-board ST-LINK/V2-1 debugger and programmer with SWIM connector
- USB re-enumeration capability. Three different interfaces supported: Virtual COM port, mass storage, debug port
- Comprehensive free software STM8 libraries including a variety of software examples
- Support of a wide choice of Integrated Development Environments (IDEs) including STMicroelectronics free STVD-STM8 (using Cosmic toolchain), IAR™, Cosmic free IDEA

Table 1. Device summary

Reference	Part number
NUCLEO-8XXXXRX	NUCLEO-8S208RB, NUCLEO-8L152R8.



Top view of the NUCLEO-8S208RB board.



Top view of the NUCLEO-8L152R8 board.

Pictures are not contractual.

Description

The STM8 Nucleo-64 boards provide an affordable and flexible way for users to try out new concepts and build prototypes with the LQFP64-packaged STM8 microcontroller, which provides various combinations of performance, power consumption and features.

The Arduino[™] Uno V3 connectivity support, and the ST morpho headers allow easy expansion of the Nucleo open development platform functionality with a wide choice of specialized shields.

The STM8 Nucleo-64 boards do not require any separate probe as they integrate the ST-LINK/V2-1 debugger and programmer.

System requirements

- Windows[®] OS (7, 8 and 10)
- USB Type-A to Micro-B cable

Development toolchains

- STMicroelectronics: free STVD-STM8 (using Cosmic toolchain)
- IAR[™]: IAR-EWSTM8
- Cosmic: free IDEA

Demonstration software

The demonstration software, included in the STM8CubeMX package, is preloaded in the STM8 Flash memory for easy demonstration of the device peripherals in standalone mode. The latest versions of the demonstration source code and associated documentation can be downloaded from the www.st.com/stm8nucleo website.

Ordering information

To order a STM8 Nucleo-64 board, refer to [Table 2](#).

Table 2. Ordering information

Order code	Targeted STM32
NUCLEO-8S208RB	STM8S208RBT6
NUCLEO-8L152R8	STM8L152R8T6

The meaning of the codification is explained in [Table 3](#).

Table 3. Codification explanation

NUCLEO-TXXXRY-P	Description	Example: NUCLEO-8L152R8
TXXXX	STM8 product line	8L152
R	STM8 package pin count	64 pins
Y	STM8 Flash memory size: – 8 for 64 Kbytes – B for 128 Kbytes – C for 256 Kbytes – E for 512 Kbytes – G for 1 Mbyte – Z for 192 Kbytes	64 Kbytes

The order code is printed on a sticker placed at the top or bottom of the board.

Revision history

Table 4. Document revision history

Date	Revision	Changes
3-May-2018	1	Initial release.

IMPORTANT NOTICE – PLEASE READ CAREFULLY

STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, enhancements, modifications, and improvements to ST products and/or to this document at any time without notice. Purchasers should obtain the latest relevant information on ST products before placing orders. ST products are sold pursuant to ST's terms and conditions of sale in place at the time of order acknowledgement.

Purchasers are solely responsible for the choice, selection, and use of ST products and ST assumes no liability for application assistance or the design of Purchasers' products.

No license, express or implied, to any intellectual property right is granted by ST herein.

Resale of ST products with provisions different from the information set forth herein shall void any warranty granted by ST for such product.

ST and the ST logo are trademarks of ST. All other product or service names are the property of their respective owners.

Information in this document supersedes and replaces information previously supplied in any prior versions of this document.

© 2018 STMicroelectronics – All rights reserved



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.