






LOC	DIST	REVISIONS			
P	LTN	DESCRIPTION	DATE	DMN	APVD
E1		ADD 3-6450140-4	02APR2011	OL	SZ
E2		REV PER ECR-11-008606	29APR2011	OL	SZ
E3		ADDED NEW DASH NUMBER 3-5 AND 3-6	09MAR2012	CZ	SZ
E4		REVISED	23APR2012	CZ	SZ



- 1 OPTIONAL CENTER MODULE, WITH Ø.150 THRU HOLE OR HOLD DOWN FEATURE
- 2 "AMP", TRADEMARK, PART NUMBER AND DATE CODE TO BE MARKED IN AREA SHOWN.
- 3 MATERIAL: HOUSING - GLASS FILLED HIGH TEMP THERMO PLASTIC, UL94 V-0
SIGNAL CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
- 4 CONTACT PLATING: NOBLE METAL PLATING ON CONTACT FUNCTIONAL AREA OF POWER AND SIGNAL CONTACTS
- 5 MECHANICAL CONNECTOR KEEP OUT ZONE
- 6 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER
- 7 PCB - ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES
- 8 PCB - .0453±.0010 DRILLED HOLES PLATED WITH .0003 MIN Sn OVER .001 TO .003 Cu PLATING TO ACHIEVE A .040 HOLE



THIS DRAWING IS A CONTROLLED DOCUMENT.		DMN: R.GRZYBOWSKI 15FEB05	TE Connectivity
DIMENSIONS: INCHES		CHK: M.PERCHEKKE 15FEB05	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: M.PERCHEKKE	NAME: VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL
0 PLC ±.01	1 PLC ±.01	PRODUCT SPEC: 108-1973	SIZE: A1
2 PLC ±.005	3 PLC ±.005	APPLICATION SPEC: 114-13038	CAGE CODE: 6450140
4 PLC ±.0020	ANGLES ±.7°	WEIGHT: -	RESTRICTED TO: -
MATERIAL: 3	FINISH: 4	CUSTOMER DRAWING	SCALE: 2:1 SHEET 1 OF 11 REV: E4

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTN	DESCRIPTION	DATE	DWN	APVD
ES	00	-	-	SEE SHEET 1	-	-	-

1.575	-	-	1.425	.700	1.625	-	1.925	.475	1P + 24S + 1P	3-6450140-6
1.575	-	-	1.425	.700	1.625	-	1.925	.475	1P + 24S + 1P	3-6450140-5
2.700	.250	.250	2.100	1.125	2.750	-	3.050	.450	3P + 36S + 3P	3-6450140-4
3.200	.250	.250	2.350	1.375	3.250	-	3.550	.450	4P + 36S + 4P	3-6450140-1
3.500	.250	.250	2.150	1.875	3.550	-	3.850	.450	6P + 8S + 6P	3-6450140-0
2.500	.250	.250	1.650	1.375	2.550	-	2.850	.450	4P + 8S + 4P	2-6450140-9
2.900	.250	.250	2.050	1.375	2.950	-	3.250	.450	4P + 24S + 4P	2-6450140-8
2.400	.250	.250	2.050	1.375	2.450	-	2.750	.450	4P + 24S + 2P	2-6450140-7
3.700	.300	.200	2.700	2.025	3.750	-	4.050	.450	8P + 24S + 4ACP	2-6450140-6
2.400	.250	.250	1.800	1.125	2.450	-	2.750	.450	3P + 24S + 3P	2-6450140-5
1.900	.250	.250	1.550	.875	1.950	-	2.250	.450	2P + 24S + 2P	2-6450140-0
2.600	.200	.200	1.900	1.225	2.650	-	2.950	.450	4HDP + 24S + 4HDP	1-6450140-9
1.700	.250	.250	1.350	.875	1.750	-	2.050	.450	2P + 16S + 2P	1-6450140-8
4.500	.250	.250	2.900	2.125	4.550	-	4.850	.450	7P + 28S + 7P	1-6450140-3
4.250	.250	.250	2.650	1.875	4.300	-	4.600	.450	6P + 28S + 7P	1-6450140-2
2.800	.250	.250	1.950	1.375	2.850	-	3.150	.450	4P + 20S + 4P	1-6450140-1
2.400	.250	.250	1.800	1.125	2.450	-	2.750	.450	3P + 24S + 3P	1-6450140-0
4.000	.250	.250	2.650	1.675	4.050	2.225	4.350	.450	5P+24S+1M+6P	6450140-9
4.150	.250	.250	2.800	2.125	4.200	-	4.500	.450	7P + 24S + 6P	6450140-8
4.350	.250	.250	3.500	2.625	4.400	-	4.700	.450	9P + 32S + 4P	6450140-7
1.575	-	-	1.425	.700	1.625	-	1.925	.475	1P + 24S + 1P	6450140-6
1.900	.250	.250	1.550	.875	1.950	-	2.250	.450	2P + 24S + 2P	6450140-5
7.400	.250	.250	5.050	2.875	7.450	-	7.750	.450	10P + 84S + 10P	6450140-4
3.650	.250	.250	2.550	1.875	3.700	-	4.000	.450	6P + 24S + 5P	6450140-3
4.350	.250	.250	3.000	2.125	4.400	-	4.700	.450	7P + 32S + 6P	6450140-2
5.100	.250	.250	3.250	2.375	5.150	-	5.450	.450	8P + 32S + 8P	6450140-1
U	T	S	R	W	D	M	L	K	DESCRIPTION	PART NUMBER

E3

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±
1 PLC	±.01
2 PLC	±.01
3 PLC	±.005
4 PLC	±.002
ANGLES	±.0020
FINISH	AS ²

MATERIAL: -

FINISH: -

OWN: R. GRZYBOWSKI 15FEB05
 CHK: M. PERCHERKE 15FEB05
 APVD: M. PERCHERKE

PRODUCT SPEC: 108-1973
 APPLICATION SPEC: 114-13038

WEIGHT: -

CUSTOMER DRAWING

NAME: VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL


SIZE: A1
 CAGE CODE: 100779
 DRAWING NO: 6450140

RESTRICTED TO: -


SCALE: 2:1 SHEET 2 OF 11 REV: E4

LOC	DIST	REVISIONS			
P	LTN	DESCRIPTION	DATE	DMN	APVD
ES	00	SEE SHEET 1			

PART NUMBER	ROWS	POWER							SIGNAL							POWER													
		P16	P15	P14	P13	P12	P11	P10	P9	8	7	6	5	4	3	2	1	P8	P7	P6	P5	P4	P3	P2	P1				
6450140-1	D C B A	VA	VA	VA	VA	VA	VA	VA	E	E	E	E	E	E	E	E	VA	VA	VA	VA	VA	VA	VA	VA					
		9P + 32S + 8P																											



PART NUMBER	ROWS	POWER							SIGNAL							POWER													
		P13	P12	P11	P10	P9	P8	8	7	6	5	4	3	2	1	P7	P6	P5	P4	P3	P2	P1							
6450140-2	D C B A	VA	VA	VA	VA	VA	VA	E	E	E	E	E	E	E	VA	VA	VA	VA	VA	VA	VA								
		7P + 32S + 6P																											



VB	.090	MFBL	J	.090
VM	.135	STD	E	.135
VA	.135	MFBL	CODE	TAIL LENGTH
CODE	TAIL LENGTH	DESCRIPTION	CODE	TAIL LENGTH
POWER CONTACT		SIGNAL CONTACT		

THIS DRAWING IS A CONTROLLED DOCUMENT. DWN: R. GRZYBOWSKI 15FEB05
 CHK: M. PERCHERKE 15FEB05

STE TE Connectivity


VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL

SIZE: A1 00779 C=6450140

SCALE: 2:1 SHEET 3 OF 11 REV: E4

PART NUMBER	ROWS	POWER				SIGNAL								POWER				HD	HD			
		P11	P10	P9	P8	P7	6	5	4	3	2	1	P6	P5	P4	P3	P2			P1		
6450140-3	D C B A	VA	VA	VA	VA	VA	VE	VE	VE	VE	VE	VE	VE	VE	VE	VE	VE	VA	VA	VA	VA	VA


6P + 24S + 5P



LOC	DIST	REVISIONS		
		REV	DATE	BY
ES	00			
		SEE SHEET 1		


PART NUMBER	ROWS	POWER		SIGNAL					POWER		HD	HD
		P4	P3	6	5	4	3	2	1	P2		
6450140-5	D C B A	VA	VA	VE	VE	VE	VE	VE	VE	VA	VA	

2P + 24S + 2P



PART NUMBER	ROWS	POWER								SIGNAL																								POWER								HD	HD															
		P20	P19	P18	P17	P16	P15	P14	P13	P12	P11	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	P10	P9	P8	P7	P6	P5	P4	P3	P2			P1														
6450140-4	D C B A	VA	VA	VA	VA	VA	VA	VA	VA	VA	VE	VE	VE	VE	VE	VE	VE	VE	VE	VE	VE	VE	VE	VE	VE	VE	VE	VE	VE	VE	VE	VE	VE	VE	VE	VE	VE	VE	VE	VE	VE	VE	VE	VE	VE	VE	VE	VE	VE	VE	VE	VE	VA	VA	VA	VA	VA	VA

10P + 84S + 10P



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± .01 1 PLC ± .01 2 PLC ± .01 3 PLC ± .005 4 PLC ± .002 ANGLES ± .020	
MATERIAL: FINISH:		WEIGHT: FINISH:	


OWN: R. GRZYBOWSKI 15FEB05 CHK: M. PERCHERKE 15FEB05 APVD: M. PERCHERKE	NAME: PRODUCT SPEC: APPLICATION SPEC: 108-1973 114-13038	SIZE: A1 CAGE CODE: 100779 DRAWING NO: 6450140	RESTRICTED TO: SCALE: 2:1 SHEET: 4 OF: 11 REV: E4
-------------------------------------------------------------------------------	----------------------------------------------------------------------	------------------------------------------------------	---------------------------------------------------------------

CUSTOMER DRAWING

LOC	DIST	REVISIONS					
ES	00	P	LTN	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1			


PART NUMBER	ROWS	POWER					SIGNAL					POWER									
		P2	6	5	4	3	2	1	P1	P2	6	5	4	3	2	1	P1				
6450140-6	D C B A	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA
		VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA

IP + 24S + IP




PART NUMBER	ROWS	POWER					SIGNAL					POWER									
		P13	P12	P11	P10	P9	P8	6	5	4	3	2	1	P7	P6	P5	P4	P3	P2	P1	
6450140-8	D C B A	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA
		VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA

7P + 24S + 6P



PART NUMBER	ROWS	POWER					SIGNAL								POWER										
		P13	P12	P11	P10	8	7	6	5	4	3	2	1	P9	P8	P7	P6	P5	P4	P3	P2	P1			
6450140-7	D C B A	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA
		VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA

J2 + 3cS + 4P




THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±. 1 PLC ±.01 2 PLC ±.01 3 PLC ±.005 4 PLC ±.0020 ANGLES ±.2°	DWN: R. GRZYBOWSKI CHK: M. PERCHERKE APVD: M. PERCHERKE	15FEB05 15FEB05		TE Connectivity
MATERIAL:	FINISH:	PRODUCT SPEC: 108-1973 APPLICATION SPEC: 114-13038 WEIGHT:	NAME: VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL SIZE: A1 CAGE CODE: 100779 DRAWING NO: 6450140		RESTRICTED TO:


CUSTOMER DRAWING

PART NUMBER	ROWS	POWER					SIGNAL					POWER							
		P11	P10	P9	P8	P7	P6	M1	6	5	4	3	2	1	P5	P4	P3	P2	P1
6450140-9	D C B A	VA	VA	VA	VA	VA	VA								VA	VA	VA	VA	VA
		VA	VA	VA	VA	VA	VA								VA	VA	VA	VA	VA
		VA	VA	VA	VA	VA	VA								VA	VA	VA	VA	VA
		VA	VA	VA	VA	VA	VA								VA	VA	VA	VA	VA




LOC	DIST	REVISONS			
ES	00	DATE	BY	APP'D	DESCRIPTION
					SEE SHEET 1


PART NUMBER	ROWS	POWER					SIGNAL					POWER						
		P8	P7	P6	P5	P4	7	6	5	4	3	2	1	P6	P5	P4	P3	P2
1-6450140-1	D C B A	VA	VA	VA	VA	VA								VA	VA	VA	VA	VA
		VA	VA	VA	VA	VA								VA	VA	VA	VA	VA
		VA	VA	VA	VA	VA								VA	VA	VA	VA	VA
		VA	VA	VA	VA	VA								VA	VA	VA	VA	VA



PART NUMBER	ROWS	POWER					SIGNAL					POWER					
		P6	P5	P4	P3	P2	P1	6	5	4	3	2	1	P6	P5	P4	P3
1-6450140-0	D C B A	VA	VA	VA	VA	VA							VA	VA	VA	VA	VA
		VA	VA	VA	VA	VA							VA	VA	VA	VA	VA
		VA	VA	VA	VA	VA							VA	VA	VA	VA	VA
		VA	VA	VA	VA	VA							VA	VA	VA	VA	VA



PART NUMBER	ROWS	POWER							SIGNAL							POWER						
		P13	P12	P11	P10	P9	P8	P7	7	6	5	4	3	2	1	P6	P5	P4	P3	P2	P1	
1-6450140-2	D C B A	VA	VA	VA	VA	VA	VA	VA							VA	VA	VA	VA	VA	VA		
		VA	VA	VA	VA	VA	VA	VA							VA	VA	VA	VA	VA	VA		
		VA	VA	VA	VA	VA	VA	VA							VA	VA	VA	VA	VA	VA		
		VA	VA	VA	VA	VA	VA	VA							VA	VA	VA	VA	VA	VA		




THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONS: INCHES. TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.001, 1 PLC ±.01, 2 PLC ±.01, 3 PLC ±.005, 4 PLC ±.002, ANGLES ±.002. MATERIAL: FINISH: WEIGHT: CUSTOMER DRAWING.


OWN: R. GRZYBOWSKI, CHK: M. PERCHERKE, AP'VD: M. PERCHERKE, NAME: M. PERCHERKE. PRODUCT SPEC: 108-1973. APPLICATION SPEC: 114-13038. DRAWING NO: 114-13038. WEIGHT: SCALE: 2:1. SHEET 6 OF 11. REV: E4.

TE Connectivity
STE
VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL
A100779C=6450140


PART NUMBER	ROWS	POWER								SIGNAL								POWER							
		P14	P13	P12	P11	P10	P9	P8	7	6	5	4	3	2	1	P7	P6	P5	P4	P3	P2	P1			
1-6450140-3	D C B A	VA	VA	VA	VA	VA	VA	VA	VA	E	E	E	E	E	E	VA	VA	VA	VA	VA	VA	VA			
7P + 28S + 7P																									




PART NUMBER	ROWS	POWER					SIGNAL					POWER				
		P8	P7	P6	P5	6	5	4	3	2	1	P4	P3	P2	P1	
1-6450140-9	D C B A	VA	VA	VA	VA	VA	E	E	E	E	E	VA	VA	VA	VA	
4HDP + 24S + 4HDP																



PART NUMBER	ROWS	POWER				SIGNAL				POWER	
		P4	P3	4	3	2	1	P2	P1		
1-6450140-8	D C B A	VA	VA	E	E	E	E	VA	VA		
2P + 16S + 2P											



PART NUMBER	ROWS	POWER			SIGNAL				POWER	
		P4	P3	6	5	4	3	2	1	P2
2-6450140-0	D C B A	VA	VA	E	E	E	E	VA	VA	
2P + 24S + 2P										



THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN: R. GRZYBOWSKI 15FEB05
 CHK: M. PERCHERKE 15FEB05
 APVD: M. PERCHERKE

DIMENSIONS: INCHES
 TOLERANCES UNLESS OTHERWISE SPECIFIED:
 0 PLC ±.01
 1 PLC ±.01
 2 PLC ±.01
 3 PLC ±.005
 4 PLC ±.0020
 ANGLES ±.020

MATERIAL: FINISH:


PRODUCT SPEC: 108-1973
 APPLICATION SPEC: 114-13038
 WEIGHT: A100779C=6450140

NAME: VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL
 SIZE: CAGE CODE DRAWING NO: 114-13038
 SCALE: 2:1 SHEET 7 OF 11 REV: E4


TE Connectivity

LOC	DIST	REV	DATE	BY	APPV
ES	00				


PART NUMBER	ROWS	POWER			SIGNAL							POWER		
		P6	P5	P4	6	5	4	3	2	1	P3	P2	P1	
2-6450140-5	DCBA	VM	VM	VA	E	E	E	E	E	E	E	E	VM	VM
3P + 24S + 3P														



PART NUMBER	ROWS	POWER		SIGNAL							POWER				
		P6	P5	6	5	4	3	2	1	P4	P3	P2	P1		
2-6450140-7	DCBA	VM	VM	E	E	E	E	E	E	E	E	VM	VM	VM	VM
4P + 24S + 2P															



PART NUMBER	ROWS	POWER				SIGNAL							POWER														
		P12	P11	P10	P9	6	5	4	3	2	1	P8	P7	P6	P5	P4	P3	P2	P1								
2-6450140-6	DCBA	VM	VM	VM	VM	E	E	E	E	E	E	E	E	E	E	E	E	E	VM	VM	VM	VM	VM	VM	VM	VM	
8P + 24S + 4ACP																											



THIS DRAWING IS A CONTROLLED DOCUMENT. DWN: R. GRZYBOWSKI 15FEB05, CHK: M. PERCHERKE 15FEB05, APVD: M. PERCHERKE

TE Connectivity


VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL

SCALE: 2:1 SHEET 8 OF 11 REV: E4

LOC	DIST	REV	DATE	BY	APPD
ES	00				

REVISIONS		DATE	BY	APPD
1	SEE SHEET 1			

PART NUMBER	ROWS	POWER				SIGNAL						POWER				
		P8	P7	P6	P5	6	5	4	3	2	1	P4	P3	P2	P1	
2-6450140-8	DCBA	VM	VM	VM	VM	E	E	E	E	E	E	E	E	E	E	E
		VM	VM	VM	VM	E	E	E	E	E	E	E	E	E	E	E
		VM	VM	VM	VM	E	E	E	E	E	E	E	E	E	E	E
		VM	VM	VM	VM	E	E	E	E	E	E	E	E	E	E	E
4P + 24S + 4P		HD														HD




PART NUMBER	ROWS	POWER		SIGNAL						POWER		
		P2	P1	6	5	4	3	2	1	P4	P3	
3-6450140-5	DCBA	VA	VA	E	E	E	E	E	E	E	E	E
		VA	VA	E	E	E	E	E	E	E	E	E
		VA	VA	E	E	E	E	E	E	E	E	E
		VA	VA	E	E	E	E	E	E	E	E	E
IP + 24S + IP		HD										HD

PART NUMBER	ROWS	POWER		SIGNAL						POWER		
		P2	P1	6	5	4	3	2	1	P4	P3	
3-6450140-6	DCBA	VA	VA	E	E	E	E	E	E	E	E	E
		VA	VA	E	E	E	E	E	E	E	E	E
		VA	VA	E	E	E	E	E	E	E	E	E
		VA	VA	E	E	E	E	E	E	E	E	E
IP + 24S + IP		HD										HD

(E3)

NO CONTACTS LOADED

NO CONTACTS LOADED



THIS DRAWING IS A CONTROLLED DOCUMENT.



DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	OWN: R. GRZYBOWSKI 15FEB05	CHK: M. PERCHERKE	APVD: M. PERCHERKE	NAME: VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL
INCHES	0 PLC ± .01 1 PLC ± .01 2 PLC ± .01 3 PLC ± .005 4 PLC ± .002 ANGLES ± .020	PRODUCT SPEC: 108-1973	APPLICATION SPEC: 114-13038	WEIGHT: -	SIZE: A1
MATERIAL: -	FINISH: -	CAGE CODE: 6450140	DRAWING NO: 100779	SCALE: 2:1	SHEET 9 OF 11
CUSTOMER DRAWING		REV: E4			

4805 (3/11)

LOC	DIST	REV	DATE	BY	APPV
ES	00				
		REVISIONS			
		DESCRIPTION		DATE	
		SEE SHEET 1			

PART NUMBER	ROWS	POWER				SIGNAL		POWER				HD
		P8	P7	P6	P5	2	1	P4	P3	P2	P1	
2-6450140-9	D	VM	VM	VM	VM	E	E	VM	VM	VM	VM	HD
	C					E	E					
	B					E	E					
	A					E	E					
4P + 8S + 4P												

PART NUMBER	ROWS	POWER						SIGNAL		POWER						HD
		P12	P11	P10	P9	P8	P7	2	1	P6	P5	P4	P3	P2	P1	
3-6450140-0	D	VM	VM	VM	VM	VM	VM	E	E	VM	VM	VM	VM	VM	VM	HD
	C							E	E							
	B							E	E							
	A							E	E							
6P+8S+6P																





THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: R. GRZYBOWSKI 15FEB05	TE Connectivity VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL
DIMENSIONS: INCHES		CHK: M. PERCHERKE	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: M. PERCHERKE	NAME: VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL
0 PLC ±. 1 PLC ±.01 2 PLC ±.01 3 PLC ±.005 4 PLC ±.0020 ANGLES ±.2°		PRODUCT SPEC: 108-1973	SIZE: CAGE CODE DRAWING NO: 114-13038
MATERIAL: .		APPLICATION SPEC: 114-13038	RESTRICTED TO: -
FINISH: .		WEIGHT: .	SCALE: 2:1 SHEET 10 OF 11 REV: E4
CUSTOMER DRAWING		DATE: .	REV: E4

LOC		DIST		REVISIONS			
ES	00	P	LTN	DESCRIPTION	DATE	DMN	APVD
-	-	-	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS	SIGNAL												P4	P3	P2	P1					
		P8	P7	P6	P5	9	8	7	6	5	4	3	2					1				
3-6450140-1	D	VM	VM	VM	VM	E	E	E	E	E	E	E	E	E	E	E	E	VM	VM	VM	VM	
	C					E	E	E	E	E	E	E	E	E	E	E	E					
	B					E	E	E	E	E	E	E	E	E	E	E	E					E
	A					E	E	E	E	E	E	E	E	E	E	E	E					E
4P + 36S + 4P		HD																				

PART NUMBER	ROWS	POWER			SIGNAL								POWER								
		P6	P5	P4	9	8	7	6	5	4	3	2	1	P3	P2	P1					
3-6450140-4	DCBA	VM	VM	VM	E	E	E	E	E	E	E	E	E	E	E	E	E	VM	VM	VM	
					E	E	E	E	E	E	E	E	E	E	E	E	E				
					E	E	E	E	E	E	E	E	E	E	E	E	E				E
					E	E	E	E	E	E	E	E	E	E	E	E	E				E
3P + 36S + 3P		HD																			



THIS DRAWING IS A CONTROLLED DOCUMENT.		DMN: R. GRZYBOWSKI 15FEB05	 TE Connectivity
DIMENSIONS: INCHES		CHK: M. PERCHERKE	
 TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: M. PERCHERKE	NAME: VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL
 0 PLC ±.01 1 PLC ±.01 2 PLC ±.01 3 PLC ±.005 4 PLC ±.002 ANGLES ±.020		PRODUCT SPEC: 108-1973	SIZE: A1
MATERIAL: -		APPLICATION SPEC: 114-13038	CAGE CODE: C=6450140
FINISH: -		WEIGHT: -	RESTRICTED TO: -
		CUSTOMER DRAWING	SCALE: 2:1 SHEET 11 OF 11 REV: E4



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.