

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC

DIST


FT

0

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
	D6	REVISED PER ECO-14-000579	20MAY2014	NK	MM


POLARIZATION KEY SLOT



CLAMPING SCREW

1546108-3 AS SHOWN






WIRE ENTRY

5.08±0.08 TYP

2.54 REF 2 PLC



RETENTION LATCH

MATING FACE

15.5

18.4

1 MATERIALS AND FINISH:
HOUSING: PA 6-6, UL 94-V0, COLOR: GRAY.
CLAMP: BRASS, NICKEL PLATED.
CONTACT SPRING: PHOSPHOR BRONZE, FINISH: SEE TABLE.
CLAMPING SCREW: M3, BRASS, NICKEL PLATED.

2. END-TO-END STACKABLE WITHOUT LOSS OF CENTERLINE SPACING.

3. WIRE SIZE RANGE: 12-30 AWG.

4. RECOGNIZED UNDER THE COMPONENT PROGRAM OF UNDERWRITERS LABORATORIES INC.FILE N° E60677.

5. IMQ CERTIFICATE WITH SURVEILLANCE IN CONFORMITY WITH IEC 998-1/998-2-1.

6 NOT CUMULATIVE TOLERANCE

7. BUCHANAN LOGO TO APPEAR ON HOUSING, LOCATION OPTIONAL WHERE SPACE PERMITS.


8. INK MARKING: BLACK COLOR.
NUMERICAL SEQUENCE FROM LEFT TO RIGHT.

9 WITHOUT RETENTION LATCHES.

DETAIL H	TIN	55.88	11	6-1546108-1	
DETAIL H	TIN	45.72	9	5-1546108-9	
DETAIL H	TIN	30.48±0.20	6	5-1546108-6	
DETAIL H	TIN	20.32±0.15	4	5-1546108-4	
DETAIL H	TIN	15.24±0.15	3	5-1546108-3	
DETAIL H	TIN	10.16±0.15	2	5-1546108-2	
DETAIL H	TIN	60.96	12	4-1546108-7	
-	TIN	15.24±0.15	3	4-1546108-6	
DETAIL K	TIN	40.64	8	4-1546108-5	
DETAIL H	TIN	40.64	8	4-1546108-4	
DETAIL H	TIN	96.52±0.35	19	4-1546108-3	
PRELIMINARY		.000030 GOLD	60.96±0.20	12	4-1546108-2
PRELIMINARY		.000030 GOLD	30.48±0.20	6	3-1546108-6
PRELIMINARY		.000030 GOLD	20.32±0.15	4	3-1546108-4
PRELIMINARY		.000030 GOLD	15.24±0.15	3	3-1546108-3
	TIN	127.00±0.35	25	2-1546108-5	
	TIN	121.92±0.35	24	2-1546108-4	
	TIN	116.84±0.35	23	2-1546108-3	
	TIN	111.76±0.35	22	2-1546108-2	
	TIN	106.68±0.35	21	2-1546108-1	
	TIN	101.60±0.35	20	2-1546108-0	
	TIN	96.52±0.35	19	1-1546108-9	
	TIN	91.44±0.30	18	1-1546108-8	
	TIN	86.36±0.30	17	1-1546108-7	
	TIN	81.28±0.30	16	1-1546108-6	
	TIN	76.20±0.30	15	1-1546108-5	
	TIN	71.12	14	1-1546108-4	
	TIN	66.04	13	1-1546108-3	
	TIN	60.96	12	1-1546108-2	
	TIN	55.88	11	1-1546108-1	
	TIN	50.80	10	1-1546108-0	
	TIN	45.72	9	1546108-9	
	TIN	40.64	8	1546108-8	
	TIN	35.56±0.20	7	1546108-7	
	TIN	30.48±0.20	6	1546108-6	
	TIN	25.40±0.20	5	1546108-5	
	TIN	20.32±0.15	4	1546108-4	
	TIN	15.24±0.15	3	1546108-3	
	TIN	10.16±0.15	2	1546108-2	
MARKING STYLE	CONTACT FINISH	L	NO OF POSN	PART NUMBER	

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm



MATERIAL



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±-
1 PLC ±0.3
2 PLC ±0.25
3 PLC ±-
4 PLC ±-
ANGLES ±2
FINISH



DWN S. WELDON 11SEP2002
CHK C. RICHARD 11SEP2002
APVD C. RICHARD 11SEP2002

PRODUCT SPEC
-
APPLICATION SPEC
-
WEIGHT
-

CUSTOMER DRAWING

TE Connectivity

NAME
TERMINAL BLOCK, PLUG, STACKING,
5.08mm PITCH
-

SIZE
A200779

CAGE CODE
C-1546108

DRAWING NO

RESTRICTED TO
-

SCALE
2:1

SHEET
1

OF
2

REV
D6

1471-9 (3/11)

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC

DIST

FT

0

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

12345678910111213141516171819

DETAIL H
SCALE 2:1

910111213141516

DETAIL K
SCALE 2:1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

S. WELDON

C. RICHARD

C. RICHARD

-

-

-

11SEP2002

11SEP2002

11SEP2002

-

-

-

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±-

1 PLC ±0.3

2 PLC ±0.25

3 PLC ±-

4 PLC ±-

ANGLES ±2

FINISH

NAME

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

TE Connectivity

TERMINAL BLOCK, PLUG, STACKING, 5.08mm PITCH

A200779

C-1546108

-

SCALE

SHEET

OF

REV

2:1

2

2

D6

1471-9 (3/11)



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.