






RECOMMENDED PCB LAYOUT COMPONENT SIDE



WITH MOUNTING CLIPS



NOTES:

- MATERIALS: THERMOPLASTIC POLYESTER, GLASS FILLED.
UL94V-0, COLOUR: PEBBLE GREY RAL 7032
TERMINAL - PHOSPHOR BRONZE
MOUNTING CLIP: STEEL
- FINISH: TERMINAL:-
CONTACT AREA
A. PERFORMANCE LEVEL 1: SELECTIVE GOLD (Au),
THICKNESS = 1.27 MICROMETER OVER NICKEL
THICKNESS = 1.8 MICROMETER
B. PERFORMANCE LEVEL 2: SELECTIVE GOLD (Au),
THICKNESS = 0.8 MICROMETER OVER NICKEL
THICKNESS = 1.8 MICROMETER
C. PERFORMANCE LEVEL 3: SELECTIVE GOLD (Au),
THICKNESS = 0.3 MICROMETER OVER NICKEL.
THICKNESS = 1.8 MICROMETER
TERMINATION AREA:
SELECTIVE TIN, THICKNESS = 5 MICROMETER
OVER NICKEL, THICKNESS 1.8 MICROMETER OVERALL.
- MOUNTING CLIP:
TIN (Sn), THICKNESS = 5-10 MICROMETER OVER NICKEL (Ni)
THICKNESS = 2.5 MICROMETER
- FOR NON MOUNTING CLIP OPTION, CONNECTOR TO BE SECURED WITH
RIVETS: 2 TABULAR RIVETS 2.5 X 0.3 ..DIN 7340
SCREWS: 2 CHEESEHEAD SCREWS M2.5 X ..DIN 84 AND
2 HEXAGONAL NUTS M2.5 DIN 934.
- MATERIAL No, BATCH CODE, UL AND CSA MARKING TO BE PRINTED
ON THE CONNECTOR.
- CUT FACES OF TIP WITHOUT PLATING PERMITTED.

EC NO: 12010-0265 DRWNS01 CHKD:KRASAD APPR:KRASAD 2009/12/11 2009/12/28 2010/01/06	QUALITY SYMBOLS ▽=0 ▽=0	DESCRIPTION	REV	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE 4:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
								TITLE						
				mm		INCH		DRAWN BY		DATE				
				4 PLACES ± ---		± ---		PRASHANT		2004/12/07				
				3 PLACES ± 0.005		± ---		CHECKED BY		DATE				
				2 PLACES ± 0.1		± ---		SSUDHIR		2004/12/07				
				1 PLACE ± 0.15		± ---		APPROVED BY		DATE				
						ANGULAR ± 2 °		SSUDHIR		2004/12/07				
								MATERIAL NO.		DOCUMENT NO.		SHEET NO.		
						DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-85042-001		1 OF 2		
				SIZE A2		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								

	13	12	11	10	9	8	7	6	5	4	3	2	1	
	MATERIAL No	PERF LEVEL	PLATING	CONTACT SEQUENCE/ROW	DIM "L" mm	MOUNTING CLIP NO.	FLUX PROOF							
J	850421249	1	Au+Ni	1,2,3....32 a+c	4.5	NO	NO							J
	850420385	2	Au+Ni	1,2,3....32 a+b+c	2.9	NO	NO							
	850420191	2	Au+Ni	1,2,3....32 a+c	4.5	NO	NO							
	850420270	2	Au+Ni	1,2,3....32 a+b+c	4.5	NO	NO							
	850420397	2	Au+Ni	2,4,6....32 a+c	4.5	NO	NO							
I	850421043	1	Au+Ni	1,2,3....32 a+b+c	4.5	NO	NO							I
	850421079	2	Au+Ni	1,2,3....32 a+b+c	2.9	YES	NO							
	850421213	2	Au+Ni	1,2,3....32 a+b+c	4.5	YES	NO							
	850421304	1	Au+Ni	1,2,3....32 a+b+c	2.9	NO	NO							
	850422347	2	Au+Ni	1,2,3....32 a+b+c	2.9	NO	YES							
	850422529	2	Au+Ni	1,2,3....32 a+c	2.9	YES	NO							
H	850423316	2	Au+Ni	2,4,6....32 a+c	2.9	YES	YES							H
	850424696	2	Au+Ni	1,2,3....32 a+c	4.5	YES	NO							
	850424763	2	Au+Ni	2,4,6....32 a+c	2.9	NO	NO							
	850426232	2	Au+Ni	1,2,3....32 a+b+c	4.5	YES	NO							
	850429017	3	Au+Ni	1,2,3....32 a+b+c	4.5	YES	NO							
G														G
F														F
E														E
D														D
C														C
B														B
A														A



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.