








- | | | | | | | | | |
|--|--|--|--|---------------------------------|--------------------------|--|---|---------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT.
DIMENSIONING AND TOLERANCING
PER ASME Y14.5M-2019 | | | | | | DWG NO.
M_SHIRK
DATE
24FEB2012 |  TE Connectivity | |
| DIMENSIONS:
mm | | TOLERANCES UNLESS OTHERWISE SPECIFIED: | | CHECKED BY
D_SZCZESNY | DATE
24FEB2012 | NAME
CAGE AND CONNECTOR ASSEMBLY,
WITH EMI GASKET, 2X2,
ZOSFP+ STACKED | | |
|  | | 0 PLC ±
P LC +0.25
P LC -0.15
P LC ±
P LC ±
ANGLES ±° | PRODUCT SPEC
108-60102
APPLICATION SPEC
114-60015 | APPROVED | | SIZE CASE CODE DRAWING NO. | | RESTRICTED TO |
| MATERIAL | | FINISH | | WEIGHT | | A100779C-2214593 | | - |
| SEE NOTE 1 | | SEE NOTE 2 | | CUSTOMER DRAWING | | SCALE 4:1 SHEET 1 OF 4 REV A | | |


LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN
		-	-	SEE SHEET 1	-	-




2214593-1 / 2214593-4
NO LIGHTPIPE IN ASSEMBLY
SCALE 3:1




2214593-2 / 2214593-5
LEFT LIGHTPIPE INDICATOR
POINTING TO UPPER PORT
SCALE 3:1



2214593-3 / 2214593-6
LEFT LIGHTPIPE INDICATOR
POINTING TO LOWER PORT
SCALE 3:1



VIEW Y-Y




RECOMMENDED PANEL CUTOUT
AND PC BOARD, PANEL POSITION
SCALE 3:1

0.19
BOTTOM OF CUTOUT
IN PANEL TO TOP
OF PC BOARD

6.00±0.30
DISTANCE BETWEEN BACK
OF PANEL AND FRONT OF
PC BOARD

SECTION U-U



SECTION V-V
SCALE 3:1


THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWN M. SHIRK 24FEB2012	TE Connectivity	
DIMENSIONS: mm		CHK D. SZCZESNY 24FEB2012	NAME CAGE AND CONNECTOR ASSEMBLY, WITH EMI GASKET, 2X2, ZQSFP+ STACKED	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	SIZE A100779	
0 PLC ± 1 PLC ±0.25 2 PLC ±0.15 3 PLC ± 4 PLC ± ANGLES ± FINISH		PRODUCT SPEC 108-60102 APPLICATION SPEC 114-60015	DRAWING NO C=2214593	
MATERIAL SEE NOTE 1		WEIGHT -	CUSTOMER DRAWING	
SEE NOTE 2		SCALE 4:1		SHEET 2 OF 4
				REV A

D

C

B

A




D

C

B

A



THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWN M. SHIRK 24FEB2012 CHK D. SZCZESNY 24FEB2012 APVD -	NAME CAGE AND CONNECTOR ASSEMBLY, WITH EMI GASKET, 2X2, ZQSFP+ STACKED	
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	PRODUCT SPEC 108-60102	SIZE 114-60015	RESTRICTED TO -
	0 PLC $\pm$ 1 PLC ± 0.25 2 PLC ± 0.15 3 PLC $\pm$ 4 PLC $\pm$ ANGLES $\pm$ FINISH	APPLICATION SPEC 114-60015	WEIGHT -	
MATERIAL -	SEE NOTE 1	CUSTOMER DRAWING	SCALE 4:1	SHEET 3 OF 4
	SEE NOTE 2		REV A	

D

C

B


A

D


C

B


A




KEEPOUT AREAS
COMPONENT SIDE OF BOARD
SCALE 5:1




DETAIL H
SCALE 10:1



DETAIL J
LED PADS
SCALE 10:1



DETAIL K
SCALE 10:1



DETAIL L
SCALE 10:1

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWN M. SHIRK 24FEB2012 CHK D. SZCZESNY 24FEB2012 APVD -	NAME CAGE AND CONNECTOR ASSEMBLY, WITH EMI GASKET, 2X2, ZQSFP+ STACKED	
DIMENSIONS: mm 	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ±0.25 2 PLC ±0.15 3 PLC ± 4 PLC ± ANGLES ± FINISH	PRODUCT SPEC 108-60102 APPLICATION SPEC 114-60015 WEIGHT -	SIZE A100779C=2214593	RESTRICTED TO -
MATERIAL - SEE NOTE 1	SEE NOTE 2	CUSTOMER DRAWING SCALE 4:1 SHEET 4 OF 4 REV A		




Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.