






LOC	DIST	REVISIONS			
		P	LTR	DESCRIPTION	DATE
J			B	REVISED	17NOV2008

D

C

B

A



SEALANT	TOOLING STATUS	QTY.	W	E	D	C	B	A	POS.	PART NO.
NOT AVAILABLE			77.5	54.7	55	72	68.4	34.2	160	
NOT AVAILABLE			77.5	48.7	49	72	68.4	34.2	140	
NOT AVAILABLE			61.5	42.7	43	56	52.4	26.2	120	
NOT AVAILABLE			61.5	36.7	37	56	52.4	26.2	100	
NOT AVAILABLE			61.5	33.7	34	56	52.4	26.2	90	
NOT AVAILABLE			49.5	30.7	31	44	40.4	20.2	80	
NOT AVAILABLE			49.5	27.7	28	44	40.4	20.2	70	
NOT AVAILABLE			49.5	24.7	25	44	40.4	20.2	60	
NOT AVAILABLE			37.5	21.7	22	32	28.4	14.2	50	
NOT AVAILABLE	900		77.5	54.7	55	72	68.4	34.2	160	
AVAILABLE			77.5	48.7	49	72	68.4	34.2	140	1-2069480-0
NOT AVAILABLE			61.5	42.7	43	56	52.4	26.2	120	
NOT AVAILABLE			61.5	36.7	37	56	52.4	26.2	100	
NOT AVAILABLE			61.5	33.7	34	56	52.4	26.2	90	
NOT AVAILABLE			49.5	30.7	31	44	40.4	20.2	80	
NOT AVAILABLE			49.5	27.7	28	44	40.4	20.2	70	
NOT AVAILABLE			49.5	24.7	25	44	40.4	20.2	60	
NOT AVAILABLE	900		37.5	21.7	22	32	28.4	14.2	50	

T.	DWN	Y.OKOSHI	21OCT2008		Tyco Electronics Corporation		
	CHK	S.KAJINUMA	21OCT2008		Kawasaki, Japan		
	APVD	T.FUTATSUGI	21OCT2008	NAME 名称	EMBOSS ASSY FH 0.6 BTB CONNECTOR REC 4H W/G-CONT WITH 1ROW CAP		
	PRODUCT SPEC 製品規格						
	108-5468						
	APPLICATION SPEC 取付適用規格						
	WEIGHT			SIZE	CAGE CODE	DRAWING NO 番号	RESTRICTED TO
				A3	00779	C-2069480	
CUSTOMER DRAWING				SCALE 尺度	1:1	SHEET 1 of 4	REV B

THIS PRODUCT WAS COATED BY FLUX-PENETRATION
-INHIDITING AGENT.

DIMENSIONS: 単位: 耗 mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差	
		0 PLC	± 0.2
		1 PLC	± 0.2
		2 PLC	± 0.2
		3 PLC	± 0.2
		4 PLC	± 0.2
		ANGLES	± 5°
MATERIAL 材料		FINISH 仕上	

4

3




2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION OCT , 2008.


© COPYRIGHT 2008 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
		P	LTR	DESCRIPTION	DATE
J			—	SEE SHEET 1	—





5 CONNECTORS DIMENSION AND REFERENCE P.C BOARD LAYOUT : SEE SHEET 3.


NOT AVAILABLE		160	
AVAILABLE	10.5	140	1-2069480-0
NOT AVAILABLE		120	
NOT AVAILABLE		100	
NOT AVAILABLE		90	
TOOLING STATUS	F	POS	CAP P/N

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		 Tyco Electronics Corporation Kawasaki, Japan	
		CHK			
DIMENSIONS: 単位 : 耗 mm		APVD		NAME 名称 EMBOSS ASSY FH 0.6 BTB CONNECTOR REC 4H W/G-CONT WITH 1ROW CAP	
		PRODUCT SPEC 製品規格			
		APPLICATION SPEC 取付適用規格		SIZE A3	
MATERIAL 材料		WEIGHT			
				DRAWING NO 番号 C-2069480	
		CUSTOMER DRAWING		RESTRICTED TO	
				SCALE 尺度 4:1	
				SHEET 2 OF 4	
				REV B	


LOC	DIST	REVISIONS			
		P	LTR	DESCRIPTION	DATE
J			—	SEE SHEET 1	—



REFERENCE P.C.BOARD LAYOUT



N-N
(SIGNAL POSITION)
(SCALE 8:1)



M-M
(GROUND POSITION)
(SCALE 8:1)

NOT AVAILABLE	51.8	50.6	54.7	50	47.4	160
AVAILABLE	45.8	44.6	48.7	44	41.4	140
NOT AVAILABLE	39.8	38.6	42.7	38	35.4	120
↑	33.8	32.6	36.7	32	29.4	100
	30.8	29.6	33.7	29	26.4	90
	27.8	26.6	30.7	26	23.4	80
	24.8	23.6	27.7	23	20.4	70
	21.8	20.6	24.7	20	17.4	60
NOT AVAILABLE	18.8	17.6	21.7	17	14.4	50
TOOLING STATUS	L	K	J	H	G	POS

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
単位： 耗
mm

MATERIAL
材料

1

TOLERANCES UNLESS OTHERWISE SPECIFIED:
一般公差

0 PLC	± 0.3
1 PLC	± 0.3
2 PLC	± 0.3
3 PLC	± 0.3
4 PLC	± 0.3
ANGLES	± 3°

FINISH
仕上

2

DWN

CHK

APVD

PRODUCT SPEC
製品規格

APPLICATION SPEC
取付適用規格

WEIGHT

CUSTOMER DRAWING

Tyco Electronics Corporation
Kawasaki, Japan

NAME
名称

EMBOSS ASSY
FH 0.6 BTB CONNECTOR
REC 4H W/G-CONT WITH 1ROW CAP

SIZE
A3

CAGE CODE
00779


DRAWING NO
C-2069480

RESTRICTED TO

SCALE
尺度 4:1


SHEET
3 OF 4

REV
B



LOC J	DIST	REVISIONS 変更					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
			—	SEE SHEET 1	—	—	—

- 1 MATERIAL ; HOUSING : HIGH TEMP THERMO PLASTIC
UL94V-0
CONTACT : COPPER ALLOY
- 2 FINISH ; UNDER PL Ni 0.0013mm MIN ALL OVER.
CONTACT AREA 0.00076 MIN Au PL.
SOLDERING AREA: SIGNAL POS 0.00005 MIN Au PL.
GROUND POS 0.001 MIN Sn
- 3 THIS POSITION IS GROUND CIRCUIT.

THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN		 Tyco Electronics Tyco Electronics Corporation Kawasaki, Japan						
			CHK								
DIMENSIONS: 単位： 耗 mm			TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差		NAME 名称						
					APVD						
			0 PLC ± 0.3 1 PLC ± 0.3 2 PLC ± 0.3 3 PLC ± 0.3 4 PLC ± 0.3 ANGLES ± 3°		PRODUCT SPEC 製品規格						
					APPLICATION SPEC 取付適用規格						
					WEIGHT						
					CUSTOMER DRAWING						
MATERIAL 材料			FINISH 仕上		SIZE A3		CAGE CODE 00779	DRAWING NO 番号 C-2069480		RESTRICTED TO	
					SCALE 尺度 3:1		SHEET 4 OF 4		REV B		



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.