




⚠ MATERIAL:
CAGE ASSEMBLY - 0.25mm THICK NICKEL SILVER ALLOY
EMI SPRING - PHOSPHOR BRONZE
LIGHT PIPE BRACKET - STAINLESS STEEL
LIGHT PIPE - POLYCARBONATE, CLEAR

△₂ MINIMUM PC BOARD THICKNESS = 1.50mm.

△ 3 PADS AND VIAS CHASSIS GROUND.

△ DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER.

5. MATES WITH SFP MSA COMPLIANT TRANSCEIVERS.

6. INTERPRETATION OF DATUM REFERENCE FRAME IN ACCORDANCE WITH SECT 4.4.1.1 OF ASME Y14.5M-1994.


7 REFERENCE APPLICATION SPEC. 114-13120, HOLE A, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.

8 REFERENCE APPLICATION SPEC. 114-13120, HOLE B, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.

9 HOLE PATTERN REPEATS FOR EACH PORT. SPACING BETWEEN PORTS IS 14.25mm.

△ LIGHT PIPE ASSEMBLY SHIPPED UNASSEMBLED TO CAGE ASSEMBLY. CAGE ASSEMBLY TO BE
PRESSED INTO THE PCB PRIOR TO ATTACHING THE LIGHT PIPE ASSEMBLY TO THE CAGE.

II. PRODUCT HAS NOT COMPLETED QUALIFICATION TESTING.




2170066-1
FINISHED ASSEMBLY
SCALE 3:1

2170066-1


PART
NUMBER

1. THIS DRAWING IS THE PROPERTY OF TYCO ELECTRONICS. IT IS TO BE USED FOR THE SPECIFIC PURPOSE FOR WHICH IT WAS ISSUED. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT THE WRITTEN PERMISSION OF TYCO ELECTRONICS. ANY UNAUTHORIZED REPRODUCTION OR TRANSMISSION OF THIS DRAWING SHALL BE CONSIDERED A VIOLATION OF THE PATENT RIGHTS OF TYCO ELECTRONICS AND SHALL BE SUBJECT TO LEGAL ACTION.		DWN 09MAR2011 CHN LIM XUE 09MAR2011 CHN MANQIAN WANG 09MAR2011 CHN MANQIAN WANG		 Tyco Electronics Shanghai PRC 200233	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 0.1 1 PLC ± 0.1 2 PLC ± 0.1 3 PLC ± 0.1 4 PLC ± 0.1 ANGLES ± 0.0		NAME: SFP+ ENHANCED 1X4 GAGE ASSEMBLY, PRESS-FIT, EMI GASKET, LOW PROFILE LIGHT PIPES PRODUCT SPEC: APPLICATION SPEC: 108-2364 APPLICATION SPEC: 114-13120	
		FINISH: - WEIGHT: - Customer Drawing		SIZE: CASE CODE: DRAWING NO: A100779C-2170066 RESTRICTED TO: - SCALE: 2:1 SHEET 1 OF 3 REV A	
MATERIAL: 					


LOC		DIST		REVISONS			
GP		P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-



RECOMMENDED BEZEL CUT-OUT
SINGLE SIDIED APPLICATIONS



2170066-1
MOUNTED ON PC BOARD
SHOWN THRU RECOMMENDED BEZEL
SECTION



2170066-1
MOUNTED ON PC BOARD, SHOWN
THRU RECOMMENDED BEZEL

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION. IT IS SUBJECT TO CHANGE AND SHOULD BE CONTROLLED BY THE ISSUING ORGANIZATION. SHOULD BE CONTACTED FOR THE LATEST EDITION.				DWN TIM XUE 09MAR2011		 Tyco Electronics Shanghai PRC 200233	
DIMENSIONS: mm 				TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±0.1 1 PLC ±0.1 2 PLC ±0.1 3 PLC ±0.1 4 PLC ±0.1 ANGLES ±0.1 FINISH ±1.0		NAME	
						SFP+ ENHANCED 1X4 CAGE ASSEMBLY, PRESS-FIT, EMI GASKET, LOW PROFILE LIGHT PIPES	
				CHK MANQIAN WANG 09MAR2011		SIZE A	
				APVD MANQIAN WANG 09MAR2011			
				PRODUCT SPEC 108-2364		CAGE CODE 00779C=2170066	
				APPLICATION SPEC 114-13120			
MATERIAL				WEIGHT		RESTRICTED TO	
Customer Drawing				SCALE 2:1		SHEET 2 OF 3 REV A	





Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.