


Advantages of Using Clips

- **Metal hold-down clips** are ideal for use where high heat or humid conditions are a factor, thus holding their shape and tension. The clips are made of stainless steel and are designed to withstand harsh environments.
- **Plastic ejector/hold-down clips** are ideal in applications where sockets are located in dense or tight areas. These clips allow for quick, safe and firm securing of relays in the sockets with the added benefit that the relay can be ejected with one finger. Plastic clips also aid in keeping operator's fingers away from live circuits. The optional snap-in identification tag allows for custom marking of sockets when used in multi-socket applications.
- **Plastic I.D. clips** are ideal for easy identification of circuits in multi-relay applications. They are designed for labeling and are not ideal for securing the relay in the socket.


Plastic Ejector Clip




Metal Hold-Down Clip




Plastic I.D. Clip






No Tools Needed!




The Complete System Solution!



Stainless Steel Hold-Down Clips made for nearly every application. Ideal for use in harsh environments.


I.D. Clips allow for easy identification of circuits in multi-relay applications.

Newly designed Plastic Hold-Down Clip secures relays firmly and ejects relays easily.




Hold-down clips colored green for better viewing.

Metal and Plastic Clips



- Stainless Steel Clips are Designed to be Corrosion Resistant in Harsh Environments and are Ideal for Use Under Shock and Vibration Conditions.



- Plastic Ejector/Hold-Down Clips are Ideal for Use in High-Density, Multi-Socket Applications.

- Plastic Identification Tag is Perfect for Use in Multi-Socket Applications for Custom Identification of Circuits.



16-781SC



16-781IDC



16-782SC



16-782PC-1



16-782IDC



16-783SC




16-783IDC



16-784SC



16-784IDC




16-1332



16-1324



16-1342




16-1351



16-1344



16-TDR782SC



16-TDRPROSC

| Socket Part Number | Clip Part Number | Supersedes | Relays | Remarks |
|--------------------|------------------------------|-------------------|-------------------------------------|--------------------------------|
| 70-124-1 | 16-1351 | 16-722-2 | 788, 711, 388J (All) | Front Back (North South) Mount |
| 70-124-2 | 16-1351 | 16-722-2 | 788, 711, 388J (All) | Front Back (North South) Mount |
| 70-178-1 | 16-1351 | 16-722-2 | 788, 711, 388J (All) | Front Back (North South) Mount |
| 70-178-2 | 16-1351 | 16-722-2 | 788, 711, 388J (All) | Front Back (North South) Mount |
| 70-378-1 | 16-1342 | | 782 (All & Hermetic) | Side Mount |
| 70-378-1 | 16-1324 | | 782C and Hermetic Only | Front Back (North South) Mount |
| 70-378-1 | 16-TDR782SC | | TDR782 | Side Mount |
| 70-379-1 | 16-1342 | | 782 (All & Hermetic) | Side Mount |
| 70-379-1 | 16-TDR782SC | | TDR782 | Side Mount |
| 70-401-1 | 16-1342 | | 782 With .187 Term. | Side Mount |
| 70-401-1 | 16-1324 | | 782C With .187 Term. Only | Front Back (North South) Mount |
| 70-402-1 | 16-1342 | | 782 With .187 Term. | Side Mount |
| 70-402-1 | 16-1324 | | 782C With .187 Term. Only | Front Back (North South) Mount |
| 70-459-1 | 16-1342 | 16-1329 | 782 With .187 Term. | Side Mount |
| 70-461-1 | 16-1342 | 16-1328 | 782 (All & Hermetic) | Side Mount |
| 70-461-1 | 16-TDR782SC | | TDR782 | Side Mount |
| 70-463-1 | 16-1351 | 16-1329 | 788 (All), 785 | Side Mount |
| 70-463-1 | 16-1344 | | TDR (SOX/SRX) B | Side Mount |
| 70-464-1 | 16-1351 | 16-1352 | 750 (All), 750H | Side Mount |
| 70-464-1 | 16-1344 | | TDRSOXP, 712 | Side Mount |
| 70-464-1 | 16-TDRPROSC | | TDRPRO | Side Mount |
| 70-465-1 | 16-1351 | 13-1352 | 750 (All), 750H, 755 | Side Mount |
| 70-465-1 | 16-1344 | | TDR (SRXP), 712 | Side Mount |
| 70-465-1 | 16-TDRPROSC | | TDRPRO | Side Mount |
| 70-750DL8-1 | 16-1332 | | 750 (All) | Front Back (North South) Mount |
| 70-750DL8-1 | 16-1344 | | TDRSOXP | Side Mount |
| 70-750DL8-1 | 16-1351 | 16-1352 | 750H | Side Mount |
| 70-750DL8-1 | 16-TDRPROSC | | TDRPRO | Side Mount |
| 70-750DL11-1 | 16-1332 | | 750 (All) | Front Back (North South) Mount |
| 70-750DL11-1 | 16-1344 | | TDRSRXP | Side Mount |
| 70-750DL11-1 | 16-1351 | 16-1352 | 750H | Side Mount |
| 70-750DL11-1 | 16-TDRPROSC | | TDRPRO | Side Mount |
| 70-750E8-1 | 16-1351 | 16-1352 | 750 (All), 750H | Side Mount |
| 70-750E8-1 | 16-1344 | | 750 (All), TDRSRXP, 712 | Side Mount |
| 70-750E8-1 | 16-TDRPROSC | | TDRPRO | Side Mount |
| 70-750E11-1 | 16-1351 | 16-1352 | 750 (All), 750H, 755 | Side Mount |
| 70-750E11-1 | 16-1344 | | TDRSRXP, 712 | Side Mount |
| 70-750E11-1 | 16-TDRPROSC | | TDRPRO | Side Mount |
| 70-750EL8-1 | 16-1351 | 16-1352 | 750 (All), 750H | Side Mount |
| 70-750EL11-1 | 16-1351 | 16-1352 | 750 (All), 750H, 755 | Side Mount |
| 70-781D5-1A | 16-781SC | 16-1326 | 781 (All) | Side Mount |
| 70-781D5-1A | 16-781IDC | 16-1327 (Plastic) | 781 (All) | Side Mount |
| 70-781F-1 | 16-781SC | 16-1326 | 781 (All) | Side Mount |
| 70-781T-1 | 16-781SC | 16-1326 | 781 (All) | Side Mount |
| 70-782D8-1 | 16-1342 | | 782 With .187 Term. | Side Mount |
| 70-782D8-1 | 16-782IDC | 16-1349 (Plastic) | 782 (All) | Side Mount |
| 70-782D14-1 | 16-782SC | | 782, 4 Pole (Plain & Full Featured) | Side Mount |
| 70-782D14-1 | 16-782PC | | 782, 4 Pole (Full Featured) | Side Mount |
| 70-782D14-1 | 16-1342 | | 782 Hermetic Only | Side Mount |
| 70-782D14-1 | 16-TDR782SC | | TDR782 | Side Mount |
| 70-782E14-1 | 16-782SC | | 782, 4 Pole (Plain & Full Featured) | Side Mount |
| 70-782E14-1 | 16-782PC-1 | | 782, 4 Pole (Full Featured) | Side Mount |
| 70-782E14-1 | 16-1342 | | 782 Hermetic Only | Side Mount |
| 70-782E14-1 | 16-TDR782SC | | TDR782 | Side Mount |
| 70-782EL8-1 | 16-782SC | | 782 2 Pole (All) | Side Mount |
| 70-782EL8-1 | 16-782PC-1 | | 782, 2 Pole (Full Featured) | Side Mount |
| 70-782EL8-1 | 16-TDR782SC | | TDR782 | Side Mount |
| 70-782EL11-1 | 16-782SC | | 782, 3 Pole (All) | Side Mount |
| 70-782EL11-1 | 16-782PC-1 | | 782, 3 Pole (Full Featured) | Side Mount |
| 70-782EL14-1 | 16-782SC | | 782, 4 Pole (Plain & Full Featured) | Side Mount |
| 70-782EL14-1 | 16-782PC-1 | | 782, 4 Pole (Full Featured) | Side Mount |
| 70-782EL14-1 | 16-1342 | | 782 Hermetic Only | Side Mount |
| 70-782EL14-1 | 16-TDR782SC | | TDR782 | Side Mount |
| 70-783D11-1 | 16-783SC <i>COMING SOON!</i> | | 783 (All) | Side Mount |
| 70-783D11-1 | 16-783IDC | 16-1350 (Plastic) | 783 (All) | Side Mount |
| 70-784D14-1 | 16-784SC | | 784 (All) | Side Mount |
| 70-784D14-1 | 16-784IDC | 16-1351 (Plastic) | 784 (All) | Side Mount |
| 70-788EL11-1 | 16-1351 | | 788 (All), 711 | Side Mount |



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.