








THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION		
COPYRIGHT - By -		ALL RIGHTS RESERVED.		
ITEM	PART NAME	Q'TY/EA	MATETIALS	NOTE
①	PLASTIC SHELL	2	ABS	
②	CLAMP	2	SPCC	NICKEL/TIN PLATING
③	COVER	1	PBT	UL 94V-0
④	HOUSING	1	PBT	UL 94V-0
⑤	CONTACT	PINS	COPPER ALLOY	GOLD/TIN PLATING
⑥	SHELL	1	SPCC	NICKEL PLATING
⑦	SCREW	2	SUS	INCLUDE 2 SHIM
⑧	SCREW NUT	2	SUS	




LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN APVD
			A	NEW RELEASE	30JUL2013	HW XX
			A1	REVISED	13NOV2013	HW XX
			A2	ECR-15-004572	25MAR2015	FY XX
			A3	ECR-15-008843	08JUN2015	FY XX
			A4	ECR-17-005391	18JUL2017	L.Z C.W



NOTE:
1. MATERIAL:
1.1 HOUSING:GLASS REINFORCED POLYESTER(PBT) UL94-V0,BLACK
1.2 CONTACT:PHOSPHOR BRONZE
1.3 SHROUD:SPCC
2. FINISH
2.1 CONTACT
CONTACT AREA PLATED:GOLD 10U"[0.254um] OR 30U"[0.76um]
SOLDER AREA PLATED:TIN 80U"[2um] MIN. LEAD FREE
OVER NICKEL 50U"[1.27um] UNDER PLATING OVERALL
2.2 SHELL
NICKEL 200U"[5.08um] MIN. OVER COPPER 200U"[5.08um] MIN.
SOLDER WIRE GAUGE AND CABLE OD REFER TABLE

11.4~13.1	24~30	36.66	30.48	41.1	46.5	14.0	17.0	18.0	52.4	41.1	50	30u"	5-2232346-2
11.4~13.1	24~30	36.66	30.48	41.1	46.5	14.0	17.0	18.0	52.4	41.1	50	10u"	5-2232346-1
11.4~13.1	24~30	27.77	21.59	32.2	37.6	14.0	17.0	18.0	43.5	32.2	36	30u"	4-2232346-2
11.4~13.1	24~30	27.77	21.59	32.2	37.6	14.0	17.0	18.0	43.5	32.2	36	10u"	4-2232346-1
8.7~10.0	24~30	21.42	15.24	25.9	31.3	10.0	12.0	14.0	37.2	25.9	26	30u"	3-2232346-2
8.7~10.0	24~30	21.42	15.24	25.9	31.3	10.0	12.0	14.0	37.2	25.9	26	10u"	3-2232346-1
8.7~10.0	24~30	17.61	11.43	22.1	27.5	10.0	12.0	14.0	33.4	22.1	20	30u"	2-2232346-2
8.7~10.0	24~30	17.61	11.43	22.1	27.5	10.0	12.0	14.0	33.4	22.1	20	10u"	2-2232346-1
5.7~7.0	24~30	13.80	7.62	18.2	23.6	7.0	8.5	12.7	29.5	18.2	14	30u"	1-2232346-2
5.7~7.0	24~30	13.80	7.62	18.2	23.6	7.0	8.5	12.7	29.5	18.2	14	10u"	1-2232346-1
CABLE OD	WIRE AWG	DIM. K	DIM. H	DIM. G	DIM. F	DIM. E	DIM. D	DIM. C	DIM. B	DIM. A	NO. OF POS.	Au PLAT	TE NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN FENCER YU 08JUN2015		 TE Connectivity									
				CHK KOBBOY ZHAO 08JUN2015											
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD XIANG XU 08JUN2015		NAME									
		0 PLC ± 0.35		PRODUCT SPEC 108-106126		SCSI .05 PLUG SCREW TYPE LOCK -									
		1 PLC ± 0.30													
		2 PLC ± 0.25													
		3 PLC ± -													
		4 PLC ± -		APPLICATION SPEC -		SIZE		CAGE CODE		DRAWING NO		RESTRICTED TO			
ANGLES ± 2															
MATERIAL		FINISH		WEIGHT		A3		00779		C=2232346		-			
-		-		CUSTOMER DRAWING				SCALE		1:1		SHEET 1 OF 2		REV A4	

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

-,-



COPYRIGHT - By -

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN

APVD

-

SEE SHEET 1

-


-

-


Item: ③④⑤⑥

Item: ①②⑦⑧

PN




TRAY:400X315X25



COVERX6

TRAYX6



BOX:411X327X195

126	6	21	5-2232346-2
126	6	21	5-2232346-1
168	6	28	4-2232346-2
168	6	28	4-2232346-1
168	6	28	3-2232346-2
168	6	28	3-2232346-1
168	6	28	2-2232346-2
168	6	28	2-2232346-1
168	6	28	1-2232346-2
168	6	28	1-2232346-1
PCS/BOX	TRAY/BOX	PCS/TRAY	TE NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN FENCER YU 08JUN2015

CHK KOBBY ZHAO 08JUN2015

APVD XIANG XU 08JUN2015

PRODUCT SPEC
108-106126

APPLICATION SPEC

WEIGHT -

CUSTOMER DRAWING



TE Connectivity

SCSI .05 PLUG
SCREW TYPE LOCK

NAME

SIZE

CAGE CODE

DRAWING NO

A3 00779 C=2232346

RESTRICTED TO

SCALE 1:1

SHEET 2 OF 2

REV A4



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.