








SECTION A-A
BACKGROUND OMITTED



BACKGROUND OMITTED

NOTES:

1. CRIMP ACCEPTS .18 TO .20 GA. WIRE WITH (.279)/.110 MAX. INSUL. DIA. WHEN USED WITH 2574 CONNECTOR.
(.254)/.100 MAX INSUL. DIA. WHEN USED WITH 2139 CONNECTOR
CRIMP ACCEPTS (3.00)/.118 MAX. INSUL. DIA. WITH SPECIAL TOOLING.
2. DIMENSIONS GIVEN ACROSS CENTERLINES ARE SYMMETRICAL ABOUT THOSE CENTERLINES WITHIN HALF THE TOTAL TOLERANCE.
3. (.86+/.05)/.034+.002 IS AN OPTIONAL DESIGN.
4. THIS PART CONFORMS TO PRODUCT SPEC. 08-50.



CHANGE TO MEIO EC NO: LCP2005-0930 DESKAPARTNO: 2004/11/16 CHKD: SANEK 2004/11/02 APPR: MARCUS 2004/11/02 AM	QUALITY SYMBOLS ▼=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED): mm INCH 4 PLACES ±--- ±--- 3 PLACES ±--- ±.005 2 PLACES ±0.13 ±.010 1 PLACE ±0.25 ±--- ANGULAR ±1/2°	DIMENSION STYLE IN/MM		SCALE	DESIGN UNITS INCH	THIRD ANGLE PROJECTION
			DRAWN BY DATE COMSTOCK 11/29/88	TITLE TERMINAL DBL CANTILEVER KK CRIMP TYPE BIFURCATED			
			CHECKED BY DATE PATEL 11/29/88	MOLEX INCORPORATED			
			APPROVED BY DATE LENZ 11/29/88	MATERIAL NO. SEE CHART	DOCUMENT NO. SD-2878	SHEET NO. 1 OF 2	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE D THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

[illegible]

CHANGE TO MEIO EC NO: UCP2005-0930 DEPNAPARL01 2004/11/16 CHKD-SAMES 2004/11/02 APPR-JANQUES 2004/11/02 AM	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE	DESIGN UNITS INCH	THIRD ANGLE PROJECTION
	 	mm	INCH	DRAWN BY	DATE	TITLE	TERMINAL DBL CANTILEVER KK CRIMP TYPE BIFURCATED	
		4 PLACES ±	±	COMSTOCK	11/04/88			
		3 PLACES ±	±	CHECKED BY	DATE			
		2 PLACES ±	±	PATEL	11/04/88			
		1 PLACE ±	±	APPROVED BY	DATE			
		ANGULAR ±1/2°		LENZ	11/04/88		MOLEX INCORPORATED	
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO. SEE CHARTS		DOCUMENT NO. SD-2878		SHEET NO. 2
				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.