








RECOMMENDED PCB LAYOUT(CONNECTOR SIDE VIEW)
THICKNESS=1.6mm MIN. TOLERANCE:±0.05





WITHOUT MYLAR





WITH MYLAR
DELIVER TO CUSTOMER

QUALITY SYMBOLS FA = 0 FE = 0 FDP = 0 ▼ = 0 ▽ = 0 ⊗ = 0 ■ = 0 ▽ = 0



BLACK



NATURAL

COLOR OPTION

SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
	= 0	DIMENSION UNITS	SCALE
	= 0	mm	
	= 0	GENERAL TOLERANCES (UNLESS SPECIFIED)	
	= 0	ANGULAR TOL	± 3.0 °
	= 0	4 PLACES	±
	= 0	3 PLACES	±
	= 0	2 PLACES	± 0.2
	= 0	1 PLACE	± 0.3
	= 0	0 PLACES	±
	= 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	
	= 0	THIRD ANGLE PROJECTION	DRAWING
			A3-SIZE
		SERIES	105429
		MATERIAL NUMBER	
		CUSTOMER	GENERAL MARKET
		SHEET NUMBER	2 OF 4


CURRENT REV DESC: RE-MASTER IN ECTR			
EC NO: 625433			
DRWN: GLLI	2019/10/10		
CHK'D: YXZHENG	2019/10/10		
APPR: YXZHENG	2019/10/10		
INITIAL REVISION:			
DRWN: RMV02	2016/01/14		
APPR: AYIN	2017/05/15		

DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
SD-105429-001		PSD	000	D

PRODUCT CUSTOMER DRAWING	
molex	
SD DRAWING FOR NANO-FIT HEADER OF SMT VERTICAL DUAL	















DOCUMENT STATUS	P1	RELEASE DATE	2019/10/10	06:03:14
-----------------	----	--------------	------------	----------

FORMAT: master-B-prod-A3
REVISION: 14
DATE: 2018/01/18

9		8		7		6		5		4		3		2		1					
PART NUMBER	DIM. A	DIM. B	DIM. C	CKT SIZE	PLATING	LUBE							PART NUMBER	DIM. A	DIM. B	DIM. C	CKT SIZE	PLATING	LUBE		
105429-1104	8.23	2.50	6.11	4	TIN	NO							105429-2104	8.23	2.50	6.11	4	TIN	NO		
105429-1106	10.73	5.00	8.61	6									105429-2106	10.73	5.00	8.61	6				
105429-1108	13.23	7.50	11.11	8									105429-2108	13.23	7.50	11.11	8				
105429-1110	15.73	10.00	13.61	10									105429-2110	15.73	10.00	13.61	10				
105429-1112	18.23	12.50	16.11	12									105429-2112	18.23	12.50	16.11	12				
105429-1114	20.73	15.00	18.61	14									105429-2114	20.73	15.00	18.61	14				
105429-1116	23.23	17.50	21.11	16	GOLD 0.38								NO	105429-2116	23.23	17.50	21.11	16		GOLD 0.38	NO
105429-1204	8.23	2.50	6.11	4										105429-2204	8.23	2.50	6.11	4			
105429-1206	10.73	5.00	8.61	6										105429-2206	10.73	5.00	8.61	6			
105429-1208	13.23	7.50	11.11	8										105429-2208	13.23	7.50	11.11	8			
105429-1210	15.73	10.00	13.61	10										105429-2210	15.73	10.00	13.61	10			
105429-1212	18.23	12.50	16.11	12										105429-2212	18.23	12.50	16.11	12			
105429-1214	20.73	15.00	18.61	14	GOLD 0.76								NO	105429-2214	20.73	15.00	18.61	14		GOLD 0.76	NO
105429-1216	23.23	17.50	21.11	16										105429-2216	23.23	17.50	21.11	16			
105429-1304	8.23	2.50	6.11	4										105429-2304	8.23	2.50	6.11	4			
105429-1306	10.73	5.00	8.61	6										105429-2306	10.73	5.00	8.61	6			
105429-1308	13.23	7.50	11.11	8										105429-2308	13.23	7.50	11.11	8			
105429-1310	15.73	10.00	13.61	10										105429-2310	15.73	10.00	13.61	10			
105429-1312	18.23	12.50	16.11	12	GOLD 0.76								YES	105429-2312	18.23	12.50	16.11	12		GOLD 0.76	YES
105429-1314	20.73	15.00	18.61	14										105429-2314	20.73	15.00	18.61	14			
105429-1316	23.23	17.50	21.11	16										105429-2316	23.23	17.50	21.11	16			
105429-1404	8.23	2.50	6.11	4		105429-2404								8.23	2.50	6.11	4				
105429-1406	10.73	5.00	8.61	6		105429-2406								10.73	5.00	8.61	6				
105429-1408	13.23	7.50	11.11	8		GOLD 0.76								YES	105429-2408	13.23	7.50	11.11	8		
105429-1410	15.73	10.00	13.61	10	105429-2410								15.73		10.00	13.61	10				
105429-1412	18.23	12.50	16.11	12	105429-2412								18.23		12.50	16.11	12				
105429-1414	20.73	15.00	18.61	14	105429-2414								20.73		15.00	18.61	14				
105429-1416	23.23	17.50	21.11	16	105429-2416								23.23		17.50	21.11	16				
COLOR: BLACK													COLOR: NATURAL								

NOTES FOR ALL PARTS	
1> MATERIAL: HOUSING: LCP, UL 94V-0. TERMINAL: BRASS. SOLDER CLIP: BRASS. 2> PLATING FINISHED: TERMINAL: CONTACT AREA: a. REFLOWED MATTE TIN 0.76 MICRONS MIN; b. GOLD 0.38 MICRONS MIN; c. GOLD 0.76 MICRONS MIN. SOLDER AREA: TIN 0.76 MICRONS MINIMUM. UNDER PALTING NICKEL 1.25 MICRONS MINIMUM. SOLDER CLIP: TIN 2.5 MICRONS MINIMUM; UNDER PLATING NICKEL 1.25 MICRONS MINIMUM.	3> PRODUCT SPECIFICATION: PS-105405-001. 4> PACKAGE: TAPE REEL, DETAILS REFER TO DRAWING 1054291000-PK. 5> ALL COMPONENTS AND PRODUCT COMPLIANT TO RoHS DIRECTIVE 2011/65/EU AND ELV DIRECTIVE 2000/53/EC. 6> PRODUCT MATE WITH SERIES OF 105308(RECEPTACLE), 105300(CRIMP TERMIANL). 7> PARTS CONFORM TO CLASS 'B' REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.

					THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																				
					RE-MASTER IN ECTR EC NO: 625433 DRWN: GLLI CHK'D: YXZHENG APPR: YXZHENG		2019/10/10 2019/10/10 2019/10/10		GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± 3.0 ° 4 PLACES ± 3 PLACES ± 2 PLACES ± 0.2 1 PLACE ± 0.3 0 PLACES ± DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DIMENSION UNITS		SCALE		molex®										
											mm		5:1												
											DRWN BY		DATE		SD DRAWING FOR NANO-FIT HEADER OF SMT VERTICAL DUAL										
											WJHUO		2014/10/30												
											CHK'D BY		DATE		PRODUCT CUSTOMER DRAWING										
											AYIN		2015/03/12												
											DRAWING SIZE		THIRD ANGLE PROJECTION		SERIES		MATERIAL NUMBER			CUSTOMER					
											A3				105429		SEE TABLE			GENERAL MARKET					
											D		REV				DOCUMENT NUMBER			DOC TYPE		DOC PART		SHEET NUMBER	
																	SD-105429-001			PSD		000		3 OF 4	
RELEASE STATUS		P1	RELEASE DATE		2019/10/10		06:03:14																		

		9		8		7		6		5		4		3		2		1		
				4 CKT				6 CKT				8 CKT				10 CKT				
E		BLACK																E		
D		NATURAL																D		
				12 CKT				14 CKT				16 CKT								
C		BLACK																C		
B		NATURAL																B		
A																		A		
		RELEASE STATUS		P1	RELEASE DATE		2019/10/10		06:03:14											
		9		8		7		6		5		4		3		2		1		

QUALITY SYMBOLS

FA

= 0

FE

= 0

FB

= 0

F

= 0

C

= 0

X

= 0

= 0

V

= 0

RE-MASTER IN ECTR

EC NO: 625433

DRWN: GLLI

CHK'D: YXZHENG

APPR: YXZHENG

D

REV

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

2019/10/10

2019/10/10

2019/10/10

GENERAL TOLERANCES (UNLESS SPECIFIED)

ANGULAR TOL ± 3.0 °

4 PLACES

±

3 PLACES

±

2 PLACES

± 0.2

1 PLACE

± 0.3

0 PLACES

±

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION UNITS

mm

DRWN BY

RMV02

CHK'D BY

APPR BY

AYIN

DRAWING SIZE

A3

SCALE

3:1

DATE

2016/01/14

DATE

2017/05/15

THIRD ANGLE PROJECTION

molex®

SD DRAWING FOR
NANO-FIT HEADER OF SMT VERTICAL DUAL

PRODUCT CUSTOMER DRAWING

SERIES

105429

MATERIAL NUMBER

CUSTOMER

GENERAL MARKET

DOCUMENT NUMBER

SD-105429-001

DOC TYPE

PSD

DOC PART

000

SHEET NUMBER

4 OF 4



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.