



REF. -50 OPT. SCREW
(WHERE APPLICABLE)

NOTES:

1. MATERIAL: SEE TABLE.
2. FINISHES: SEE TABLE.
3. PRODUCT SPECIFICATION: AS REQUIRED.
4. "XX" REFERS TO QUANTITY OF CIRCUITS.
5. ROHS COMPLIANT.

ITEM	QTY.	DESCRIPTION	MATERIAL	FINISH
5	XX	SCREW #6-32X.250 BHD PHIL-SLOT (-56) (B)	STAINLESS STEEL	PASSIVATED
4	XX	SCRW&WSHR,#6-32X.25 PANHD,PH-SL (-50)	STEEL	ZN, CLEAR CHROMATE
3	XX	SCREW #6-32X.250 BHD PHSL (STD)	STEEL	ZN, CLEAR CHROMATE
2	XX	TERMINAL PC, NARROW	BRASS	TIN PLATE
1	1	SR BTS CB CS MO C	POLYESTER (PBT)	BLACK

CHANGE SCREW
 EC NO: WNA2011-0209
 DRAWN: JENCINAS 2010/09/13
 CHKD: JMACNEIL
 APPR: JMACNEIL 2010/10/22

DESCRIPTION
 REV

	GENERAL TOLERANCES (UNLESS SPECIFIED)	
	mm	INCH
4 PLACES	± .005	± .0005
3 PLACES	± .013	± .005
2 PLACES	± 0.13	± .01
1 PLACE	± 0.3	± .01
ANGULAR ± 2 °		

DRAFT WHERE APPLICABLE
 MUST REMAIN WITHIN DIMENSIONS

QUALITY SYMBOLS
 ▼=0
 ▽=0

DIMENSION STYLE
MM/IN

DRAWN BY: AHIDALGO DATE: 2007/02/12
 CHECKED BY: JENCINAS DATE: 2007/02/12
 APPROVED BY: JMACNEIL DATE: 2010/10/22

MATERIAL NO. SEE CHART

SCALE: 2:1
 DESIGN UNITS: INCH
 THIRD ANGLE PROJECTION

TITLE: .375" SR TRI-BARRIER TERMINAL STRIP, OPTS -C-N-50-56

molex MOLEX INCORPORATED

DOCUMENT NO. SD-38752-003 SHEET NO. 1 OF 2

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

No OF CIRCUITS	DIM "A"		DIM "B"		ASSEMBLY MATERIAL NO.	ASSEMBLY MAT. NO. (OPT -50)	ASSEMBLY MAT. NO. (OPT -56)
	±.30 mm	±.010 Inch	±.30 mm	±.010 Inch			
2	20.88	0.822	9.53	0.375	387523602	387524402	387590402
3	30.41	1.197	19.05	0.750	387523603	387524403	387590403
4	39.93	1.572	28.58	1.125	387523604	387524404	387590404
5	49.46	1.947	38.10	1.500	387523605	387524405	387590405
6	58.98	2.322	47.63	1.875	387523606	387524406	387590406
7	68.51	2.697	57.15	2.250	387523607	387524407	387590407
8	78.03	3.072	66.68	2.625	387523608	387524408	387590408
9	87.56	3.447	76.20	3.000	387523609	387524409	387590409
10	97.08	3.822	85.73	3.375	387523610	387524410	387590410
11	106.61	4.197	95.25	3.750	387523611	387524411	387590411
12	116.13	4.572	104.78	4.125	387523612	387524412	387590412
13	125.66	4.947	114.30	4.500	387523613	387524413	387590413
14	135.18	5.322	123.83	4.875	387523614	387524414	387590414
15	144.71	5.697	133.35	5.250	387523615	387524415	387590415
16	154.23	6.072	142.88	5.625	387523616	387524416	387590416
17	163.76	6.447	152.40	6.000	387523617	387524417	387590417
18	173.28	6.822	161.93	6.375	387523618	387524418	387590418
19	182.81	7.197	171.45	6.750	387523619	387524419	387590419
20	192.33	7.572	180.98	7.125	387523620	387524420	387590420
21	201.86	7.947	190.50	7.500	387523621	387524421	387590421
22	211.38	8.322	200.03	7.875	387523622	387524422	387590422
23	220.91	8.697	209.55	8.250	387523623	387524423	387590423
24	230.43	9.072	219.08	8.625	387523624	387524424	387590424
25	239.96	9.447	228.60	9.000	387523625	387524425	387590425
26	249.48	9.822	238.13	9.375	387523626	387524426	387590426

SEE SHEET ONE
 EC NO: WNA2011-0209
 DRAWN: JENC INAS 2010/09/13
 CHKD:
 APPR: JMACNEIL 2010/10/22
 REV DESCRIPTION

QUALITY SYMBOLS
 =0
 =0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .005
2 PLACES	± 0.13	± .01
1 PLACE	± 0.3	± ---
ANGULAR ± 2 °		

DRAFT WHERE APPLICABLE
 MUST REMAIN
 WITHIN DIMENSIONS

DIMENSION STYLE
MM/IN

SCALE
2:1

DESIGN UNITS
INCH

THIRD ANGLE PROJECTION

DRAWN BY
 AHIDALGO

DATE
 2007/02/12

CHECKED BY
 JENC INAS

DATE
 2007/02/12

APPROVED BY
 JMACNEIL

DATE
 2010/10/22

MATERIAL NO.

TITLE
**.375" SR TRI-BARRIER
 TERMINAL STRIP,
 OPTS -C-N-50-56**

MOLEX INCORPORATED

DOCUMENT NO.
SD-38752-003

SHEET NO.
2 OF 2

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX
 INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.