







PRODUCT NUMBER	TAIL TYPE	PLATING
10133694-101LF	PIP	SEE NOTES





- NOTES:
1. MATERIAL: COPPER ALLOY, THICKNESS=0.25MM
 2. OPERATING TEMPERATURE RANGE : -40/+105°C
 3. FINISH: Sn UPON Ni
 4. PACKING- TRAY

PRODUCT NUMBER	TAIL TYPE	PLATING
10133694-102LF	PRESSFIT	SEE NOTES




OTHER DIMENSIONS ARE SAME AS THAT OF 10133694-101LF



spec ref				dr	Jibin John	2016/11/10	projection 	MM 	size	A3	scale	3:1	
tolerance std ISO 406 ISO 1101	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Alosius, Stali	2018/11/07			ecn no	ELX-I-31808-1			
				chr	-	-			rel level				Released
				appr	K-Paul Biju	2018/11/07			product family				OCTIS
surface ISO 1302	linear	0.X	±0.3	Amphenol FCi	title	SFP SHIELDING CAGE			dwg no	10133694		rev G	
		0.XX	±0.13										
		0.XXX	±0.05										
	angular	0°	±2°		cat. no.	-	Product - Customer Drw				sheet 1 of 3		




CAGE AND CONNECTOR MOUNTED ON THE PCB

spec ref				dr		Jibin John	2016/11/10		projection				MM		size		A3	scale		1:1
tolerance std				eng		Alosius, Stali		2018/11/07						ecn no		ELX-I-31808-1				
ISO 406				chr		-		-						rel level		Released				
ISO 1101				appr		K-Paul Biju		2018/11/07						product family		OCTIS				
surface		linear		0.X		±0.3		Amphenol FCi		title		SFP SHIELDING CAGE		dwg no		10133694		rev		G
				0.XX		±0.13														
				0.XXX		±0.05														
		ISO 1302		angular		0°		±2°				cat. no.		-		Product - Customer Drw		sheet 2 of 3		

PACKAGING
PACKAGING IN HOT FORMED TRAY





TRAY INFORMATION:
44 PCS BY TRAY
COLOR: TRAY A IN BLACK AND TRAY B IN TRANSLUCENT
YYYY: MANUFACTURING YEAR
WW: MANUFACTURING WEEK




ESD SYMBOL

NOTE: HANDLING ONLY WITH GLOVES

PACKAGING:
PACKAGING IN THE BOX



SHIPPABLE CARTON
(DIMENSION: 350x350x350)



SEALED CARTON

PACKAGING INFORMATION:
1584 PCS BY BOX
X PITCH = 26.6 MM
Y PITCH = 26.6 MM
Z DIMENSION = 18 MM
TRAY A AND TRAY B STOCKED ALTERNATIVELY
HOT FORMED TRAYS FITTED IN A ESD BAG AND IN CARD BOARD BOX

spec ref				dr	Jibin John	2016/11/10	projection		MM		size	A3	scale	1:1	
tolerance std				eng	Alosius, Stali	2018/11/07					ecn no	ELX-I-31808-1			
ISO 406 ISO 1101				chr	-	-									
TOLERANCES UNLESS OTHERWISE SPECIFIED				appr	K-Paul Biju	2018/11/07	product family			OCTIS	rel level	Released			
				surface	linear	0.X	±0.3	Amphenol FCi	title	SFP SHIELDING CAGE			dwg no	10133694	
0.XX	±0.13														
0.XXX	±0.05														
ISO 1302				angular	0°	±2°	cat. no.		-	Product - Customer Drw			sheet 3 of 3		



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.