




LOC	DIST	REVISIONS						
		P	LTR	DESCRIPTION	DATE	DWN	APVD	
GP	00		A2	REVISED PER ECO-11-004835	11MAR2011	RK	HMR	
			B	REVISED PER ECO-12-014113	02AUG2012	JY	AC	
			C	REVISED PER ECO-12-019905	04DEC2012	CJV	DLG	




1888321-1
SCALE 5:1




2-1888321-2
NO GASKET
SCALE 5:1




1888321-3
SCALE 5:1





1888321-2
SCALE 5:1





1888321-4
SCALE 5:1

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWN J. POLIGNONE	01AUG07	 TE Connectivity	
		CHK D. GORENC	01AUG07		
DIMENSIONS: mm		APVD D. GORENC	01AUG07	NAME EVERCLEAR Mini-SAS EXTERNAL RECEPTACLE SHELL ASSEMBLY	
		PRODUCT SPEC		SIZE A1	
		APPLICATION SPEC		CAGE CODE 100779	
MATERIAL SEE NOTES		WEIGHT -		DRAWING NO 1888321	
		Customer Drawing		SCALE 5:1	SHEET 1 OF 4 REV C


LOC		DIST		REVISIONS					
GP		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
				-	-	SEE SHEET 1	-	-	-



RECOMMENDED SINGLE PORT LAYOUT
SAME AS 1888321-1 EXCEPT AS SHOWN
SCALE 5:1







RECOMMENDED MULTI-PORT LAYOUT,
SAME AS 1888321-1, EXCEPT AS SHOWN
SCALE 5:1



SECTION A-A
SCALE 10:1


THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009.				DWN J. POLIGNONE 01AUG07	TE Connectivity			
DIMENSIONS:				CHK D. GORENC 01AUG07	NAME EVERCLEAR Mini-SAS EXTERNAL RECEPTACLE SHELL ASSEMBLY			
mm				APVD D. GORENC 01AUG07	SIZE CAGE CODE DRAWING NO. A100779C=1888321			
TOLERANCES UNLESS OTHERWISE SPECIFIED:				PRODUCT SPEC	RESTRICTED TO			
0 PLC ±				APPLICATION SPEC	SCALE 5:1 SHEET 2 OF 4 REV C			
1 PLC ±				WEIGHT				
2 PLC ±				Customer Drawing				
3 PLC ±								
4 PLC ±								
ANGLES FINISH								
MATERIAL SEE NOTES								

LOC		DIST		REVISIONS				
GP		00		P	LTR	DESCRIPTION		DATE
				-	-	SEE SHEET 1		-



THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER: ASME Y14.5M-2009		DWN J. POLIGNONE CHK D. GORENC APVD D. GORENC	01AUG07 01AUG07 01AUG07	NAME EVERCLEAR Mini-SAS EXTERNAL RECEPTACLE SHELL ASSEMBLY	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	
MATERIAL SEE NOTES		FINISH SEE NOTES		APPLICATION SPEC	
				WEIGHT -	
				Customer Drawing	
				SCALE 3:1	
				SHEET 3 OF 4	
				REV C	

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
GP	00	-	-	SEE SHEET 1	-	-	-



POSSIBLE KEYING POSITION LOCATIONS
SCALE 10:1

- 1

LOCATIONS OF DATUMS TO BE DETERMINED BY THE CUSTOMER.
- 2

ZINC DIE CAST PER ASTM B 86.
- 3

PASSIVATE PER ASTM B 102 OVER
2.54µm MINIMUM NICKEL PLATE PER QQ-N-290 OVER
5.08µm MINIMUM COPPER PLATE PER AMS 2418
- 4

OMNI DIRECTIONAL CONDUCTIVE FOAM
- 5

SHELLS AFFIXED TO PCB VIA CUSTOMER SUPPLIED
M2 x 0.4mm THREADED SCREWS.
- 6

PRODUCT USED IN CONJUNCTION WITH SURFACE
MOUNT CONNECTOR 1761987-1.
- 7

RAISED SOLDER MASK KEEP OUT AREA,
APPLIES TO AREA INSIDE BOX.
- 8

PRELIMINARY NOT RELEASED FOR PRODUCTION.
- 9

DATE CODE APPLIED IN GENERAL AREA AS INDICATED.

	I	38.75	4	I	I	35.125	34.625	42	39.25	38.25	38.25	4	4	-	-	2	2-1888321-2	
	I	38.75	4	I	I	35.125	34.625	42	39.25	38.25	38.25	2-4	2-4	-	-	2	1-1888321-3	
	I	38.75	4	I	I	35.125	34.625	42	39.25	38.25	35.25	4-6	2-4	-	-	2	1-1888321-2	
	I	38.75	4	I	I	35.125	34.625	42	39.25	38.25	38.25	2	6	-	-	2	1-1888321-1	
	I	38.75	4	I	I	35.125	34.625	42	39.25	38.25	38.25	2	2	-	-	2	1-1888321-0	
	N/A	19.75	2	N/A	N/A	16.125	15.625	23	20.25	19.25	19.25	4-6	-	-	-	1	1888321-9	
	N/A	19.75	2	N/A	N/A	16.125	15.625	23	20.25	19.25	19.25	2-4	-	-	-	1	1888321-8	
	N/A	19.75	2	N/A	N/A	16.125	15.625	23	20.25	19.25	19.25	6	-	-	-	1	1888321-7	
	N/A	19.75	2	N/A	N/A	16.125	15.625	23	20.25	19.25	19.25	2	-	-	-	1	1888321-6	
OBSOLETE	3	76.75	8	3	3	73.125	72.625	80	77.25	76.25	76.25	4	4	4	4	4	8 1888321-4	
OBSOLETE	2	57.75	6	2	2	54.125	53.625	61	58.25	57.25	57.25	4	4	4		3	8 1888321-3	
	I	38.75	4	I	I	35.125	34.625	42	39.25	38.25	38.25	4	4	-	-	2	1888321-2	
	N/A	19.75	2	N/A	N/A	16.125	15.625	23	20.25	19.25	19.25	4	-	-	-	1	1888321-1	
	L	K	J	H	G	F	E	D	C	B	A	PORT 1 (SINGLE PORT)	PORT 2	PORT 3	PORT 4	# OF PORTS	PART NUMBER	
													KEYING POSITION					

THIS DRAWING IS A CONTROLLED DOCUMENT.
DIMENSIONING AND TOLERANCING
PER ASME Y14.5M-2009

DIMENSIONS:

mm

0 PLC
1 PLC
2 PLC
3 PLC
4 PLC

±
±
±
±
±

ANGLES

FINISH

SEE NOTES

SEE NOTES

DWN
J. POLIGNONE

CHK
D. GORENC

APVD
D. GORENC

DATE
01AUG07

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

Customer Drawing

NAME
EVERCLEAR Mini-SAS EXTERNAL
RECEPTACLE SHELL ASSEMBLY

SIZE
A1

CAGE CODE
00779

DRAWING NO
C=1888321

RESTRICTED TO
-

SCALE
3:1

SHEET
4

OF
4

REV
C

4805 (3/11)



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.