


[illegible]

The diagram shows the rear panel of the device with a terminal block and a connector. The terminal block has 14 terminals arranged in two rows of seven. The top row is labeled 1 through 7, and the bottom row is labeled 8 through 14. The connector is a D-subminiature connector with 15 pins, labeled 1 through 15. The terminal block is labeled "TERMINAL BLOCK" and the connector is labeled "CONNECTOR".



Technical drawing of the rear view of a terminal block assembly. The drawing shows the internal wiring and terminal connections. The assembly is labeled with "03.30.40" and "X". The drawing is a detailed line drawing showing the internal components and wiring of the terminal block assembly. The assembly is shown from the rear, with the terminal block and wiring visible. The drawing is a technical drawing, likely a patent drawing, showing the internal structure of the terminal block assembly. The assembly is labeled with "03.30.40" and "X". The drawing is a detailed line drawing showing the internal components and wiring of the terminal block assembly. The assembly is shown from the rear, with the terminal block and wiring visible. The drawing is a technical drawing, likely a patent drawing, showing the internal structure of the terminal block assembly.

Technical drawing of the rear view of the device. It shows a terminal block with 12 terminals arranged in two rows of six. The terminals are labeled with numbers 1 through 12. The drawing also shows the mounting points and the overall shape of the device's rear panel.

This diagram shows the rear of the device, highlighting the connection panel. It features a large multi-pin connector at the top, a series of smaller ports in the middle, and a large multi-pin connector at the bottom. The device is shown from a perspective view, with the connection panel facing the viewer.


NOTE(S):

1. APPLICABLE TERMINAL PART NUMBERS (SOLD SEPARATELY):  
FOR TIN APPLICATIONS: 1393367 AND 1393366.  
FOR GOLD APPLICATIONS: 1393365 AND 1393364.  
FOR TERMINATION AND REELING OPTIONS  
SEE DRAWINGS 1393367, 1393366, 1393365, AND 1393364.
2. COMPATIBLE WIRE SIZES FOR MAT SEAL DESIGN 1.19 TO 2.06 O.D.  
(22-18 AWG, 0.35-0.75 mm2)
3. TPA AND CAM LEVER ARE SHIPPED IN THEIR PRE-LOADED POSITION.  
ALL ASSEMBLIES ARE TO BE TRAY PACKAGED.
4. CUSTOMER PART NUMBER AND TRACEABILITY CODE (YY = TWO DIGIT YEAR,  
JJJ = JULIAN DAY, HH = TWO DIGIT MILITARY HOUR, A=ASSEMBLY PROCESS  
USED) ARE PRINTED IN THIS LOCATION.
5. PART ASSEMBLY WEIGHT WITHOUT TERMINALS AND WITH STANDARD PIN-OUT  
CONFIGURATION IS 26.09 GRAMS.
6. OPTIONAL WIRESHIELD P/N 8-1419157-8 (SOLD SEPARATELY). PLEASE CONTACT  
YOUR TYCO ELECTRONICS SALES REPRESENTATIVE FOR AVAILABILITY AND PRICING.



|                                                                                                                                                                                                                       |  |                                                                             |  |                                                                                                 |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------------|--|
| <small>THIS DRAWING IS TO BE CONSIDERED A DOCUMENT FOR INFORMATIONAL PURPOSES ONLY. IT IS NOT TO BE USED FOR CONSTRUCTION OF A PROJECT. THE USER OF THIS DRAWING SHOULD BE CONTACTED FOR THE LATEST REVISION.</small> |  | <small>DRAWN BY</small><br>M. FORISKA                                       |  | <small>20APR2002</small>                                                                        |  |
| <small>DATE</small><br>20APR2002                                                                                                                                                                                      |  | <small>CHECKED BY</small><br>M. FORISKA                                     |  | <small>20APR2002</small>                                                                        |  |
| <small>APPROVED BY</small><br>A. VALASEK                                                                                                                                                                              |  | <small>20APR2002</small>                                                    |  | <small>NAME</small><br>Tyco Electronics<br>Harrisburg, PA 17105-3608                            |  |
| <small>DIMENSIONS:</small><br>mm                                                                                                                                                                                      |  | <small>TOLERANCES UNLESS OTHERWISE SPECIFIED:</small>                       |  | <small>PRODUCT SPEC</small><br>40 WAY ARM<br>PLUG ASSEMBLY WITH SHORTING BARS<br>CUSTOMER SPEC. |  |
|                                                                                                                                  |  | 0 PLC ±.1<br>1 PLC ±.3<br>2 PLC ±.10<br>3 PLC ±.<br>4 PLC ±.<br>ANGLES ±.3° |  | <small>APPLICATION SPEC</small>                                                                 |  |
| <small>MATERIAL</small><br>SEE CHART<br>ON SHEET 2                                                                                                                                                                    |  | <small>FINISH</small><br>-                                                  |  | <small>SIZE</small><br>A1                                                                       |  |
| <small>WEIGHT</small><br>SEE NOTE 5                                                                                                                                                                                   |  | <small>CAGE CODE</small><br>00779                                           |  | <small>DRAWING NO</small><br>C-7-1419157-9                                                      |  |
| <small>CUSTOMER DRAWING</small>                                                                                                                                                                                       |  | <small>RESTRICTED TO</small><br>-                                           |  | <small>SCALE</small><br>3:1                                                                     |  |
| <small>SHEET</small><br>1                                                                                                                                                                                             |  | <small>OF</small><br>3                                                      |  | <small>REV</small><br>A                                                                         |  |

[illegible]

|                                                                                                                                                                                                                   |                                                                                                                                   |                                                                                                                                      |                                                                                                                                     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| <small>THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION<br/>IT IS SUBJECT TO CHANGE AND THE CONTROLING AUTHENTICATING ORGANIZATION<br/>SHOULD BE CONTACTED FOR THE LATEST REVISION.</small> |                                                                                                                                   | <small>DWN</small><br>M FORISKA 20APR2002<br><small>CHN</small><br>M FORISKA 20APR2002<br><small>APVD</small><br>A VALASEK 20APR2002 |  Tyco Electronics<br>Harrisburg, PA 17105-3608 |
| <small>DIMENSIONS:</small><br>mm<br>                                                                                         | <small>TOLERANCES UNLESS OTHERWISE SPECIFIED:</small><br>0 PLC ±<br>1 PLC ±0.3<br>2 PLC ±0.10<br>3 PLC ±<br>4 PLC ±<br>ANGLES ±3° | <small>NAME</small><br>40 WAY ARM<br>PLUG ASSEMBLY WITH SHORTING BARS<br>CUSTOMER SPEC.                                              | <small>SIZE</small><br>A 1 00779                                                                                                    |
| <small>MATERIAL</small><br>-<br>SEE CHART                                                                                                                                                                         | <small>FINISH</small><br>-<br>-                                                                                                   | <small>APPLICATION SPEC</small><br>-<br><small>WEIGHT</small><br>-                                                                   | <small>DRAWING NO</small><br>C=7-1419157-9<br><small>RESTRICTED TO</small><br>-                                                     |
| CUSTOMER DRAWING                                                                                                                                                                                                  |                                                                                                                                   | <small>SCALE</small><br>3:1                                                                                                          | <small>SHEET</small><br>2 OF 3<br><small>REV</small><br>BT                                                                          |

|  |                                                                           |
|--|---------------------------------------------------------------------------|
|  | CAVITIES WITH A NUMERIC SYMBOL<br>INDICATE CLOSED TERMINAL HOLE POSITIONS |
|  | BLANK CAVITIES<br>INDICATE OPEN TERMINAL HOLE POSITIONS                   |

|           |        |                  |  |                  |       |           |             |       |               |     |   |
|-----------|--------|------------------|--|------------------|-------|-----------|-------------|-------|---------------|-----|---|
|           |        | APPLICATION SPEC |  | SIZE             |       | CAGE CODE | DRAWING NO  |       | RESTRICTED TO |     |   |
|           |        | -                |  | A                | 00779 | C         | 7-1419157-9 |       | -             |     |   |
| MATERIAL  | FINISH | WEIGHT           |  | CUSTOMER DRAWING |       | SCALE     | 3:1         | SHEET | 3 OF 3        | REV | B |
| SEE CHART | -      | -                |  |                  |       |           |             |       |               |     |   |



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.