



FCIconnect.com

Copyright FCI











| PRODUCT NUMBER | PRODUCT   | FOR DETAIL INFO SEE PRODUCT NR. WITHOUT PRINTING | PRODUCT NUMBER | PRODUCT                               | FOR DETAIL INFO SEE PRODUCT NR. WITHOUT PRINTING |
|----------------|---|--|----------------|---------------------------------------|--|
| 65245-101      | <br>1MAA00979AAA BT1XX<br>B.P. SHROUD                   | 65191-002  | 65245-106      | <br>3x32 B.P. SHROUD WITH LATCH FRAME | 90426-001  |
| 65245-102      | <br>1MAA10476AAF BT1XX<br>B.P. 3 ROW MALE BODY STRAIGHT | 66990-002  | 65245-107      | <br>3x32 B.P. SHROUD WITH LATCH FRAME | 90426-002  |
| 65245-103      | <br>7.45±0.1<br>B.P. GROUNDING SHROUD                   | 70007-002  | 65245-108      | <br>B.P. HYBRID BACK SHROUD           | 70033-007  |
| 65245-104      | <br>5.85±0.1<br>B.P. GROUNDING SHROUD                   | 70007-004  |                |                                       |  |
| 65245-105      | <br>3x10 B.P. SHROUD                                    | 71664-001  |                |                                       |  |

NOTES:-

1. THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
2. LEADFREE OR RoHS DIRECTIVE LABELLING TO BE PROVIDED AS PER GS-14-920.
3. " LF " SUFFIX TO PRODUCT NUMBER FOR RoHS COMPATIBLE/ LEADFREE VERSION.
4. PARTS WITH AND WITHOUT "LF" SUFFIX ARE FORM-FIT AND FUNCTIONALLY IDENTICAL. " LF " SUFFIX PROVIDED FOR PART NUMBER STANDARDISATION OF PART THAT MEETS RoHS REQUIREMENTS.



5. MARKING CONSISTS OF: XXXXXXXXXXX BTI XX  
SEE PRODUCT \_\_\_\_\_  
YEAR OF FABRICATION \_\_\_\_\_

|             |  |          |  |                  |  |            |  |                          |  |
|-------------|--|----------|--|------------------|--|------------|--|--------------------------|--|
| mat'l. code |  | surface  |  | tolerance        |  | projection |  | product family           |  |
| -           |  | ISO 1302 |  | ISO 406 ISO 1101 |  |            |  | BACKPANEL                |  |
| ltr         |  | ecn no   |  | dr               |  | date       |  | title                    |  |
| K           |  | H80467   |  | LGI              |  | 1998-07-23 |  | SUMMARY B.P.0            |  |
| L           |  | F00406   |  | LLA              |  | 2000-05-22 |  | BACKPANEL                |  |
| M           |  | I05-0123 |  | MINI             |  | 2005-07-27 |  | scale -                  |  |
| N           |  | I05-0248 |  | MINI             |  | 2005-11-22 |  | dwg no                   |  |
| P           |  | I06-0068 |  | MINI             |  | 2006-06-01 |  | sheet 1 of 2             |  |
|             |  |          |  |                  |  |            |  | size                     |  |
|             |  |          |  |                  |  |            |  | A3                       |  |
|             |  |          |  |                  |  |            |  | type                     |  |
|             |  |          |  |                  |  |            |  | Product Customer Drawing |  |
| sheet       |  | revision |  | P                |  | L          |  |                          |  |
| index       |  | sheet    |  | 1                |  | 2          |  |                          |  |

| PRODUCT NUMBER | PRODUCT  | FOR DETAIL INFO<br>SEE PRODUCT NR.<br>WITHOUT PRINTING |
|----------------|--|--|
| 65245-901      |  <br>B.P. LATCHING FRAME; MARKING: 1MAA00982AAA                | 65183-002  |
| 65245-902      |  <br>LOCKING FRAME 3 ROW; MARKING: 1MAA01823AAA                | 65188-002  |
| 65245-903      |  <br>1 MODUL LOCKING FRAME; MARKING: 1MAA10559AAN            | 65184-011  |
| 65245-904      |  <br>2 MODUL LOCKING FRAME; MARKING: 1MAA10529AAS          | 65185-002  |
| 65245-905      |  <br>REVERSED LOCKING FRAME 3 ROW<br>MARKING: 1MAA02019AAR | 77429-002  |

NOTES:-

- THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- LEADFREE OR RoHS DIRECTIVE LABELLING TO BE PROVIDED AS PER GS-14-920.
- " LF " SUFFIX TO PRODUCT NUMBER FOR RoHS COMPATIBLE/ LEADFREE VERSION.
- PARTS WITH AND WITHOUT "LF " SUFFIX ARE FORM-FIT AND FUNCTIONALLY IDENTICAL. " LF " SUFFIX PROVIDED FOR PART NUMBER STANDARDISATION OF PART THAT MEETS RoHS REQUIREMENTS.
- THE MARKING SHALL CONSISTS OF: XXXXXXXXXXXX BTI XX  
 SEE PRODUCT YEAR OF FABRICATION \_\_\_\_\_

|             |  |                |  |                  |  |   |  |   |  |
|-------------|--|----------------|--|------------------|--|---|--|---|--|
| mat'l. code |  | surface        |  | tolerance        |  | projection  |  | product family  |  |
| -           |  | ISO 1302       |  | ISO 406 ISO 1101 |  |  |  | BACKPANEL   |  |
| ltr         |  | ecn no         |  | dr               |  | date  |  | title   |  |
| H           |  | H80467         |  | LGI              |  | 1998-07-23  |  | SUMMARY B.P.O   |  |
| J           |  | I05-0123       |  | MINI             |  | 2005-07-27  |  | BACKPANEL   |  |
| K           |  | I05-0248       |  | MINI             |  | 2005-11-22  |  |   |  |
| L           |  | I06-0068       |  | MINI             |  | 2006-06-01  |  | scale -   |  |
|             |  |                |  | dr               |  | D.LEGRAND   |  | 2000-10-09  |  |
|             |  |                |  | enr              |  | J.F.NOTTEAU   |  | 2000-10-09  |  |
|             |  |                |  | chr              |  | RAKHEE GEORGE   |  | 2006-06-01  |  |
|             |  |                |  | appd             |  | RAKHEE GEORGE   |  | 2006-06-01  |  |
| sheet index |  | revision sheet |  |                  |  |   |  |  dwg no 65245 sheet 2 of 2 size A3 |  |
|             |  |                |  |                  |  |   |  | type Product Customer Drawing   |  |



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.