


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	E	REVISED PER ECO-18-001882	13FEB2018	AP	DG








NOTE:


1. MATERIAL:
HOUSING: PBT WITH 20% GF UL 94 V-0, BLACK COLOR
CONTACTS: PHOSPHOR BRONZE.
SHELL: STEEL.
SCREW: BRASS.
SCREW LOCK: BRASS.
SCREW TORQUE: 5kgf-cm MAX.
2. FINISH:
CONTACTS: GOLD PLATED ON CONTACT AREA,
0.375µm [15µ"] MIN. MATTE TIN ON SOLDER TAIL
2.54µm [100µ"], WITH ENTIRE CONTACT
UNDERPLATED 1.27µm [50µ"] MIN. NICKEL.
FRONT SHELL: 2.54µm [100µ"] MIN. NICKEL PLATED.
REAR SHELL: 1.27µm [50µ"] MIN NICKEL UNDERPLATE.
2.54µm [100µ"] MIN BRIGHT TIN PLATE
SCREW LOCK: 1.27µm [50µ"] MIN. NICKEL PLATED.
BOARDLOCK: 1.27µm [50µ"] MIN NICKEL UNDERPLATE.
1.27µm [50µ"] MIN MATTE TIN PLATE
3. WAVE SOLDER CAPABLE TO 265°C PER TE TEST SPEC.
109-202, CONDITION B.

				15w D skt W B/L & 4-40 s/lock 15u" gold				2301840-1	
				DESCRIPTION				TE PART NO	
THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN		06FEB2017		 TE Connectivity	
				AJITH PAI					
				CHK		06FEB2017		D-SUB VERTICAL 15P SKT CONNECTOR —	
				DAN GORENC					
				APVD		06FEB2017			
				—					
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC		NAME			
mm				108-130013					
		0 PLC ± —		APPLICATION SPEC		SIZE		RESTRICTED TO	
		1 PLC ± 0.25				CAGE CODE			
		2 PLC ± 0.15				DRAWING NO			
		3 PLC ± 0.10							
4 PLC ± —		ANGLES ± —							
MATERIAL		FINISH		WEIGHT		A2 00779		C=2301840	
—		—		0				—	
CUSTOMER DRAWING				SCALE		1:1		SHEET 1 of 3	
								REV E	

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



DETAIL A



SEE DETAIL A

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

MATERIAL
-

FINISH
-

TOLERANCES, UNLESS OTHERWISE SPECIFIED:

0 PLC ± -

1 PLC ± 0.25

2 PLC ± 0.15

3 PLC ± 0.10

4 PLC ± -

ANGLES ± -

DWN
AJITH PAI
06FEB2017

CHK
DAN GORENC
06FEB2017

APVD
-
06FEB2017

PRODUCT SPEC
108-130013

APPLICATION SPEC
-

WEIGHT
0

CUSTOMER DRAWING

TE Connectivity

D-SUB VERTICAL
15P SKT CONNECTOR
-

SIZE
A2

CAGE CODE
00779

DRAWING NO
C=2301840


RESTRICTED TO
-

SCALE
1:1

SHEET
2 OF 3

REV
E

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



16.579	14.000	70	20	1400	2301840-1
GROSS WEIGHT (kg)	NET WEIGHT (kg)	PCS/TRAY	TRAYS /CARTON	QUANTITY Pcs	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 06FEB2017 AJITH PAI		 TE Connectivity					
		CHK 06FEB2017 DAN GORENC							
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD 06FEB2017 —		NAME D-SUB VERTICAL 15P SKT CONNECTOR —			
		0 PLC ± — 1 PLC ± 0.25 2 PLC ± 0.15 3 PLC ± 0.10 4 PLC ± — ANGLES ± —		PRODUCT SPEC 108-130013					
				APPLICATION SPEC —					
MATERIAL —		FINISH —		WEIGHT 0		SIZE A2	CAGE CODE 00779	DRAWING NO C=2301840	RESTRICTED TO —
CUSTOMER DRAWING						SCALE 1:1	SHEET 3 of 3	REV E	



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.