











1. MATERIAL: SHIELD - 35% GLASS REINFORCED NYLON.
SEE TABLE BELOW FOR COLOR.
LEVER - 35% GLASS REINFORCED NYLON.
COLOR: LIGHT GRAY.
2. REFERENCE: RECEPTACLE HOUSING, 1326042-1,
USED WITH THIS ASSEMBLY.
3. REFERENCE: INTERFACE DETAIL PER DRAWING NO.
AUAUTO1000-2962-0009
4. REFER TO INSTRUCTION SHEET 408-8662 FOR PRODUCT
ASSEMBLY AND DISASSEMBLY PROCEDURES.
5. REFER TO USCAR-2 REV 3 APRIL 2001 FOR PRODUCT
SPECIFICATIONS.

LOC		DIST		REVISIONS			
FX		00		REV	DESCRIPTION	DATE	OWN
				0	REVISED PER EC 0K80-0281-02	01MAY2003	SPT
				A	REVISED PER EC 0K80-0196-04	14JUN2004	DLD
				A1	REV PER ECR-10-011823	28MAY2010	VSS






WIRE EXIT OPTIONS
FOR REFERENCE ONLY

70°	NATURAL	A-E	1-1326136-0
20°	BLUE	B-F	1326136-9
20°	GRAY	B-E	1326136-8
20°	BLACK	A-E	1326136-7
45°	BLUE	B-F	1326136-6
45°	GRAY	B-E	1326136-5
45°	BLACK	A-E	1326136-4
70°	BLUE	B-F	1326136-3
70°	GRAY	B-E	1326136-2
70°	BLACK	A-E	1326136-1
DIM V	COLOR	KEYING OPT.	PART NUMBER




KEYING OPTIONS
REFERENCE ONLY


THIS DRAWING IS TO CONTINUE TOGETHER WITH THE ELECTRONS CORPORATION IN CONNECTION WITH THE LATEST RELEASED INFORMATION				DWN 03AUG2001 W. HOELSCHER		Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		CHK 03AUG2001 S. TOBEY		NAME SHIELD ASSEMBLY, 0.64mm 26 POSN, LEVER ASSISTED CONNECTOR SINGLE GEAR	
mm				APVD 03AUG2001 S. TOBEY			
		0 PLC ±.1 1 PLC ±0.1 2 PLC ±0.05 3 PLC ±.1 4 PLC ±.1 5 PLC ±.1 6 ANGLES ±.1°		PRODUCT SPEC -		SIZE CAGE CODE DRAWING NO RESTRICTED TO	
MATERIAL -		FINISH -		APPLICATION SPEC -			
				CUSTOMER DRAWING		SCALE 4:1 SHEET 1 of 2 REV A	



KEY OPTION A-E



KEY OPTION B-E



KEY OPTION B-F

(SHOWN WITH CLEARANCE FOR ALL KEY OPTIONS)

-
- Technical drawing of a mechanical part. The part has a central circular hole with a diameter of $\varnothing 3.0$. The overall width of the part is 8.0. The overall height of the part is 12.0. The part has a complex, irregular shape with rounded corners and a central hole.

6

AMP 4805 REV 31MAR2000



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.