


OD8038-12HBXE10A



DC Fan, 12VDC
80x38mm (3.15"x 1.5")




Frame & Impeller	PBT, UL94V-O plastic	<u>Available Options</u> ThermalControl * Connection: Wire Leads - UL1430, 24AWG Red(+), Black (-), White (tach), Blue (PWM) Weight: 219 g	
Connection	4x Lead wires *		
Motor	Brushless DC, auto restart, polarity protected.		
Bearing System	Dual ball bearing		
Insulation Resistance	Min. 10M at 500VDC		
Dielectric Strength	1 minute at 500VAC max leakage 500 microamp		
Temperature Range	-10C ~ +70C		
Storage Temperature	-40C ~ +80C		
Life (L10)	70,000 hours (40C)		

Model Number	OD8038-12HBXE10A
Part Number	189181261
Nominal Voltage	12 VDC
Voltage Range	8~13.2 VDC
Rated Current	4.10 A
Rated Power	49 Watts
Rated Speed (RPM)	13500
Airflow (CFM)	141
Noise Level (dB)	71
Max. Static Pressure	3.9 "H ₂ O

OD8038-48HBXE10A



DC Fan, 48VDC
80x38mm (3.15"x 1.5")



Frame & Impeller	PBT, UL94V-O plastic	<u>Available Options</u> ThermalControl * Connection: Wire Leads - UL1430, 24AWG Red(+), Black (-), White (tach), Blue (PWM) Weight: 219 g	
Connection	4x Lead wires *		
Motor	Brushless DC, auto restart, polarity protected.		
Bearing System	Dual ball bearing		
Insulation Resistance	Min. 10M at 500VDC		
Dielectric Strength	1 minute at 500VAC max leakage 500 microamp		
Temperature Range	-10C ~ +70C		
Storage Temperature	-40C ~ +80C		
Life (L10)	70,000 hours (40C)		

Model Number	OD8038-48HBXE10A
Part Number	189481261
Nominal Voltage	48 VDC
Voltage Range	28 ~56 VDC
Rated Current	1.14 A
Rated Power	55 Watts
Rated Speed (RPM)	13500
Airflow (CFM)	141
Noise Level (dB)	71
Max. Static Pressure	3.9 "H ₂ O



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.