



*Quality Products. Service Excellence.*

## Slim Wall and Floor Rack Cabinet *SDC Series*

Up to 800 lbs|363 kg Weight Capacity



The SDC Series is a multi-use rack providing numerous options for equipment rack mounting. It is ideal for securing rack mount equipment in spaces where room for a traditional rack or cabinet is limited or not available. The modular design includes a body with numerous accessory options to suit your unique application.

### Features

- Available in 3U, 6U and 9U mounting heights.
- Available in 17.5", 24.5", 31.5" and 36" overall depths.
- 19" Mounting rail slots allow for adjustable depth rails and/or optional fan installation.
  - Mounting rails are easily removed for non-rack mounting equipment.
  - Starter pack of **CAGKIT1032-10** screws and cage nuts included with 3U units or **CAGKIT1032-50** screws and cage nuts included with 6U & 9U units.
- Removable cover panel for ease of equipment installation.
- Includes four (4) cutouts perfect for mounting over an electrical receptacle and/or for cable entry.
- Interior cable management lances.
- Removable plastic handles for side mounting storage.
- Optional surface mounted doors with quarter-turn lock and end cap available.



### Specifications

- Cabinet frame, removable cover and doors constructed in 16-gauge steel.
- Square hole 19" mounting rails are constructed in 12-gauge steel, include rack unit indicators, and are finished in smooth black powder paint.
- Suggest Load Ratings
  - Wall Mount (Rack Mounted) up to 150 lbs (68 kg).
  - Wall Mount (Rails removed) up to 50 lbs (22 kg).
  - Ceiling/ Under Desk Mount up to 150 lbs (68 kg).
  - Freestanding (with or without casters) up to 800 lbs (362 kg).
- Grounding studs provided on frame as well as side panels and doors.
- Finished in sand textured black powder paint.
- TAA compliant for GSA Schedule purchases.
- RoHS Compliant.
- Manufactured in North America.



**Product Enhancement Notice:** In December of 2019, the SDC was changed to include punched square holes with 10-32 cage-nuts and screws. Previously, the product included round holes for clip-nuts. As this is a rolling change, the product you receive may feature either the clip nuts or cage nuts.

### Optional Accessory Features

- **Locking Vented Door** includes a quarter turn key lock. The 63% perforation provides airflow for either the front and/or rear of the frame.

- **Locking Cable/Fan Door** includes two openings for rear cable entry that maintain security while allowing cables to enter the cabinet. The door also includes laser knockout for optional **fan kits**.
- **Conduit/Fan Panel** mounts directly to either end of the cabinet providing secure mounting of 2.5", 2.0", 1.3/18", 1.3/4", 1.1/8" and/or 7/8" conduit knockouts. Also includes laser knockouts for optional **fan kits**.

## Gallery



## Accessories

- Cable Management
- Magnet Panel Cover
- Fan Kits
- 10-32 Mounting Hardware
- Rack Panels
- Universal Rack Shelf
- Rack Unit Label
- Outlet Strips

Part No.	Overall Dimensions			Rack Units	Mounting (Usable) Dimensions		
	Height	Width	Depth		Height	Width	Depth
SDC243U17BK	6.25	24.00	17.50	3U	5.25	19.00	15.50
SDC243U24BK	6.25	24.00	24.50	3U	5.25	19.00	22.50
SDC243U31BK	6.25	24.00	31.50	3U	5.25	19.00	29.50
SDC243U36BK	6.25	24.00	36.00	3U	5.25	19.00	34.00
SDC246U17BK	11.50	24.00	17.50	6U	10.50	19.00	15.50
SDC246U24BK	11.50	24.00	24.50	6U	10.50	19.00	22.50
SDC246U31BK	11.50	24.00	31.50	6U	10.50	19.00	29.50
SDC246U36BK	11.50	24.00	36.00	6U	10.50	19.00	34.00
SDC249U17BK	16.75	24.00	17.50	9U	15.75	19.00	15.50
SDC249U24BK	16.75	24.00	24.50	9U	15.75	19.00	22.50

Part No.	Overall Dimensions			Rack	Mounting (Usable) Dimensions		
	Height	Width	Depth	Units	Height	Width	Depth
SDC249U31BK	16.75	24.00	31.50	9U	15.75	19.00	29.50
SDC249U36BK	16.75	24.00	36.00	9U	15.75	19.00	34.00

### Optional Accessories

Cabinet Rack Units	Vented Locking Door	Cable Entry/ Fan Locking Door	Conduit/ Fan Cover Panel
3U	SDC3UVD	SDC3USD	SDC3UCFP
6U	SDC6UVD	SDC6USD	SDC6UCFP
9U	SDC9UVD	SDC9USD	SDC9UCFP

### Optional Caster Kit

Part No.	Strength	Wheel Diameter	Overall Height	Hole Mounting Pattern		Caster Set Weight Capacity	Qty Included In Set	Qty with Brakes Included
			Added to Cabinet	Width	Depth			
1425BM	Medium Duty	3.00	3.81	1.75	3.00	700 lbs (318 kg)	4	0
1425BH	Heavy Duty	3.00	3.81	1.75	3.00	1050 lbs (476 kg)	4	0
1425BHLOCK	Heavy Duty	3.00	3.81	1.75	3.00	1050 lbs (476 kg)	4	4

Tags: **Wall Mount, Server, Ceiling Rack, Under Desk, Side-Mount Rack, Security Lock Box, Louver,** *Data subject to change without notice*  
**Slim Wall Enclosure**

© 2020. Hammond Manufacturing Ltd. All rights reserved.



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.