

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

COPYRIGHT







BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC

DIST


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	E1	REVISED	ECR-06-002095	20,JAN'08	YH JK
	E2	REVISED	ECR-06-002993	07,FEB'08	YH JK
	E3	REVISED	ECR-06-004324	13,SEP'08	BS JK


SECTION "A-A"
SCALE 20/1SPRING
DIN X12CrNi177 K1350

'Y'	2- 368028 -1	TYPE B	1POST
'X'	1- 368028 -2	TYPE A	
'Y'	1- 368028 -1		
'Z'	368028 -1		
TOP OF REEL	PART NUMBER	REEL TYPE	REMARK

DIRECTION OFF TOP OF REEL



Top of Reel 'X' Top of Reel 'Y' Top of Reel 'Z'

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION
IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION
SHOULD BE CONTACTED FOR THE LATEST REVISION.DIMENSIONS:
MM

3rd ANGLE PROJECTION

MATERIAL

CuNiSi Alloy 0.4Thk.

TOLERANCES UNLESS
OTHERWISE SPECIFIED:0 <XX<10 ± 0.2
10<XX<30 ± 0.25
30<XX<100 ± 0.3
ANGLES ± 3°

FINISH

PRE-TINNED

DWN

BS.YOO

CHK

YM.CHOI

APVD

JK SONG

PRODUCT SPEC

108-61041

APPLICATION SPEC

WEIGHT

NET. 1.02gf

CUSTOMER DRAWING

tyco
ElectronicsAMP KOREA,
kyungsan, korea

NAME

STANDARD POWER TIMER CONTACT
FOR P.C.B - W/O LATCH

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C=

3 6 8 0 2 8

SCALE 10/1

SHEET

1

OF 2

REV E3

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR







DESCRIPTION

DATE

DWN


APVD

SEE SHEET 1 OF 2

SPRING
DIN X12CrNi177 K1350

DIRECTION OFF TOP OF REEL

SEE SHEET 1 OF 2

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION.
IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION
SHOULD BE CONTACTED FOR THE LATEST REVISION.DIMENSIONS:
MM

3rd ANGLE PROJECTION

MATERIAL

CuNiSi Alloy 0.4Thk.

TOLERANCES UNLESS
OTHERWISE SPECIFIED:0 <XX<10 ± 0.2
10 <XX<30 ± 0.25
30 <XX<100 ± 0.3
ANGLES $\pm 3^\circ$

FINISH

PRE-TINNED

DWN

CHK

APVD

PRODUCT SPEC

108-61041

APPLICATION SPEC

WEIGHT

NET. 1.06gf

CUSTOMER DRAWING

'Y'	1- 368028 -3	TYPE A	2 POST
'X'	0- 368028 -3		
TOP OF REEL	PART NUMBER	REEL TYPE	REMARK

tyco Electronics		AMP KOREA. kyungsan, korea	
NAME STANDARD POWER TIMER CONTACT FOR P.C.B - W/O LATCH			
SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C- 3 6 8 0 2 8	
DRAWING		SCALE 10/1	SHEET 2 OF 2 REV E3



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.