

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [112038-0021](#)  
**Status:** **Active**  
**Overview:** [Brad® Harsh-Duty IO Modules](#)  
**Description:** Brad® HarshIO Digital Module for Profibus, Compact 30mm, IP67, 8 Ports M8, 8 Inputs, PNP, M12-5 pole Power

**Documents:**

[Drawing \(PDF\)](#) [Product Literature \(PDF\)](#)  
[RoHS Certificate of Compliance \(PDF\)](#)

**Agency Certification**

UL E200650

**General**

Product Family Industrial I/O Modules  
 Series [112038](#)  
 Application Filling and Packaging Machines, Machine Tool Industry, Material Handling Systems  
 Approvals PI, UL, cUL, CE  
 Current - Maximum Output N/A  
 Format Compact (30mm)  
 I/O Ports 8x M8  
 IP Rating IP67  
 Mechanical Shock 10G, 11ms, 3 AXIS  
 Overview [Brad® Harsh-Duty IO Modules](#)  
 Product Literature Order No 987650-5282  
 Product Name HarshIO Profibus\* DP  
 Protocol Profibus\* DP  
 Software Downloads [/molex/mysst/searchBrad.action?itemSoftware=true&itemDocument=true&itemTechNote=true&itemDemo=true&RPP=10&legacy=false&partnumber=xxx](#)

UPC 78678887334

**Physical**

Bus Input 5-pole Micro-Change® (M12), B-Coded, Male  
 Bus Output 5-pole Micro-Change® (M12), B-Coded, Female  
 Housing Width 30.00mm  
 I/O Connector 3-pole Nano-Change® (M8), Female  
 I/O Signal Mix 8 input  
 Power Input 5-pole Micro-Change® (M12), Male  
 Power Output None  
 Temperature Range - Operating -25°C to +70°C  
 Vibration IEC 60068-2-6

**Electrical**

EMC IEC 61000-6-2  
 Input Delay 3 ms  
 Input Device Supply 140 mA per port at 25°C  
 Input Type PNP or Dry Contact

**Material Info**

Old Part Number TBDPB-880P-B84

**Reference - Drawing Numbers**

Sales Drawing SD-112038-002, TBDPB-\*\*\*\*-B8\*



**EU RoHS**

**ELV and RoHS Compliant**  
**REACH SVHC Not Reviewed**  
**Low-Halogen Status Not Reviewed**

**China RoHS**



**Need more information on product environmental compliance?**

Email [productcompliance@molex.com](mailto:productcompliance@molex.com)  
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

**Search Parts in this Series**

112038Series

This document was generated on 04/17/2015

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.