

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0768661123

Status:

Active

Overview:

iPass+™ HD Interconnect System

Description:

iPass+™ HD Cage and Receptacle with Light Pipes 1x4, 0.76µm, Lead-Free

Documents:

- 3D Model

Test Summary TS-76866-001 (PDF)
- Drawing (PDF)

Test Summary TS-76866-1004 (PDF)
- Product Specification PS-76866-001 (PDF)

RoHS Certificate of Compliance (PDF)
- Packaging Specification PK-76866-002 (PDF)

Agency Certification

CSA

LR19980

UL

E107635

General

Product Family

I/O Connectors

Series

76866

Application

Wire-to-Board

Component Type

External Integrated Cage, Receptacle

Electrical Model

Yes

Overview

iPass+™ HD Interconnect System

Product Name

iPass+™

Type

N/A

UPC

887191049267

Physical

Circuits (Loaded)

144

Circuits (maximum)

144

Color - Resin

Black

Durability (mating cycles max)

250

Flammability

94V-0

Lock to Mating Part

Yes

Material - Metal

High Performance Alloy (HPA)

Material - Plating Mating

Gold over Nickel

Material - Plating Termination

Tin

Material - Resin

High Temperature Thermoplastic

Net Weight

29.781/g

Orientation

Right Angle

PCB Locator

Yes

PCB Retention

Yes

PCB Thickness - Recommended

1.57mm

Packaging Type

Tray

Panel Mount

No

Pitch - Mating Interface

0.75mm

Pitch - Termination Interface

0.75mm

Plating min - Mating

0.762µm

Plating min - Termination

0.762µm

Polarized to Mating Part

Yes

Polarized to PCB

Yes

Temperature Range - Operating

-40°C to +80°C

Termination Interface: Style

Through Hole - Compliant Pin

Electrical


Current - Maximum per Contact

0.75A

Voltage - Maximum

30V AC (RMS)/DC

Solder Process Data



Series image - Reference only

EU ELV

Not Relevant

EU RoHS

Compliant

China RoHS

REACH SVHC

Not Contained Per
-ED/79/2015 (17
December 2015)

Halogen-Free

Status

Low-Halogen

Need more information on product
environmental compliance?

Email productcompliance@molex.com
Please visit the [Contact Us](#) section for any
non-product compliance questions.

China ROHS

Green Image

ELV

Not Relevant

Search Parts in this Series

76866 Series

Mates With

iPass™ Cable Assembly [111068](#) , [111075](#) ,
[111077](#)

Application Tooling | FAQ

Tooling specifications and manuals are
found by selecting the products below.
Crimp Height Specifications are then
contained in the Application Tooling
Specification document.

Global

Description	Product #
Press-In Tool	0622030050
HD Removal Tool	0622030060

Lead-free	Process Capability	N/A
Material Info		
Reference - Drawing Numbers		
Electrical Model Document		EE-76866-1004
Packaging Specification		PK-76866-002
Product Specification		PS-76866-001
S-Parameter Model		SP-76866-001, SP-76866-100, SP-76866-1004
Sales Drawing		SD-76866-1001, SD-76866-9900
Test Summary		TS-76866-001, TS-76866-1004

This document was generated on 06/10/2016

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.