






Tous droits strictement reserves. Reproduction ou communication a des tiers interdite
sous quelque forme que ce soit sans autorisation écrite du propriétaire.
Propriete de ©BERG ELECTRONICS. Droits de reproduction BERG ELECTRONICS INC.

All rights strictly reserved. Reproduction or issue to third parties in any form
whatever is not permitted without written authority from the proprietor.
Property of ©BERG ELECTRONICS Copyright BERG ELECTRONICS INC.

PRODUCT NO.
74056



P.C. BOARD LAYOUT

mat'l. code NOTE 1 & 2				tolerances unless otherwise specified				CUSTOMER COPY		 Electronics www.fciconnect.com									
ltr	ecn no	dr	date	linear	.X ±.30				projection 	title UNIV. SERIAL BUS RECEPTACLE WITH TOP MOUNT									
A	T70434	P P	10/15/97		.XX ±.20														
B	T90121	P P	03/22/99		.XXX ±.10														
C	T90244	P P	07/01/99	angles	0° ± 3°				mm 	product family USB size dwg no A4 74056									
D	T00043	P P	02/16/00	dr	PETER		10/15/97												
E	N04-0066	PH	10/13/04	enrg	R Y LIU		10/15/97												
				chr	R Y LIU		10/15/97		scale 2:1	sheet 1 of 2									
				appd	J. TSAO		10/15/97												
sheet index	revision sheet		E 1	D 2															

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de ©BERG ELECTRONICS. Droits de reproduction BERG ELECTRONICS INC.

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of ©BERG ELECTRONICS Copyright BERG ELECTRONICS INC.

PRODUCT NO.
74056

PRODUCT NUMBER CODE

74056 - X X X X B LF

BASE PRODUCT NUMBER

HOUSING COLOR OPTIONS

- 0 - WHITE
- 1 - BLACK
- 3 - BLACK + NICKEL PLATING ONLY
- 5 - BLACK HSG PA46

SENSOR CONTACT OPTION

- 0 - WITOUT SENSOR CONTACT

SHELL OPTIONS

- 1 - WITHOUT BACK SHIELD
- 2 - WITH BACK SHIELD

TERMINAL PLATING OPTION


- 0 - 50u" Ni UNDERPLATE
- 30u" GXT CONTACT AREA
- 100u" TIN/LEAD TAIL AREA WHEN WITHOUT "LF" MARK
- 100u" MATTE TIN TAIL AREA WHEN WITH "LF" MARK

PACKAGING OPTION

- B - TUBES

LEAD FREE MARK


PLEASE SEE TERMINAL PLATING OPTION
PLEASE USE 74056-50X0BLF AS 74056-10X0BLF



SECTION A-A

NOTES:

- MATERIAL:
CONTACTS: PHOSPHOR BRONZE
SHIELD: PHOSPHOR BRONZE
HOUSING: UL 94V-0 THERMOPLASTIC, COLOR: WHITE
- PLATING: CONTACTS: GOLD FLASH OVER
PALLADIUM NICKEL (0.76um MINIMUM)IN CONTACT
AREA; 2.54 um TIN-LEAD OR TIN MINIMUM IN SOLDER TAIL AREA.
1.27 um MINIMUM NICKEL UNDERPLATE OVER ALL SURFACES.
SHIELD: 2.54 um MINIMUM TIN/LEAD OVER 1.27 um
MINIMUM NICKEL UNDERPLATE
- DATUMS & BASIC DIMENSIONS TO BE DETERMINED BY CUSTOMER.
- RECOMMENDED BOARD THICKNESS IS 0.8~1.2 mm.
- MAXIMUM PANEL THICKNESS TO BE 2.67 mm IF MOUNTED
BEHIND PANEL.
- If lead free p/n, a lead free label will appear at packing
- If lead free p/n, the housing will withstand exposure to 260° peak
temperature for 40 senconds in a convection, infra-red or vapor phase
reflow oven
- If lead free p/n, the product meets the requirements of the European
Union Directive of Restrictions for Hazardous Substances (Directive
2002/95/EC) and can be processed in the process conditions for which
the product is developed. FCI, its subsidiaries and affiliates ("FCI")
provides the above data and information in good faith based upon
current knowledge and experience, but makes no warranty that such
data or information is free from error, is complete or is sufficient for
user's intended purpose EVEN IF MADE KNOWN TO FCI. FCI specifically
disclaims any warranty, express or implied, and assumes no liability with
respect to the effectiveness or safety of the products listed above. Each
user must make its own determination as to the suitability of FCI's
products and materials for its own particular purposes, and must assure
that its products fabricated from FCI's products and materials are safe
and lawful. It is the user's responsibility to assure proper use and
disposal of FCI's products and materials, the safety and health of user's
employees and customers, and user's compliance with applicable laws
and regulations

mat'l. code NOTE 1 & 2				tolerances unless otherwise specified		CUSTOMER COPY	 Electronics FCI www.fciconnect.com	
ltr	ecn no	dr	date	linear	.X ±.30			
E					.XX ±.20	projection	title UNIV. SERIAL BUS RECEPTACLE WITH TOP MOUNT	
				angles	.XXX ±.10			
					0° ± 3°	mm	product family	USB
				dr	PETER	10/15/97	size	dwg no
				enrg	R Y LIU	10/15/97	A4	74056
				chr	R Y LIU	10/15/97		
				appd	J. TSAO	10/15/97	scale	2:1
sheet	revision							
index	sheet							



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.