


| PRODUCT NO. | POWER |     |     |     |     |     |     |    |    |    |    |    |    |    |    |    |    |
|-------------|-------|-----|-----|-----|-----|-----|-----|----|----|----|----|----|----|----|----|----|----|
|             | E2    | P15 | P14 | P13 | P12 | P11 | P10 | P9 | P8 | P7 | P6 | P5 | P4 | P3 | P2 | P1 | E1 |
| 51940-618LF |       | PA  | PA  | PA  | PA  | PA  | PA  | PA | PA | PA | PA | PA | PA | PA | PA | PA |    |





| CODE | DIM "M" MATING LENGTH | CONTACT TYPE |
|------|-----------------------|--------------|
| PA   | [1.07]                | POWER        |
| HA   | [N/A]                 | HOLD-DOWN    |


|               |                                       |           |       |                 |                                       |                        |            |                                   |                           |              |                |          |           |
|---------------|---------------------------------------|-----------|-------|-----------------|---------------------------------------|------------------------|------------|-----------------------------------|---------------------------|--------------|----------------|----------|-----------|
| spec ref      |                                       | SEE NOTES |       |                 | dr                                    | Ruan MT                | 2016/07/13 | <div>projection</div> <div></div> | <div>MM</div> <div></div> | size         | A4             | scale    | 1:1       |
| tolerance std | TOLERANCES UNLESS OTHERWISE SPECIFIED |           |       | eng             | Ruan MT                               | 2016/07/29             | ecn no     |                                   |                           | -            |                |          |           |
|               |                                       |           |       | chr             | Fancy Zhang                           | 2016/07/28             |            |                                   |                           |              |                |          |           |
|               |                                       |           |       | appr            | Pei-Ming Zheng                        | 2016/07/29             |            |                                   |                           |              | product family | PwrBlade | rel level |
| SEE NOTES     |                                       |           |       |                 |                                       |                        |            |                                   |                           |              |                |          |           |
| surface       | linear                                | 0.X       | ±0.5  | Amphenol<br>FCI | title 15ACP<br>VERTICAL SOLDER RECEPT |                        |            |                                   | dwg no                    | 51940-618    |                | rev      | A         |
|               |                                       | 0.XX      | ±0.25 |                 |                                       |                        |            |                                   |                           |              |                |          |           |
|               |                                       | 0.XXX     | ±0.1  |                 |                                       |                        |            |                                   |                           |              |                |          |           |
|               | angular                               | 0°        | ±2°   |                 | cat. no.                              | Product - Customer Drw |            |                                   |                           | sheet 1 of 4 |                |          |           |

PRODUCT NUMBER

51940-618LF









|               |                                       |           |       |       |                                    |            |                        |                                                                                                                        |                                                                                                                |          |              |          |     |   |
|---------------|---------------------------------------|-----------|-------|-------|------------------------------------|------------|------------------------|------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|----------|--------------|----------|-----|---|
| spec ref      |                                       | SEE NOTES |       |       | dr                                 | Ruan MT    | 2016/07/13             | <div>projection</div> <div></div> | <div>MM</div> <div></div> | size     | A4           | scale    | 1:1 |   |
| tolerance std | TOLERANCES UNLESS OTHERWISE SPECIFIED |           |       | eng   | Ruan MT                            | 2016/07/29 | ecn no                 |                                                                                                                        |                                                                                                                | -        |              |          |     |   |
|               |                                       |           |       | chr   | Fancy Zhang                        | 2016/07/28 |                        |                                                                                                                        |                                                                                                                |          |              |          |     |   |
|               |                                       |           |       | appr  | Pei-Ming Zheng                     | 2016/07/29 | product family         |                                                                                                                        |                                                                                                                | PwrBlade | rel level    | Released |     |   |
| surface       | <div>✓</div>                          | linear    | 0.X   | ±0.5  | <div>Amphenol</div> <div>FCI</div> | title      | I5ACP                  |                                                                                                                        |                                                                                                                | dwg no   | 51940-618    |          | rev | A |
|               |                                       |           | 0.XX  | ±0.25 |                                    |            |                        |                                                                                                                        |                                                                                                                |          |              |          |     |   |
|               |                                       |           | 0.XXX | ±0.1  |                                    |            |                        |                                                                                                                        |                                                                                                                |          |              |          |     |   |
|               | angular                               | 0°        | ±2°   |       | cat. no.                           |            | Product - Customer Drw |                                                                                                                        |                                                                                                                |          | sheet 2 of 4 |          |     |   |



RECOMMENDED PCB LAYOUT

|               |                                       |           |       |              |                |            |                                   |                           |                |        |          |              |          |     |  |   |  |
|---------------|---------------------------------------|-----------|-------|--------------|----------------|------------|-----------------------------------|---------------------------|----------------|--------|----------|--------------|----------|-----|--|---|--|
| spec ref      |                                       | SEE NOTES |       | dr           | Ruan MT        | 2016/07/13 | <div>projection</div> <div></div> | <div>MM</div> <div></div> | size           | A4     | scale    | 1:1          |          |     |  |   |  |
| tolerance std | TOLERANCES UNLESS OTHERWISE SPECIFIED |           |       | eng          | Ruan MT        | 2016/07/29 |                                   |                           | ecn no         |        |          |              | -        |     |  |   |  |
|               |                                       |           |       | chr          | Fancy Zhang    | 2016/07/28 |                                   |                           | rel level      |        |          |              | Released |     |  |   |  |
|               |                                       |           |       | appr         | Pei-Ming Zheng | 2016/07/29 |                                   |                           | product family |        | PwrBlade |              |          |     |  |   |  |
| surface       | linear                                | 0.X       | ±0.5  | Amphenol FCI |                | title      |                                   | I5ACP                     |                | dwg no |          | 51940-618    |          | rev |  | A |  |
|               |                                       | 0.XX      | ±0.25 |              |                |            |                                   |                           |                |        |          |              |          |     |  |   |  |
|               |                                       | 0.XXX     | ±0.1  |              |                |            |                                   |                           |                |        |          |              |          |     |  |   |  |
|               | angular                               | 0°        | ±2°   |              |                | cat. no.   |                                   | Product - Customer Drw    |                |        |          | sheet 3 of 4 |          |     |  |   |  |

| PRODUCT NUMBER                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                       |              |                        |                         |                                                                                       |                                                                                       |                |                                                                                       |                                |                                |       |     |               |                                       |     |         |            |                                                                                       |        |   |           |     |             |            |           |          |         |      |                |            |                |          |                                                                                     |        |     |           |                         |       |                                 |        |           |     |   |      |            |       |           |         |    |               |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|--------------|------------------------|-------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----------------|---------------------------------------------------------------------------------------|--------------------------------|--------------------------------|-------|-----|---------------|---------------------------------------|-----|---------|------------|---------------------------------------------------------------------------------------|--------|---|-----------|-----|-------------|------------|-----------|----------|---------|------|----------------|------------|----------------|----------|-------------------------------------------------------------------------------------|--------|-----|-----------|-------------------------|-------|---------------------------------|--------|-----------|-----|---|------|------------|-------|-----------|---------|----|---------------|
| 51940-618LF                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                       |              |                        |                         |                                                                                       |                                                                                       |                |                                                                                       |                                |                                |       |     |               |                                       |     |         |            |                                                                                       |        |   |           |     |             |            |           |          |         |      |                |            |                |          |                                                                                     |        |     |           |                         |       |                                 |        |           |     |   |      |            |       |           |         |    |               |
| NOTES:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                       |              |                        |                         |                                                                                       |                                                                                       |                |                                                                                       |                                |                                |       |     |               |                                       |     |         |            |                                                                                       |        |   |           |     |             |            |           |          |         |      |                |            |                |          |                                                                                     |        |     |           |                         |       |                                 |        |           |     |   |      |            |       |           |         |    |               |
| 1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                       |              |                        |                         |                                                                                       |                                                                                       |                |                                                                                       |                                |                                |       |     |               |                                       |     |         |            |                                                                                       |        |   |           |     |             |            |           |          |         |      |                |            |                |          |                                                                                     |        |     |           |                         |       |                                 |        |           |     |   |      |            |       |           |         |    |               |
| CONNECTOR NOTES:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                       |              |                        |                         |                                                                                       |                                                                                       |                |                                                                                       |                                |                                |       |     |               |                                       |     |         |            |                                                                                       |        |   |           |     |             |            |           |          |         |      |                |            |                |          |                                                                                     |        |     |           |                         |       |                                 |        |           |     |   |      |            |       |           |         |    |               |
| ② HOUSING MATERIAL: UL 94 V-0 GLASS FILLED HIGH-TEMP THERMOPLASTIC<br>POWER CONTACT MATERIAL: COPPER ALLOY<br>SIGNAL PIN MATERIAL: COPPER ALLOY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                       |              |                        |                         |                                                                                       |                                                                                       |                |                                                                                       |                                |                                |       |     |               |                                       |     |         |            |                                                                                       |        |   |           |     |             |            |           |          |         |      |                |            |                |          |                                                                                     |        |     |           |                         |       |                                 |        |           |     |   |      |            |       |           |         |    |               |
| 3. SEE FCI PLATING SPEC 10064183.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                       |              |                        |                         |                                                                                       |                                                                                       |                |                                                                                       |                                |                                |       |     |               |                                       |     |         |            |                                                                                       |        |   |           |     |             |            |           |          |         |      |                |            |                |          |                                                                                     |        |     |           |                         |       |                                 |        |           |     |   |      |            |       |           |         |    |               |
| ④ MANUFACTURER'S NAME, DATE CODE AND OPTIONAL P/N TO APPEAR ON THIS SURFACE. THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                       |              |                        |                         |                                                                                       |                                                                                       |                |                                                                                       |                                |                                |       |     |               |                                       |     |         |            |                                                                                       |        |   |           |     |             |            |           |          |         |      |                |            |                |          |                                                                                     |        |     |           |                         |       |                                 |        |           |     |   |      |            |       |           |         |    |               |
| 5. PRODUCT SPECIFICATION GS-12-149.<br>APPLICATION SPECIFICATION BUS-20-067.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                       |              |                        |                         |                                                                                       |                                                                                       |                |                                                                                       |                                |                                |       |     |               |                                       |     |         |            |                                                                                       |        |   |           |     |             |            |           |          |         |      |                |            |                |          |                                                                                     |        |     |           |                         |       |                                 |        |           |     |   |      |            |       |           |         |    |               |
| 6. PACKAGED IN TRAYS.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                       |              |                        |                         |                                                                                       |                                                                                       |                |                                                                                       |                                |                                |       |     |               |                                       |     |         |            |                                                                                       |        |   |           |     |             |            |           |          |         |      |                |            |                |          |                                                                                     |        |     |           |                         |       |                                 |        |           |     |   |      |            |       |           |         |    |               |
| PCB NOTES:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                       |              |                        |                         |                                                                                       |                                                                                       |                |                                                                                       |                                |                                |       |     |               |                                       |     |         |            |                                                                                       |        |   |           |     |             |            |           |          |         |      |                |            |                |          |                                                                                     |        |     |           |                         |       |                                 |        |           |     |   |      |            |       |           |         |    |               |
| 7. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                       |              |                        |                         |                                                                                       |                                                                                       |                |                                                                                       |                                |                                |       |     |               |                                       |     |         |            |                                                                                       |        |   |           |     |             |            |           |          |         |      |                |            |                |          |                                                                                     |        |     |           |                         |       |                                 |        |           |     |   |      |            |       |           |         |    |               |
| ⑧ MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                       |              |                        |                         |                                                                                       |                                                                                       |                |                                                                                       |                                |                                |       |     |               |                                       |     |         |            |                                                                                       |        |   |           |     |             |            |           |          |         |      |                |            |                |          |                                                                                     |        |     |           |                         |       |                                 |        |           |     |   |      |            |       |           |         |    |               |
| ⑨ $\varnothing 1.151 \pm 0.025$ DRILLED HOLES PLATED WITH<br>0.008 MIN SnPb OR Sn OVER 0.03<br>TO 0.08 Cu PLATING TO ACHIEVE<br>$\varnothing 1.02 \pm 0.07$ HOLE.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                       |              |                        |                         |                                                                                       |                                                                                       |                |                                                                                       |                                |                                |       |     |               |                                       |     |         |            |                                                                                       |        |   |           |     |             |            |           |          |         |      |                |            |                |          |                                                                                     |        |     |           |                         |       |                                 |        |           |     |   |      |            |       |           |         |    |               |
| ⑩ CONNECTOR KEEP-OUT ZONE.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                       |              |                        |                         |                                                                                       |                                                                                       |                |                                                                                       |                                |                                |       |     |               |                                       |     |         |            |                                                                                       |        |   |           |     |             |            |           |          |         |      |                |            |                |          |                                                                                     |        |     |           |                         |       |                                 |        |           |     |   |      |            |       |           |         |    |               |
| 11. THE VOID CORING IN BETWEEN POWER MODULES, SIGNAL MODULES AND END MODULES ARE OPTIONAL AND THE SHAPE MAY BE DIFFERENT FOR OPTIMIZE THE MOLDING PROCESS. THE VOID CORING WILL NOT EFFECT TO PRODUCT FUNCTION.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                       |              |                        |                         |                                                                                       |                                                                                       |                |                                                                                       |                                |                                |       |     |               |                                       |     |         |            |                                                                                       |        |   |           |     |             |            |           |          |         |      |                |            |                |          |                                                                                     |        |     |           |                         |       |                                 |        |           |     |   |      |            |       |           |         |    |               |
| ⑫ DATUM AND BASIC DIMENIONS ARE ESTABLISHED BY CUSTOMER.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                       |              |                        |                         |                                                                                       |                                                                                       |                |                                                                                       |                                |                                |       |     |               |                                       |     |         |            |                                                                                       |        |   |           |     |             |            |           |          |         |      |                |            |                |          |                                                                                     |        |     |           |                         |       |                                 |        |           |     |   |      |            |       |           |         |    |               |
| <table border="1"><thead><tr><th>spec ref</th><th>SEE NOTES</th><th>dr</th><td>Ruan MT</td><td>2016/07/13</td><th>projection</th><td rowspan="4"></td><th>size</th><td>A4<th>scale</th><td>1:1</td></td></tr><tr><th>tolerance std</th><th rowspan="3">TOLERANCES UNLESS OTHERWISE SPECIFIED</th><th>eng</th><td>Ruan MT</td><td>2016/07/29</td><th rowspan="3"></th><th>ecn no</th><td>-</td></tr><tr><th>SEE NOTES</th><th>chr</th><td>Fancy Zhang</td><td>2016/07/28</td><th>rel level</th><td>Released</td></tr><tr><th>surface</th><th>appr</th><td>Pei-Ming Zheng</td><td>2016/07/29</td><th>product family</th><td>PwrBlade</td></tr><tr><td rowspan="4"></td><td rowspan="3">linear</td><td>0.X</td><td><math>\pm 0.5</math></td><td rowspan="4"><b>Amphenol<br/>FCi</b></td><td rowspan="4">title</td><td rowspan="4">I5ACP<br/>VERTICAL SOLDER RECEPT</td><td rowspan="4">dwg no</td><td rowspan="4">51940-618</td><td rowspan="4">rev</td><td rowspan="4">A</td></tr><tr><td>0.XX</td><td><math>\pm 0.25</math></td></tr><tr><td>0.XXX</td><td><math>\pm 0.1</math></td></tr><tr><td>angular</td><td>0°</td><td><math>\pm 2^\circ</math></td></tr></thead></table> |                                       | spec ref     | SEE NOTES              | dr                      | Ruan MT                                                                               | 2016/07/13                                                                            | projection     |  | size                           | A4 <th>scale</th> <td>1:1</td> | scale | 1:1 | tolerance std | TOLERANCES UNLESS OTHERWISE SPECIFIED | eng | Ruan MT | 2016/07/29 |  | ecn no | - | SEE NOTES | chr | Fancy Zhang | 2016/07/28 | rel level | Released | surface | appr | Pei-Ming Zheng | 2016/07/29 | product family | PwrBlade |  | linear | 0.X | $\pm 0.5$ | <b>Amphenol<br/>FCi</b> | title | I5ACP<br>VERTICAL SOLDER RECEPT | dwg no | 51940-618 | rev | A | 0.XX | $\pm 0.25$ | 0.XXX | $\pm 0.1$ | angular | 0° | $\pm 2^\circ$ |
| spec ref                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | SEE NOTES                             | dr           | Ruan MT                | 2016/07/13              | projection                                                                            |  | size           |                                                                                       | A4 <th>scale</th> <td>1:1</td> | scale                          | 1:1   |     |               |                                       |     |         |            |                                                                                       |        |   |           |     |             |            |           |          |         |      |                |            |                |          |                                                                                     |        |     |           |                         |       |                                 |        |           |     |   |      |            |       |           |         |    |               |
| tolerance std                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | TOLERANCES UNLESS OTHERWISE SPECIFIED | eng          | Ruan MT                | 2016/07/29              |  |                                                                                       | ecn no         |                                                                                       | -                              |                                |       |     |               |                                       |     |         |            |                                                                                       |        |   |           |     |             |            |           |          |         |      |                |            |                |          |                                                                                     |        |     |           |                         |       |                                 |        |           |     |   |      |            |       |           |         |    |               |
| SEE NOTES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                       | chr          | Fancy Zhang            | 2016/07/28              |                                                                                       |                                                                                       | rel level      |                                                                                       | Released                       |                                |       |     |               |                                       |     |         |            |                                                                                       |        |   |           |     |             |            |           |          |         |      |                |            |                |          |                                                                                     |        |     |           |                         |       |                                 |        |           |     |   |      |            |       |           |         |    |               |
| surface                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                       | appr         | Pei-Ming Zheng         | 2016/07/29              |                                                                                       |                                                                                       | product family | PwrBlade                                                                              |                                |                                |       |     |               |                                       |     |         |            |                                                                                       |        |   |           |     |             |            |           |          |         |      |                |            |                |          |                                                                                     |        |     |           |                         |       |                                 |        |           |     |   |      |            |       |           |         |    |               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | linear                                | 0.X          | $\pm 0.5$              | <b>Amphenol<br/>FCi</b> | title                                                                                 | I5ACP<br>VERTICAL SOLDER RECEPT                                                       | dwg no         | 51940-618                                                                             | rev                            | A                              |       |     |               |                                       |     |         |            |                                                                                       |        |   |           |     |             |            |           |          |         |      |                |            |                |          |                                                                                     |        |     |           |                         |       |                                 |        |           |     |   |      |            |       |           |         |    |               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                       | 0.XX         | $\pm 0.25$             |                         |                                                                                       |                                                                                       |                |                                                                                       |                                |                                |       |     |               |                                       |     |         |            |                                                                                       |        |   |           |     |             |            |           |          |         |      |                |            |                |          |                                                                                     |        |     |           |                         |       |                                 |        |           |     |   |      |            |       |           |         |    |               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                       | 0.XXX        | $\pm 0.1$              |                         |                                                                                       |                                                                                       |                |                                                                                       |                                |                                |       |     |               |                                       |     |         |            |                                                                                       |        |   |           |     |             |            |           |          |         |      |                |            |                |          |                                                                                     |        |     |           |                         |       |                                 |        |           |     |   |      |            |       |           |         |    |               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | angular                               | 0°           | $\pm 2^\circ$          |                         |                                                                                       |                                                                                       |                |                                                                                       |                                |                                |       |     |               |                                       |     |         |            |                                                                                       |        |   |           |     |             |            |           |          |         |      |                |            |                |          |                                                                                     |        |     |           |                         |       |                                 |        |           |     |   |      |            |       |           |         |    |               |
| <table border="1"><thead><tr><th>cat. no.</th><th>Product - Customer Drw</th><th>sheet 4 of 4</th></tr></thead><tbody><tr><td></td><td></td><td></td></tr></tbody></table>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                       | cat. no.     | Product - Customer Drw | sheet 4 of 4            |                                                                                       |                                                                                       |                |                                                                                       |                                |                                |       |     |               |                                       |     |         |            |                                                                                       |        |   |           |     |             |            |           |          |         |      |                |            |                |          |                                                                                     |        |     |           |                         |       |                                 |        |           |     |   |      |            |       |           |         |    |               |
| cat. no.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Product - Customer Drw                | sheet 4 of 4 |                        |                         |                                                                                       |                                                                                       |                |                                                                                       |                                |                                |       |     |               |                                       |     |         |            |                                                                                       |        |   |           |     |             |            |           |          |         |      |                |            |                |          |                                                                                     |        |     |           |                         |       |                                 |        |           |     |   |      |            |       |           |         |    |               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                       |              |                        |                         |                                                                                       |                                                                                       |                |                                                                                       |                                |                                |       |     |               |                                       |     |         |            |                                                                                       |        |   |           |     |             |            |           |          |         |      |                |            |                |          |                                                                                     |        |     |           |                         |       |                                 |        |           |     |   |      |            |       |           |         |    |               |



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.