

M SERIES USB CONNECTORS RATCHET COUPLING



Rugged Waterproof USB Connector (IP68)

LEMO has added a USB connector to its M Series product. This addition of a USB type A connector offers a reliable solution for harsh environments and when mated the connector meets the IP68 rating. This particular connector is designed for outdoor use including oil/petroleum, automotive, mining, military, marine or any type of application that requires rugged and reliable connections.

The complete product line includes panel mount sockets, plugs, protective, and caps.


Features & Benefits

- Waterproof IP68 (when mated)
- Rugged, Outdoor, Harsh Environment
- Resistance to Vibration
- Lightweight
- Fast and Easy to Secure USB
- Aluminum or Brass outershell with conductive finish
- Use with off-the-shelf USB cable assemblies
- Easy to Use
- USB 2.0

This new addition to the M Series is just another product built by LEMO with Quality, Reliability and Safety!

Interconnections


USB models



Models


FM•LM.U2A.XPAT

Straight plug, key (W) or key (R) with knurled grip and mold stop – cable attach; solder




FG•LM.U2A.XPAT

Straight plug, key (W) or key (R) with arctic grip and mold stop – cable attach; solder



EG•LM.U2A.XPP

Fixed receptacle, female to female, nut fixing, key (W) or key (R) – USB connector socket



EG•LM.U2A.XPL

Fixed receptacle, nut fixing, key (W) or key (R) wire attach (solder)




Insert configuration

Male front view	Female front view	Reference	Number of contacts	Solder contact	AWG	Test voltage (kV rms) ¹⁾ Contact-contact	Test voltage (kV rms) ¹⁾ Contact-shell	Rated current (A) ¹⁾
		U2A	4	●	-	1.20	0.95	n.a.

Note: 1) Test voltage according to IEC 60512-2 test 4a.

Cut-outs



Mounting nut torque (on panel)

Torque (Nm)
6.5

Alignment Key and Polarized Keying System

Front view receptacle	Model	Nb of keys	Angles				Color code	Contact type	
			α	β	γ	δ		Plug	Receptacle
	●W	5	95°	115°	35°	25°	blue	male	female
	●R		105°	115°	30°	20°	yellow	male	female

Cable Termination Side



LEMO USA

P.O. Box 2408, Rohnert Park, CA 94927-2408
Tel: 707.578.8811 800.444.5366 Fax: 707.578.0869
info@lemousa.com



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.