


LOC		DIST		REVISIONS				
F	X	P	LYR	DESCRIPTION	DATE	DWN	APVD	
				A11 REVISED PER ECO-10-020914	22NOV2010	DLD	DCM	

- 1



PRINT TYCO ELECTRONICS PART NUMBER AND TRACEABILITY (YY : 2 DIGIT YEAR, JJJ = JULIAN DATE, HH = 2 DIGIT MILITARY HOUR CODE) IN THE LOCATION AT ASSEMBLY.
- 2

OPTIONAL WIRE SHIELD PART NUMBERS (SOLD SEPARATELY)
1438126, 1438180, 1488373, AND 1488572. CONTACT TYCO ELECTRONICS ENGINEER FOR MINIMUM FEED THRU CONDITION.


3. APPLICABLE TERMINAL PART NUMBERS (SOLD SEPARATELY)
FOR TIN APPLICATIONS: 1393367 AND 1393366.
FOR GOLD APPLICATIONS: 1393365 AND 1393364
FOR TERMINATION AND REELING OPTIONS SEE DRAWINGS 1393367, 1393366, 1393365, AND 1393364.
4. APPLICABLE MOLEX (1.5) POWER TERMINAL PART NUMBERS:
33012-0002 TIN 0.50-1.50mm²
5. CAM LEVER AND SPACER ARE SHIPPED IN THEIR PRE-ASSEMBLED POSITIONS.





PART NUMBER:
1438693-1
SHOWN WITH SPACER
IN SEATED POSITION
SCALE 2:1





SHOWN WITH SPACER IN SEATED POSITION



SECTION A-A
SPACER AND LEVER IN
PRE-SEATED POSITION
(DELIVERY CONDITION)



SHOWN WITH CAM
LEVER AND SPACER
IN LOADED POSITION






SCALE 1:1

GREEN	PERIMETER SEAL	6
GRAY	LEVER	5
BROWN	GROMMET SEAL	4
BLACK	COVER	3
NATURAL	SPACER	2
BLACK	HARNESS, KEY "C"	1
PART COLOR	DESCRIPTION	ITEM NO.

THIS DRAWING IS UNPUBLISHED. IT IS THE PROPERTY OF TYCO ELECTRONICS CORPORATION. IT IS TO BE USED ONLY FOR THE PURPOSES SPECIFIED. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION IN WRITING FROM TYCO ELECTRONICS CORPORATION. FOR THE LATEST REVISION, SEE THE REVISIONS SECTION OF THIS DRAWING.		DWN B. CRISAMORE 21 JUL 2004	Tyco Electronics Harrisburg, PA 17105-3608		
DIMENSIONS:		CHK M. HITCHCOCK 21 JUL 2004	NAME		
mm		APVD C. MARTIN 21 JUL 2004	PRODUCT SPEC - APPLICATION SPEC - WEIGHT - CUSTOMER DRAWING SCALE 2:1 SHEET 1 OF 4 REV A11		
TOLERANCES UNLESS OTHERWISE SPECIFIED:					
9 PLC ±.3					
1 PLC ±0.10					
2 PLC ±.1					
3 PLC ±.1					
4 PLC ±.1					
ANGLES ±1°					
FINISH					
MATERIAL					




APPLICABLE HEADER INTERFACE SPECIFICATION
SHOWN WITHOUT KEYING OPTIONS

LOC	DIST	REV	DESCRIPTION	DATE	DWN	APVD
FX	00		SEE SHEET 1			




SCALE 2:1


- NOTES: UNLESS OTHERWISE SPECIFIED
1. GENERAL TOLERANCE:
±0.3 ALL ONE PLACE DIMENSIONS
±0.10 ALL TWO PLACE DIMENSIONS
±1°00' ALL ANGULAR DIMENSIONS
 2. DRAFT ANGLE PERMISSIBLE ONLY WITHIN DRAWING TOLERANCE.
 - 3 SEALING SURFACE, NO WITNESS LINES OR DAMAGE PERMITTED.
 4. ALL UNMARKED RADII TO BE 0.5 MAX., UNLESS OTHERWISE SPECIFIED.
 - 5 VENT HOLE SIZE AND LOCATION IS OPTIONAL.
 - 6 THIS AREA TO REMAIN CLEAR FOR THE HARNESS ASSEMBLY.
 - 7 TERMINAL POSITION IDENTIFICATION.




SECTION B-B



DETAIL G
SCALE 6:1
2 PLC



SECTION A-A



DETAIL E
SCALE 8:1

TYCO ELECTRONICS CORPORATION TYCO ELECTRONICS CORPORATION TYCO ELECTRONICS CORPORATION		DWN B. CRISAMORE 21 JUL 2004	Tyco Electronics Harrisburg, PA 17105-3608	
EVALUATION M. HITCHCOCK 21 JUL 2004		NAME C. MARTIN 21 JUL 2004	PCM 50-WAY HARNESS ASSEMBLY KEY C	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 9 PLC ±.3 1 PLC ±.10 2 PLC ±.10 3 PLC ±.10 4 PLC ±.10 ANGLES ±1°		RESTRICTED TO
MATERIAL -		WEIGHT -		SCALE 2:1 SHEET 2 OF 4 REV. ALL
CUSTOMER DRAWING		A1 00779 C-1438693		

THIS DRAWING IS A CONTROLLED DOCUMENT AND ITS ELECTRONIC EQUIVALENT SHOULD BE CONTROLLED FOR THE LATEST REVISION. DWN B. CRISAMORE 21 JUL 2004 CHK M. HITCHCOCK 21 JUL 2004 APPVD C. MARTIN 21 JUL 2004		 Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm 		TOLERANCES, UNLESS OTHERWISE SPECIFIED: 1 PLC ±0.3 2 PLC ±0.10 3 PLC ±0.10 4 PLC ±0.10 ANGLES ±1° MATERIAL - FINISH -	
NAME PC 50-WAY HARNESS ASSEMBLY KEY C		PRODUCT SPEC APPLICATION SPEC SIZE CAGE CODE DRAWING NO 00779 RESTRICTED TO -	
CUSTOMER DRAWING SCALE 2:1 SHEET 3 of 4 REV 1		CUSTOMER DRAWING SCALE 2:1 SHEET 3 of 4 REV 1	



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.