

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

AUG., 2006.

© COPYRIGHT BY TYCO ELECTRONICS CORPORATION.

ALL RIGHTS RESERVED.

LOC
DW

DIST





REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
B1		REVISED (ECR-14-005336)	22JUL14	SW	HL

NOTES:

- MATERIAL:
 - HOUSING: THERMOPLASTIC, HIGH TEMP, UL94V-0
D-SUB 9M COLOR: TURQUOISE (322C)
D-SUB 15F COLOR: BLUE (661C)
 - CONTACTS: BRASS
 - SHELL: STEEL
 - BOARDLOCK: BRASS
- FINISH:
 - CONTACTS: GOLD FLASH ON CONTACT AREA
100u" MIN. BRIGHT TIN PLATED ON SOLDER TAILS
50u" MIN. NICKEL UNDERPLATED ALL OVER
 - SHELL: 50u" MIN NICKEL PLATED
 - BOARDLOCK: 100u" MIN. BRIGHT TIN PLATED
50u" MIN. NICKEL UNDERPLATED ALL OVER
- RECOMMENDED PCB THICKNESS: 1.6mm
- WAVE SOLDER CAPABLE TO 265°C
PER TE SPEC. 109-202, CONDITION B

△ DIM A IS SCREW HEAD LENGTH

RECOMMENDED P.C.B. LAYOUT
TOLERANCE: ±0.05

	W/O	W/O	6.2	1-1775210-4
EOL	W/O	W/	6.2	1-1775210-3
	W/	W/O	6.2	1-1775210-2
		W/		1-1775210-1
EOL	W/O	W/O	4.8	1775210-4
	W/O	W/	4.8	1775210-3
EOL	W/	W/O	4.8	1775210-2
EOL	W/	W/	4.8	1775210-1
	SCREWLOCK	SHELL	△ DIM A	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN S. CHIEN 18MAY2009

CHK S. CHIEN 18MAY2009

APVD W. KODAMA 18MAY2009

PRODUCT SPEC

108-57203

QUALIFICATION TEST REPORT


501-57200

WEIGHT 26.0 GRAMS

CUSTOMER DRAWING

DIMENSIONS:

MM



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ± -
1 PLC ± 0.3
2 PLC ± 0.2
3 PLC ± -
4 PLC ± -
ANGLES ± 3°

MATERIAL

SEE NOTE

FINISH

SEE NOTE

Tyco Electronics Corporation
Taipai, Taiwan

NAME

D-SUB 5.08mm, 9 POS
PLUG OVER 15 POS RCPT

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C=1775210	-

SCALE

SHEET

1 of 2

REV B1

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

AUG ,2006.



COPYRIGHT

-

BY TYCO ELECTRONICS CORPORATION.

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR


DESCRIPTION

DATE

DWN


APVD

SEE SHEET 1.



NOTES:

1. MATERIAL:
 - 1.1 TRAY: PVC
 - 1.2 SHIPPING CARTON: CORRUGATED FIBERBOARD
2. DIMENSION:
 - 2.1 TRAY: L=285, W=270, H=30
 - 2.2 BOX: L=298, W=283, H=170
3. QUANTITY:
 - 3.1 40 PCS/TRAY
 - 3.2 5 TRAYS/CARTON (200 PCS)
4. WEIGHT:
 - 4.1 NET WEIGHT: 5KG/CARTON
 - 4.2 GROSS WEIGHT: 6KG/CARTON



TRAY LAYOUT

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING



Tyco Electronics

Tyco Electronics Corporation

Taipei, Taiwan

NAME

D-SUB 5.08mm, 9 POS
PLUG OVER 15 POS RCPT

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C=1775210

SCALE

-

SHEET

2 OF 2

REV

B1



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.