







	LEFT INDICATOR DOWN	2227225-6
	LEFT INDICATOR UP	2227225-5
	NO LIGHTPIPE	2227225-4
	LEFT INDICATOR DOWN	2227225-3
	LEFT INDICATOR UP	2227225-2
	NO LIGHTPIPE	2227225-1
CONTACT FINISH	DESCRIPTION	PART NUMBER


THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DNK 03AUG2012 M. SHIRK CHK 03AUG2012 D. SZCZESNY		 TE Connectivity	
DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.0 1 PLC ±.025 2 PLC ±0.15 3 PLC ±.03 4 ANGLES ±.1 FINISH		NAME CAGE AND CONNECTOR ASSEMBLY, WITH EMI GASKET, 2X2, ZOSFP+ STACKED	
MATERIAL SEE NOTE 1		WEIGHT - CUSTOMER DRAWING		SIZE CAGE CODE DRAWING NO A100779C=227225 SCALE 4:1 SHEET 1 OF 4 REV A	
SEE NOTE 2				RESTRICTED TO -	




2227225-3 / 2227225-6
LEFT LIGHTPIPE INDICATOR
POINTING TO LOWER PORT
SCALE 3:1



RECOMMENDED PANEL CUTOUT
AND PC BOARD, PANEL POSITION
SCALE 3:1





SECTION U-U




SECTION V-V
SCALE 3:1

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWN M. SHIRK 03AUG2012		 TE Connectivity	
		CHG D. SZCZESNY 03AUG2012			
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
		0 PLC ±.05 1 PLC ±0.25 2 PLC ±0.15 3 PLC ±. 4 PLC ±. 5 PLC ±. ANGLES ±. FINISH		PRODUCT SPEC 108-60102 APPLICATION SPEC 114-60015 WEIGHT	
MATERIAL				SIZE CASE CODE DRAWING NO A1 00779 C=227225	
SEE NOTE 1		SEE NOTE 2		RESTRICTED TO	
CUSTOMER DRAWING				SCALE 4:1 SHEET 2 OF 4 REV A	


LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-




THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWN M. SHIRK 03AUG2012	CHK D. SZCZESNY 03AUG2012	NAME CAGE AND CONNECTOR ASSEMBLY, WITH EMI GASKET, 2X2, ZQSFP+ STACKED	
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	PRODUCT SPEC	APPLICATION SPEC	SIZE	RESTRICTED TO
	0 PLC $\pm$ 1 PLC ± 0.25 2 PLC ± 0.15 3 PLC $\pm$ 4 PLC $\pm$ ANGLES $\pm$ FINISH	108-60102	114-60015	A100779	-
MATERIAL SEE NOTE 1	SEE NOTE 2	WEIGHT -	CUSTOMER DRAWING	SCALE 4:1	SHEET 3 OF 4
		DRAWING NO. 2227225		REV A	



DETAIL H
SCALE 10:1



DETAIL L
SCALE 10:1



DETAIL K
SCALE 10:1

KEEP-OUT AREAS
COMPONENT SIDE OF BOARD
SCALE 5:1

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		OWN 03AUG2012 M. SHIRK CHK 03AUG2012 D. SZCZESNY		 TE Connectivity	
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
mm		APPRO		CAGE AND CONNECTOR ASSEMBLY, WITH EMI GASKET, 2X2, ZOSFP+ STACKED	
		PRODUCT SPEC 108-60102 APPLICATION SPEC 114-60015		SIZE A100779	
MATERIAL		FINISH		DRAWING NO	
-		-		C=2227225	
SEE NOTE 1		SEE NOTE 2		RESTRICTED TO	
				-	
CUSTOMER DRAWING				SCALE 4:1 SHEET 4 OF 4 REV A	



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.