

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [62100-2200](#)
Status: **Active**
Description: Manual Press with IDT Ribbon Cable Tool Kit

Documents:
[RoHS Certificate of Compliance \(PDF\)](#)

General	
Product Family	Application Tooling
Series	T9999
Comments	See Tooling Specification (PDF) Above
Function	Crimp
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Product Name	N/A
Survey	www.molex.com//review/apptool_survey.html
Tool Type	Tool Kit
UPC	884982115606

Material Info

Reference - Drawing Numbers	
Application Tooling Documents	TM-011316356, TM-621002200



image - Reference only

Series

EU RoHS	China RoHS
Compliance Status	
Not Reviewed	
REACH SVHC	
Not Reviewed	
Low-Halogen Status	
Not Reviewed	

Need more information on product environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series
[T9999Series](#)

Application Tooling Description	FAQ Product #
2.00mm Pitch Milli-Grid™ Cable-to-Board Receptacle, Dual Row, IDT, Lead-Free, 10 Circuits, 0.38µm Gold (Au) Selective Plating, without Center Polarization Key, with Locking Friction Ramp	0875681073
2.00mm Pitch Milli-Grid™ Cable-to-Board Receptacle, Dual Row, IDT, Lead-Free, 10 Circuits, 0.38µm Gold (Au) Selective Plating, without Center Polarization	0875681063

	Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875681064 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 10 Circuits, 0.76µm Gold (Au) Selective Plating, without Center Polarization
	Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875681074 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 10 Circuits, 0.76µm Gold (Au) Selective Plating, without Center Polarization
	Key, with Locking Friction Ramp 2.00mm Pitch Milli- 0875681263 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 12 Circuits, 0.38µm Gold (Au) Selective Plating, without Center Polarization
	Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875681264 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 12 Circuits, 0.76µm Gold (Au) Selective Plating, without Center Polarization
	Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875681273 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 12 Circuits, 0.38µm Gold (Au) Selective Plating, without Center Polarization
	Key, with Locking Friction Ramp 2.00mm Pitch Milli- 0875681274 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 12 Circuits, 0.76µm Gold (Au) Selective Plating, without

	Center Polarization Key, with Locking Friction Ramp 2.00mm Pitch Milli- 0875681443 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 14 Circuits, 0.38µm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp 2.00mm Pitch Milli- 0875681444 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 14 Circuits, 0.76µm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp 2.00mm Pitch Milli- 0875681463 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 14 Circuits, 0.38µm Gold (Au) Selective Plating, without Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875681493 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 14 Circuits, 0.38µm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875681494 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 14 Circuits, 0.76µm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875681643 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 16 Circuits, 0.38µm Gold (Au) Selective
--	--

	Plating, with Center Polarization Key, without Locking Friction Ramp 2.00mm Pitch Milli- 0875681644 Grid™ Cable-to-Board Receptacle, Dual Row, IDT, Lead-Free, 16 Circuits, 0.76µm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp 2.00mm Pitch Milli- 0875681663 Grid™ Cable-to-Board Receptacle, Dual Row, IDT, Lead-Free, 16 Circuits, 0.38µm Gold (Au) Selective Plating, without Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875681664 Grid™ Cable-to-Board Receptacle, Dual Row, IDT, Lead-Free, 16 Circuits, 0.76µm Gold (Au) Selective Plating, without Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875681693 Grid™ Cable-to-Board Receptacle, Dual Row, IDT, Lead-Free, 16 Circuits, 0.38µm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875681694 Grid™ Cable-to-Board Receptacle, Dual Row, IDT, Lead-Free, 16 Circuits, 0.76µm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875682043 Grid™ Cable-to-Board Receptacle, Dual Row, IDT, Lead-Free, 20 Circuits, 0.38µm
--	---

	Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp 2.00mm Pitch Milli- 0875682044 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 20 Circuits, 0.76µm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp 2.00mm Pitch Milli- 0875682063 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 20 Circuits, 0.38µm Gold (Au) Selective Plating, without Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875682064 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 20 Circuits, 0.76µm Gold (Au) Selective Plating, without Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875682093 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 20 Circuits, 0.38µm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875682094 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 20 Circuits, 0.76µm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875682243 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 22
--	--

	Circuits, 0.38μm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp 2.00mm Pitch Milli- 0875682244 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 22
	Circuits, 0.76μm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp 2.00mm Pitch Milli- 0875682263 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 22
	Circuits, 0.38μm Gold (Au) Selective Plating, without Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875682293 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 22
	Circuits, 0.38μm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875682294 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 22
	Circuits, 0.76μm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875682443 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 24
	Circuits, 0.38μm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp 2.00mm Pitch Milli- 0875682444 Grid™ Cable-to- Board Receptacle, Dual Row, IDT,

	Lead-Free, 24 Circuits, 0.76µm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp 2.00mm Pitch Milli- 0875682463 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 24 Circuits, 0.38µm Gold (Au) Selective Plating, without Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875682493 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 24 Circuits, 0.38µm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875682643 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 26 Circuits, 0.38µm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp 2.00mm Pitch Milli- 0875682644 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 26 Circuits, 0.76µm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp 2.00mm Pitch Milli- 0875682663 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 26 Circuits, 0.38µm Gold (Au) Selective Plating, without Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875682693 Grid™ Cable-to- Board Receptacle,
--	---

	Dual Row, IDT, Lead-Free, 26 Circuits, 0.38µm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp	
	2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 26 Circuits, 0.76µm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp	0875682694
	2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 30 Circuits, 0.38µm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp	0875683043
	2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 30 Circuits, 0.76µm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp	0875683044
	2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 30 Circuits, 0.38µm Gold (Au) Selective Plating, without Center Polarization Key and Locking Friction Ramp	0875683063
	2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 30 Circuits, 0.76µm Gold (Au) Selective Plating, without Center Polarization Key and Locking Friction Ramp	0875683064
	2.00mm Pitch Milli- Grid™ Cable-to-	0875683093

	Board Receptacle, Dual Row, IDT, Lead-Free, 30 Circuits, 0.38µm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875683094 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 30 Circuits, 0.76µm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875683443 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 34 Circuits, 0.38µm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp 2.00mm Pitch Milli- 0875683444 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 34 Circuits, 0.76µm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp 2.00mm Pitch Milli- 0875683463 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 34 Circuits, 0.38µm Gold (Au) Selective Plating, without Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875683493 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 34 Circuits, 0.38µm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp
--	--

2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 34 Circuits, 0.76µm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp	0875683494
---	------------

This document was generated on 04/24/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.