

"High Frequency Ceramic Solutions"

**890/1940 MHz Diplexer with LPF/BPF filtering scheme,
EIA 0805.**


P/N 0892DP15A1940

Detail Specification: 2/11/2014

Page 1 of 4

General Specifications

Part Number	0892DP15A1940	
Passband (MHz)	824-960	1710-2170
Insertion Loss (dB)	0.9 max.	1.0 max.
Attenuation (db)	18min. @ 1648 to 1830MHz	19 typ (24 min.) @ 3420 to 3820MHz
Attenuation (db)	22min. @ 2472 to 2745MHz	20 typ (24 min.) @ 5130 to 5730MHz
Attenuation (db)	15min. @ 3300 to 4000MHz	15 typ (24 min.) @ 6000 to 8000MHz
Attenuation (db)	15min. @ 5000 to 8500MHz	
Isolation (dB)	16 min.	20 min.
Return Loss	15 dB (min)	13 dB (min)



Input Power	2W max.
Impedance	50Ω
Operating Temperature Range	-40°C to +85°C
Storage Temp	+5 to +35 °C, Humidity 45 to 75%RH*
Reel Quantity	4,000


*18 months in vacuum sealed bag and 1 week after opened

Part Number Explanation

P/N Suffix	Packing Style	Bulk	Suffix = S	eg. 0892DP15A1940S
		T & R	Suffix = E	eg. 0892DP15A1940E
	Termination style	100% Tin	Suffix = None	eg. 0892DP15A1940(E or S)
	Evaluation Board	0892DP15A1940-EB-SMA (3qty, 50Ω Female SMA connectors)		


Mechanical Dimensions

	In	mm
L	0.079 ± 0.004	2.00 ± 0.10
W	0.049 ± 0.004	1.25 ± 0.10
T	0.018 ± 0.020	0.45 ± 0.50
a	0.012 ± 0.004	0.30 ± 0.10
b	0.008 ± 0.004	0.20 ± 0.10
c	0.012 ± 0.004/0.008	0.30 ± 0.1 /-0.2
g	0.014 ± 0.004	0.35 ± 0.10
p	0.026 ± 0.002	0.65 ± 0.05



Terminal Configuration

No.	Function
1	Higer Freq. Port (P3)
2	GND
3	Lower Freq. Port (P2)
4	GND
5	Common Port (P1)
6	GND



Ver. 1.0

4001 Calle Tecate • Camarillo, CA 93012 • TEL 805.389.1166 FAX 805.389.1821

2014 Johanson Technology, Inc. All Rights Reserved

www.johansontechnology.com

"High Frequency Ceramic Solutions"



890/1940 MHz Diplexer with LPF/BPF filtering scheme,
EIA 0805.

P/N 0892DP15A1940

Detail Specification: 2/11/2014

Page 2 of 4

Typical Electrical Performance (T=25°C)



The contents of this data sheet are subject to change without notice. Please confirm the specifications and delivery conditions when placing your order. All sales are subject to Johanson Technology, Inc. terms and conditions.



www.johansontechnology.com

4001 Calle Tecate • Camarillo, CA 93012 • TEL 805.389.1166 FAX 805.389.1821

Ver. 1.0

2014 Johanson Technology, Inc. All Rights Reserved

"High Frequency Ceramic Solutions"


890/1940 MHz Diplexer with LPF/BPF filtering scheme,
EIA 0805.

P/N 0892DP15A1940


Detail Specification: 2/11/2014

Page 3 of 4

Typical Electrical Performance (T=25°C)



Mounting Considerations



The contents of this data sheet are subject to change without notice. Please confirm the specifications and delivery conditions when placing your order. All sales are subject to Johanson Technology, Inc. terms and conditions.



www.johansontechnology.com

4001 Calle Tecate • Camarillo, CA 93012 • TEL 805.389.1166 FAX 805.389.1821

Ver. 1.0

2014 Johanson Technology, Inc. All Rights Reserved

"High Frequency Ceramic Solutions"

**890/1940 MHz Diplexer with LPF/BPF filtering scheme,
EIA 0805.**

P/N 0892DP15A1940

Detail Specification: 2/11/2014

Page 4 of 4

More Diplexers

www.johansontechnology.com/diplexers

RoHS Compliance

www.johansontechnology.com/technical-notes/rohs-compliance.html

Packaging information

www.johansontechnology.com/ipcpackaging.html

Soldering Information

www.johansontechnology.com/ipcsoldering-profile

Layout Files, s-parameters and any other technical questions

www.johansontechnology.com/component/techquestion/?Itemid=407

MSL Info

www.johansontechnology.com/technical-notes/msl-rating.html

Recommended Storage Condition and Max Shelf Life

www.johansontechnology.com/ipcstorage-shelflife

Antenna layout and tuning techniques

www.johansontechnology.com/tuning

Antenna layout review, tuning, and characterization services

www.johansontechnology.com/ipcantennaservices

The contents of this data sheet are subject to change without notice. Please confirm the specifications and delivery conditions when placing your order. All sales are subject to Johanson Technology, Inc. terms and conditions.





Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.