


PRODUCT NUMBER	PEG TYPE	TAIL TYPE	TAIL LGTH. DIM "A"	PCB THICKNESS±0.20	LOADING CONFIGURATION
73941-X001 *	PRESS	SOLDER	2.90	1.6	FULLY LOADED
73941-X002 *	PRESS	PRESS-FIT	2.90	1.6	
73941-X003 *	PRESS	SOLDER	3.53	2.4	
73941-X004 *	PRESS	PRESS-FIT	3.53	2.4	

* SEE NOTE 11 FOR LEAD FREE OPTIONS

* SPECIFY LOADING P/N SEE PAGE 2 AND 3

PLATING CONTACT AREA:	
DASH NR:	PERFORMANCE LEVEL
-1YYY/1YYYL	TELCORDIA CO
-2YYY/2YYYL	CUSTOMER SPECIAL
-3YYY/3YYYL	CUSTOMER SPECIAL



mat'l. code				NOTE 1			tolerances unless otherwise specified			CUSTOMER COPY		 www.fciconnect.com	
ltr	ecn no	dr	date	linear	X±.3			projection 	title B SERIES R/A SIGNAL RECEPT ASSY, 5 ROW, 3 MDD, PF/STB				
L	DG06-0510	Cenh	12/04/06		.XX±.13								
M	DG07-0173	Cenh	6/05/07		.XXX±.051								
N	DG08-0171	TER	9/1/08		angles	0° ±2°							
P	DG09-0068	Cenh	06/06/09	dr	M. FETROW	9/22/98		product family METRAL (tm)			code		
R	DG-012848	GlnDF	09/06/12	engr	C. PENDLETON	9/22/98		size dwg no			213		
				chr	C. PENDLETON	9/22/98		scale					
K	V05-1033	JAM	11/09/05	appd	C. PENDLETON	9/22/98	1:1	A	73941			sheet 1 of 4	
sheet index		revision sheet		R	R	R							
				1	2	3							

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire de c FCI. Droits de reproduction FCI.





All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NO	TAIL TYPE	PEG TYPE	DIM "A"	ROW	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1			
73941-X020 *	PRESS	PRESS	2.90	E	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
				D	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
				C	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
				B	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
				A	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
73941-X021 *	PRESS	PRESS	2.90	E	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X			
				D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
				C	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	
				B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
				A	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	
73941-X022 *	PRESS	PRESS	2.90	E	X	X	X	X	X	X	X	X	X	X	X	X	-	X	-	X	-	X			
				D	X	X	X	X	X	X	X	X	X	X	X	X	X	X	-	-	-	-	-	-	
				C	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	-	X	-	X	-	X
				B	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	-	-	-	-	-	-
				A	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	-	X	-	X	-	X
73941-X023 *	PRESS	PRESS	3.53	E	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X			
				D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
				C	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	
				B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
				A	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	
73941-X024 *	PRESS	PRESS	3.53	E	X	X	X	X	X	X	X	X	X	X	X	-	X	-	X	-	X				
				D	X	X	X	X	X	X	X	X	X	X	X	X	X	-	-	-	-	-	-		
				C	X	X	X	X	X	X	X	X	X	X	X	X	X	X	-	X	-	X	-	X	
				B	X	X	X	X	X	X	X	X	X	X	X	X	X	X	-	-	-	-	-	-	
				A	X	X	X	X	X	X	X	X	X	X	X	X	X	X	-	X	-	X	-	X	
73941-X025 *	PRESS	PRESS	2.90	E	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
				D	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
				C	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
				B	-	-	X	-	-	X	-	-	X	-	-	X	-	-	X	-	-	X	-	-	X
				A	X	X	-	X	X	-	X	X	-	X	X	-	X	X	-	X	X	-	X	X	-

* SEE NOTE 11 FOR LEAD FREE OPTIONS

LOAD PATTERN	
X	LOADED
-	NOT LOADED

mat'l. code -				tolerances unless otherwise specified				CUSTOMER COPY		 www.fciconnect.com	
litr	ecn no	dr	date	linear	X±.3		projection			title B SERIES R/A SIGNAL RECEPT ASSY, 5 ROW, 3 MOD, PF/STB	
R					.XX±.13						
					.XXX±.051					product family METRAL (tm)	
				angles	0° ±2°						
				dr	M. FETROW	11/17/98		scale 1:1		code size dwg no A 73941	
				engr	C. PENDLETON	11/17/98					
				chr	C. PENDLETON	11/17/98				sheet 2 of -	
				appd	C. PENDLETON	11/17/98					
sheet index	revision sheet										

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du Proprietaire de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NO	TAIL TYPE	PEG TYPE	DIM "A"	ROW	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
73941-X026 *	PRESS	PRESS	2.90	E	X	X	X	X	X	X	X	-	X	X	-	X	X	X	X	X	X	X
				D	X	X	X	X	X	X	X	-	X	X	-	X	X	X	X	X	X	X
				C	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
				B	X	X	X	X	-	X	X	-	X	X	X	X	X	X	X	X	X	X
				A	X	X	X	X	-	X	X	-	X	X	X	X	X	X	X	X	X	X

* SEE NOTE 11 FOR LEAD FREE OPTIONS



LOAD PATTERN	
X	LOADED
-	NOT LOADED

mat'l. code -				tolerances unless otherwise specified			CUSTOMER COPY		 www.fciconnect.com	
ltr	ecn no	dr	date	linear	X±.3			projection 	title B SERIES R/A SIGNAL RECEPT ASSY, 5 ROW, 3 MOD, PF/STB	
R					.XX±.13					
					.XXX±.051					
				angles	0° ±2°				product family METRAL (tm) size dwg no A 73941	
				dr	M. FETROW	11/17/98				
				engr	C. PENDLETON	11/17/98				
				chr	C. PENDLETON	11/17/98	scale 1:1			
				appd	C. PENDLETON	11/17/98				
sheet index	revision sheet									

cage code
22526

NOTES:

- ① CONNECTOR MATERIALS:
HOUSING: LCP, 30% GLASS FILLED,
UL 94-V0 COMPLIANT
TERMINAL: PHOSPHOR BRONZE ALLOY
2. PLATING ON TAIL:
PRESS-FIT TYPE
73941-XXXX IS 0.5-1.5um SnPb
73941-XXXXLF IS 0.5-1.5um Sn (LEAD FREE)
SOLDER-TO-BOARD TYPE
73941-XXXX IS 2-8um SnPb
73941-XXXXLF IS 2-8um Sn (LEAD FREE)
3. PRODUCT SPECIFICATION:
GS-12-002
4. APPLICATION SPECIFICATIONS:
BUS-20-061
GS-20-001
TA-941
- ⑤ PRODUCT MARKING: (PART NUMBER & LOT CODE).
- ⑥ INDICATED HOLES ARE UNPLATED.
- ⑦ DIAMOND LOCATION PEG ARE ONLY EXISTED ON THE BOTH SIDES OF PRODUCT.
- ⑧ TOP SURFACE OF PRESS BLOCK MAY EXTEND UP TO 0.4MM HIGHER THAN HOUSING. THIS MAY AFFECT THE TAIL LENGTH BEFORE APPLICATION TO A BOARD.
- ⑨ DIMENSION APPLIES TO BOTH PRESS-FIT AND SOLDER TAIL TERMINATIONS.
10. THESE PRODUCTS WHERE THE PART NUMBER ENDS IN "LF" MEET THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- ALL PRODUCTS MANUFACTURED BEFORE APRIL 2006 WILL WITHSTAND EXPOSURE TO 240°C FOR 60 SECONDS IN A CONVECTION, INFAR-RED OR VAPOR PHASE REFLOW OVEN.
- ALL PRODUCTS MANUFACTURED AFTER MARCH 2006 WILL WITHSTAND EXPOSURE TO 260°C FOR 60 SECONDS IN A CONVECTION, INFAR-RED OR VAPOR PHASE REFLOW OVEN.
- ⑪ FOR LEAD FREE PART NUMBERS ADD "LF" SUFFIX. EXAMPLE: 73941-XXXXLF.

mat'l. code -				tolerances unless otherwise specified		CUSTOMER COPY		 www.fciconnect.com	
ltr	ecn no	dr	date	linear	X±.3	projection	title		
R					.XX±.13		B SERIES R/A SIGNAL RECEPT ASSY,		
				angles	.XXX±.051		5 ROW, 3 MOD, PF/STB		
				dr	J.R. VOLSTORF	11/15/05		product family METRAL (tm)	
				eng	J.R. VOLSTORF	11/15/05		code	
				chr	J.R. VOLSTORF	11/15/05		213	
				app	J.R. VOLSTORF	11/15/05	scale	sheet	
							1:1	4 of -	
sheet index		revision sheet							

 cage code
22526




Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.