





LOC		DIST		REVISIONS					
GP		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
					C1	REVISED PER ECO-11-004835	11MAR2011	RK	HMR
					D	REVISED PER ECO-12-014021	07DEC2012	TD	AC

- 1 MATERIAL:
CAGE ASSEMBLY - 0.25mm THICK NICKEL SILVER ALLOY
GASKET RETENTION PLATE - STAINLESS STEEL
EMI GASKET - PLATED FILLED SILICONE
LIGHT PIPE BRACKET - STAINLESS STEEL
LIGHT PIPE - POLYCARBONATE, CLEAR
- 2 DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER.
3. MATES WITH SFP MSA COMPLIANT TRANSCEIVERS.
- 4 PADS AND VIAS CHASSIS GROUND.
5. INTERPRETATION OF DATUM REFERENCE FRAME IN ACCORDANCE WITH SECT 4.4.1.1 OF ASME Y14.5M-1994.
- 6 MINIMUM PC BOARD THICKNESS = 1.50mm.
- 7 HOLE PATTERN REPEATS FOR EACH PORT. SPACING BETWEEN PORTS IS 14.25mm.
- 8 REFERENCE APPLICATION SPEC. 114-13120, HOLE A, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.
- 9 REFERENCE APPLICATION SPEC. 114-13120, HOLE B, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.
- 10 LIGT PIPE ASSEMBLY SHIPPED UNASSEMBLED TO CAGE ASSEMBLY. CAGE ASSEMBLY TO BE PRESSED INTO THE PCB PRIOR TO ATTACHING THE LIGHT PIPE ASSEMBLY TO THE CAGE.
11. PRODUCT COMPLIES WITH SPECIFICATION SFF-8433 IMPROVED PLUGGABLE FORM FACTOR FOR SFP+ GANGED CAGES.


2007180-1
PART
NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M.E. COWHER 14JUN2007	TE Connectivity	
DIMENSIONS:		CHK M.J. PHILLIPS 14JUN2007		
mm		APVD M.J. PHILLIPS 14JUN2007	NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	SFP+ 1X2 CAGE ASSEMBLY	
0 PLC ±0.1		108-2364	PRESS FIT, EMI GASKET	
1 PLC ±0.1		APPLICATION SPEC	WITH LIGHT PIPES	
2 PLC ±0.1		114-13120	SIZE	
3 PLC ±0.1		FINISH	CAGE CODE DRAWING NO	
4 PLC ±0.1		ANGLES	A100779C=2007180	
MATERIAL		WEIGHT	RESTRICTED TO	
Customer Drawing		SCALE 6:1	SHEET 1 OF 3	
			REV D	


LOC		DIST		REVISIONS			
GP				P	LYR	DESCRIPTION	DATE
				-		SEE SHEET 1	



RECOMMENDED BEZEL CUTOUT
SCALE 4:1




2007180-1
MOUNTED ON PCB SHOWN
THRU RECOMMENDED BEZEL



2007180-1
MOUNTED ON PCB
SHOWN THRU RECOMMENDED BEZEL

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN	M.E.COWHER	14JUN2007	TE Connectivity		
		CHK	M.J.PHILLIPS	14JUN2007			
		APVD	M.J.PHILLIPS	14JUN2007	NAME		
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC		SIZE	
mm		0 PLC ±0.1		108-2364		CAGE CODE	
		1 PLC ±0.1		APPLICATION SPEC		DRAWING NO	
		2 PLC ±0.1		114-13120		Customer Drawing	
		3 PLC ±0.1		WEIGHT		SCALE	
		4 PLC ±0.1				6:1	
		ANGLES				SHEET	
		FINISH				2	
						OF	
						3	
						REV	
						D	

RECOMMENDED PCB CONFIGURATION
WITH KEEP-OUT AREAS 

TE Connectivity



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.