

4		3		2		1	
THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION		2001			
© COPYRIGHT 2001		BY -		ALL RIGHTS RESERVED.			

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

2001

© COPYRIGHT 2001

BY -

ALL RIGHTS RESERVED.

LOC

DIST

-

P

LTR

DESCRIPTION

DATE

DWN

APVD

-

-

SEE SHEET 1

-

-

-

SEALING CAP, PLUG

SEALING CUP (PLUG)

Ø 4.0

76.2

SEALING RING

METALLIC CHAIN

BACKSHELL WITH PG THREAD

A

B

C

-	-	17.3	44.2	23	SEALING CAP, PLUG	9-1437723-7	A
---	---	------	------	----	-------------------	-------------	---

-	PG21	43.0	40.0	23	BACKSHELL WITH PG THREAD	8-1437723-2	A
-	PG16	43.0	40.0	23	BACKSHELL WITH PG THREAD	7-1437723-9	A
-	PG13.5	43.0	30.0	17	BACKSHELL WITH PG THREAD	4-1437723-7	A
-	PG11	43.0	30.0	17	BACKSHELL WITH PG THREAD	4-1437723-4	A
-	PG9	43.0	21.5	11	BACKSHELL WITH PG THREAD	3 1-1437723-4	A

CABLE Ø RANGE	C	B	A	SIZE	DESCRIPTION	TE P/N	REV
---------------	---	---	---	------	-------------	--------	-----

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TEO ELECTRONICS CORPORATION
IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION
SHOULD BE CONTACTED FOR THE LATEST REVISION

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±0.3

1 PLC ±0.3

2 PLC ±0.3

3 PLC ±0.3

4 PLC ±0.3

ANGLES ±1°

FINISH -

MATERIAL

-

DWN 21SEP2001

CHK R. FABRIS

APVD C. TARTARI

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

TE Connectivity

NAME

CIRCULAR PLASTIC CONNECTOR

T10 SERIES

ACCESSORIES

SIZE

CAGE CODE

DRAWING NO




RESTRICTED TO

SCALE


SHEET 2 OF 5

REV C3

SIZE 23
24 CIRCUITS




TYPICAL CAVITY SUITABLE FOR
TE TYPE III+ CONTACTS
(ALTERNATIVE TO "T93" CONTACTS)





0-183047-1	3.6	34.0	44.5	24	23	PLUG ASS'Y FOR PIN CONTACT			5-1437723-9		A																
KEYING PLUG (FOR REF. ONLY)	ØMAX ALLOWABLE WIRE INS.	B	A	No. OF CIRCUITS	SIZE	DESCRIPTION			TE P/N		REV																
THIS DRAWING IS A CONTROLLED DOCUMENT FOR TICO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION				DWN R. FABRIS		21SEP2001		TE Connectivity																			
				CHR C. TARTARI																							
				APVD				NAME		CIRCULAR PLASTIC CONNECTOR T10 SERIES PLUG ASS'Y																	
				PRODUCT SPEC				SIZE						CAGE CODE		DRAWING NO		RESTRICTED TO									
				APPLICATION SPEC				WEIGHT						A2		00779		C=1437723									
MATERIAL		-		FINISH		-		CUSTOMER DRAWING				SCALE		-		SHEET		3		OF		5		REV		C3	

LOC	DIST	REVISIONS					
P	LTR	DESCRIPTION				DATE	APVD
-	-	SEE SHEET 1				-	-

CIRCUIT LAYOUT (View from "X")



"X"



0-183046-1	3.6	26.9	37.8	43.9	24	23	RECEPTACLE ASS'Y FOR SOCKET CONTACT	3 6-1437723-0	A
0-183047-1	2.8	33.8	29.5	33.3	14	17	RECEPTACLE ASS'Y FOR PIN CONTACT	3-1437723-2	A
	3.6	33.8	29.5	33.3	9	17	RECEPTACLE ASS'Y FOR PIN CONTACT	3 3-1437723-1	A
KEYING PLUG (FOR REF. ONLY)	Ø MAX ALLOWABLE WIRE INS.	C	B	A	No. OF CIRCUITS	SIZE	DESCRIPTION	TE P/N	REV

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TEO ELECTRONICS CORPORATION
IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION
SHOULD BE CONTACTED FOR THE LATEST REVISION

DIMENSIONS:
mm

MATERIAL

-

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ±0.3
1 PLC ±0.3
2 PLC ±0.3
3 PLC ±0.3
4 PLC ±0.3
ANGLES ±1°
FINISH -

DWN
R. FABRIS
CHK
C. TARTARI
APVD
-

21SEP2001

PRODUCT SPEC
-

APPLICATION SPEC
-

WEIGHT
-

CUSTOMER DRAWING

TE Connectivity

NAME
CIRCULAR PLASTIC CONNECTOR
T10 SERIES
RECEPTACLE ASS'Y

SIZE
A2

CAGE CODE
00779

DRAWING NO
C-1437723

RESTRICTED TO
-

SCALE
-


SHEET
4

OF
5


REV
C3

LOC	DIST	REVISIONS					
P	LTR	DESCRIPTION				DATE	APVD
-	-	SEE SHEET 1				-	-


CIRCUIT LAYOUT (View from "X")



"X"



TYPICAL CAVITY SUITABLE FOR
TE TYPE III+ CONTACTS
(ALTERNATIVE TO "T93" CONTACTS)



0-183046-1	3.6	13.5	4.1	36.3	26.9	36.6	44.5	38.6	24	23	PANEL MOUNT RECEPTACLE ASS'Y FOR SOCKET CONTACT	7-1437723-4	A
KEYING PLUG (FOR REF. ONLY)	Ø MAX ALLOWABLE WIRE INS.	F	E	D	C	B	A	PANEL CUT OUT Ø	No. OF CIRCUITS	SIZE	DESCRIPTION	TE P/N	REV

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TEO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION				DWN R. FABRIS 21SEP2001		 TE Connectivity									
DIMENSIONS: mm				TOLERANCES UNLESS OTHERWISE SPECIFIED:		CHK C. TARTARI		NAME							
				0 PLC ±0.3		APVD -		CIRCULAR PLASTIC CONNECTOR T10 SERIES PANEL MOUNT RECEPTACLE ASS'Y							
				1 PLC ±		PRODUCT SPEC -									
				2 PLC ±		APPLICATION SPEC		SIZE		CAGE CODE		DRAWING NO		RESTRICTED TO	
				3 PLC ±		-		A2		00779		C-1437723		-	
MATERIAL -				FINISH -		WEIGHT -		CUSTOMER DRAWING							
								SCALE -		SHEET 5 OF 5		REV C3			



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.