



SWITCHCRAFT CATALOG PART NUMBER											
SILVER PLATED CONTACT	S-MD3FRA120	SILVER PLATED CONTACT	S-MD4FRA120	SILVER PLATED CONTACT	S-MD5FRA120	SILVER PLATED CONTACT	S-MD6FRA120	SILVER PLATED CONTACT	S-MD7FRA120	SILVER PLATED CONTACT	S-MD8FRA120
FRONT FACE OF CONTACTS		FRONT FACE OF CONTACTS		FRONT FACE OF CONTACTS		FRONT FACE OF CONTACTS		FRONT FACE OF CONTACTS		FRONT FACE OF CONTACTS	
RECOMMENDED P.C. BOARD LAYOUT (SOLDER SIDE) SCALE: 1:1.375		RECOMMENDED P.C. BOARD LAYOUT (SOLDER SIDE) SCALE: 1:1.375		RECOMMENDED P.C. BOARD LAYOUT (SOLDER SIDE) SCALE: 1:1.375		RECOMMENDED P.C. BOARD LAYOUT (SOLDER SIDE) SCALE: 1:1.375		RECOMMENDED P.C. BOARD LAYOUT (SOLDER SIDE) SCALE: 1:1.375		RECOMMENDED P.C. BOARD LAYOUT (SOLDER SIDE) SCALE: 1:1.375	



CURRENT CARRYING CAPACITY

1A, 100V AC

2A, 12V DC

INSULATION RESISTANCE:	50M Ω MIN
DIELECTRIC STRENGTH:	250V DC/1 MINUTE
CONTACT RESISTANCE:	30m Ω MAX I
INSERTION FORCE:	0.8~5 KG / 1.76~11lb
EXTRACTION FORCE:	0.8~4 KG / 1.76~8.8lb

CUSTOMER DRAWING

CAD/CAM DWG. NO.
SMD3-SMD8FRA120_CD
SHEET 1 OF 1

STAR SYMBOL DENOTES CRITICAL DIMENSION SEE SPC. ENGINEERING STANDARD ES-0001		THIS DRAWING DESCRIBES A DESIGN CONSIDERED PROPRIETARY IN NATURE, DEVELOPED AND MANUFACTURED BY SWITCHCRAFT INC., AND IS RELEASED ON A CONFIDENTIAL BASIS FOR IDENTIFICATION PURPOSE ONLY.				
UNLESS OTHERWISE SPECIFIED		WIDTH		W/HT	ISS. IN.	TAPER
1. ALL DIMENSIONS IN INCHES 2. DECIMAL DIMENSIONS $\pm .005$ 3. FRACTIONAL DIMENSIONS $\pm 1/64$ 4. ANGLES $\pm 1/2^\circ$ 5. ALL DIA'S CONCENTRIC WITHIN $.005$ T.I.R. 6. REMOVE ALL BURRS 7. MAKE NO DIMENSIONAL ALLOWANCES FOR MOUNTING SURFACES, I.E., PLATING, PAINTING, ETC. 8. HOLE IN SAME CENTER LINE MUST BE ALIGNED WITHIN $\pm .002$		FINISH SILVER PLATE SPEC. NO. _____ FIRST USED ON _____		MATERIAL _____ SPEC. NO. _____ SCALE NTS DATE DRAWN BY SG CHK'D APP'D 9-6-90 10-10-90 10-10-90		
DO NOT SCALE DRAWING		NAME		PART NO.		ISSU
		MINI DIN		SMD3/SMD8FRA120		

Pro/Engineer CAD File

[illegible]

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Switchcraft:](#)

[SMD4FRA120](#) [SMD3FRA120](#) [SMD5FRA120](#) [SMD6FRA120](#) [SMD7FRA120](#) [SMD8FRA120](#)



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.