


DO NOT SCALE
DIMENSIONS IN

METRIC

3rd ANGLE PROJECTION

NOTES

- 1 MATERIAL: HOUSING: TERMOPLASTICO S/ FIBRA DE VIDRO V-0 COR: PRETO
CONTACT: BRONZE FOSFOROSO
- MATERIAL: HOUSING: THERMOPLASTIC WITHOUT GLASS FIBER V-0 COLOR: BLACK
CONTACT: PHOSPHOROUS BRONZE
- 2 MATERIAL: HOUSING: TERMOPLASTICO C/ FIBRA DE VIDRO NR. COR: NATURAL
CONTACT: BRONZE FOSFOROSO
- MATERIAL: HOUSING: THERMOPLASTIC WITH GLASS FIBER NR. COLOR: NATURAL
CONTACT: PHOSPHOROUS BRONZE
- 3 0,38 µm. MIN. OURO NA AREA DE CONTATO, SOBRE BANHO 0,76 µm NIQUEL
0,38 µm. MIN. GOLD ON CONTACT AREA, 0,76 µm NIQUEL UNDERPLATING
- 4 0,76 µm. MIN. OURO NA AREA DE CONTATO, SOBRE BANHO 0,76 µm NIQUEL
0,76 µm. MIN. GOLD ON CONTACT AREA, 0,76 µm NIQUEL UNDERPLATING
- 5 1,27 µm. MIN. OURO NA AREA DE CONTATO, SOBRE BANHO 0,76 µm NIQUEL
1,27 µm. MIN. GOLD ON CONTACT AREA, 0,76 µm NIQUEL UNDERPLATING
- 6 ESTANHO SOBRE NIQUEL
TIN UNDER NICKEL
- 7 PONTO DE CONTATO E/ MEDIÇÃO DA CAMADA DE OURO
CONTACT POINT FOR GOLD PLATING MEASUREMENT
- 8 ACETA PINO QUADRADO 0,64 x 0,64 OU REDONDO Ø 0,64
ALLOW SQUARE PIN 0,64 x 0,64 OR ROUND Ø 0,64
- 9 MATERIAL: HOUSING: TERMOPLASTICO C/ FIBRA DE VIDRO COR VERMELHO, V-2
CONTACT: BRONZE FOSFOROSO
- MATERIAL: HOUSING: THERMOPLASTIC WITH GLASS FIBER COLOR RED; V-2
CONTACT: PHOSPHOROUS BRONZE



	3	10	L	2 - 880584	- 1
11 OBSOLETE	6	9			9
11 OBSOLETE	6				8
	5				- 7
11 OBSOLETE	4				6
	3	2			- 5
	6				- 4
11 OBSOLETE	5				- 3
	4				- 2
	3	1	K7	880584	- 1

OTHER TREATMENT				FINISH				MATERIAL				PART REV.		PART NUMBER					
CUSTOMER DWG for REFERENCE ONLY																			
								TOLERANCES UNLESS OTHERWISE STATED DEC. ± 0,3 ANGLES ± 1°				INS. DIA. RANGE		WIRE RANGE		SCALE			
												—//—		—//—		—//—			
								DR. <i>Paulos 01/01/84</i>				 TE Connectivity							
								CHK. <i>H 10 JUN 84</i>				DESCRIPTION .. AMP SHUNT CONNECTOR ASS'Y							
L4 REV. ECO 11-023509		HC		WLS		02DEC11		DE.		A3		DWG NO C		880584		SHEET 1072			
L3 REVISED PER ECO-11-005139		RK		HMR		28MAR11													
153 REVISION RECORD		DR		CHK		DATE		APP. <i>[Signature]</i>											

C 880584


C

B


A

DO NOT SCALE
DIMENSIONS IN mm

METRIC


3rd ANGLE PROJECTION

- 10 MATERIAL: HOUSING: TERMOPLASTICO C/ FIBRA DE VIDRO V-2 COR: VERDE
CONTATO: BROZE FOSFOROSO
- MATERIAL: HOUSING: THERMOPLASTIC WITH GLASS FIBER V-2 COLOR: GREEN
CONTACT: PHOSPHOROUS BRONZE
- 11 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI



11 OBSOLETE	6			1	8
	5			1	7
	4			1	6
	3		2	1	5
	6			1	4
	5			1	3
11 OBSOLETE	4			1	2
	3		1	K1	1 - 880584 - 1

OTHER TREATMENT	FINISH	MATERIAL	PART REV.	PART NUMBER
CUSTOMER DWG for REFERENCE ONLY				
TOLERANCES UNLESS OTHERWISE STATED DEC. ± 0.5 ANGLES $\pm 1^\circ$		INS. DIA. RANGE	WIRE RANGE	SCALE
DR. <i>Isidor</i> CHK. <i>N. W. S.</i> DATE 09-MAR-87		TE Connectivity		
DESCRIPTION AMP SHUNT CONNECTOR ASS'Y		DWG NO A3 C 880584		
REVISION RECORD		SHEET 2 of 2		



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.