


## Modular Dust-Tight Equipment Cabinet *C3 Series*

REPLACED BY OUR HME SERIES



**Note:** This product line will soon be discontinued as a stocked series. Available while quantities last. For alternative solution assistance, please contact Hammond Customer Service - [dcisales@hammfg.com](mailto:dcisales@hammfg.com) or USA (716) 630-7030, Canada and International (519) 822-2960.




### Features

- NEMA 12 rated - ideal for use in harsh factory floor situations.
- Oil resistant gaskets are permanently secured on all openings.
- Sides and doors (link provided below) are easily removable for easy internal access.
- Heavy duty - welded steel rack - 1,500 lbs (682 kg) even load rating.
- Choice of two depths.
- Unit is shipped as a welded frame only with four (4) levelling feet.
- Heavy duty 14 gauge welded steel frame.
- Frame ships with reinforced lifting eyes.
- Finished in a rugged, beige textured powder paint.
- Shall be RoHS EU Directive 2002/95/EC compliant.
- Manufactured by Hammond Manufacturing, an ISO 9001:2008 certified company, located in North America.

**PLEASE NOTE: The HME Series features more options and sizes that may better suit your requirement. Click here to view our HME series.**

### Gallery



### Accessories

- [Two Post Mounting Cantilever Shelf](#)
- [Four Post Mounting Adjustable Depth Shelf](#)
- [Four Post Mounting Storage Drawer](#)
- [Four Post Mounting Sliding Shelf](#)
- [Four Post Mounting Keyboard Drawer](#)
- [Rack Unit Label](#)

- [Horizontal Lacing Bar](#)
- [Horizontal Hinged Cable Manager](#)
- [Horizontal Hinged Cable Guide](#)
- [Outlet Strips](#)
- [Rack Panels](#)
- [C2/C3 Bolt Down Kit](#)
- [Horizontal Steel Ring Cable Manager](#)
- [Horizontal Steel Finger Cable Manager](#)
- [Vertical Cable Tray](#)
- [Mounting Hardware](#)
- [Grounding](#)

## C3 Frames

Part No. Beige	Overall Dimensions			Usable Mounting Dimensions			
	Height A	Width B	Depth C	Rack Units	Height H	Width	Depth
C3F196323CG1	70.31	23.00	23.63	36U	63.06	23.00	21.63
C3F197023CG1	77.31	23.00	23.63	40U	70.06	23.00	21.63
C3F197823CG1	86.06	23.00	23.63	45U	78.81	23.00	21.63
C3F196331CG1	70.31	23.00	31.50	36U	63.06	23.00	29.50
C3F197031CG1	77.31	23.00	31.50	40U	70.06	23.00	29.50
C3F197831CG1	86.06	23.00	31.50	45U	78.81	23.00	29.50

## C3 Mounting Rails

Part No. Tapped 10-32 Comination Rail	Part No. Square Hole L-Panel Rail	Mounting Dimensions	
		Rack Units	Height
CCR63TZPL	CPR63SZPL	36U	63.00
CCR70TZPL	CPR70SZPL	40U	70.00
CCR78TZPL	CPR78SZPL	45U	78.75

## C3 Doors

Part No. Solid Door With Handle	Part No. Solid Door With Quarter Turn	Part No. Window Door (Polycarbonate)	Part No. Solid Cover	Use with Cabinet Frame	
				Rack Units	Height
C3DS1963HCG1	C3DS1963QCG1	C3DS1963PCG1	C3CS1963SCG1	36U	63.00
C3DS1970HCG1	C3DS1970QCG1	C3DS1970PCG1	C3CS1970SCG1	40U	70.00
C3DS1978HCG1	C3DS1978QCG1	C3DS1978PCG1	C3CS1978SCG1	45U	78.75

## C3 Side Panels

Part No. Beige*	Use with Cabinet Frame		
	Rack Units	Height	Depth
C3SP6323CG1	36U	63.00	23.63
C3SP7023CG1	40U	70.00	23.63
C3SP7823CG1	45U	78.75	23.63
C3SP6331CG1	36U	63.00	31.50
C3SP7031CG1	40U	70.00	31.50
C3SP7831CG1	45U	78.75	31.50

## C3 Bottom Plinth

Part No. Black	Part No. Beige*	Use with Cabinet Frame Depth
CPL19423BK1	CPL19423CG1	23.63
CPL19431BK1	CPL19431CG1	31.50

## C3 Baying/Joining Kit

Part No. Beige*	Use with Cabinet Frame		
	Rack Units	Height	Depth
C3JK6323	36U	63.00	23.63
C3JK7023	40U	70.00	23.63
C3JK7823	45U	78.75	23.63
C3JK6331	36U	63.00	31.50
C3JK7031	40U	70.00	31.50
C3JK7831	45U	78.75	31.50

*Data subject to change without notice.*

© 2013. Hammond Manufacturing Ltd. All rights reserved.



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.