






PRODUCT NUMBER SEE SHEET 2



spec ref	*	dr	Eddy Zeng	2013/11/11	projection	MM	size	A3	scale	3:2	
tolerance std	ASME Y14.5	eng	Xie Bob	2013/11/15			ecn no	-	rel level	Released	
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	Li-He	2013/11/15							
surface	<input checked="" type="checkbox"/> linear <input type="checkbox"/> angular	appr	Pei-Ming Zheng	2013/11/15	product family	PwrBlade+	rel level	Released			
ASME Y14.5	linear: 0.X ±0.5 0.XX ±0.25 0.XXX ±0.10 angular: 0° ±2°			title	6LP RA STB HEADER		dwg no	10106262-0600001		rev	A
www.fci.com		cat. no.		Product - Customer Drw			sheet 1 of 3				

PRODUCT NO.	ROWS	LP						E2
		E1	P1	P2	P3	P4	P5	
10106262-0600001LF	DCBA	LKLK LKLK LKLK LKLK						



Copyright FCI.

CODE	DESCRIPTION
HA	METAL HOLD DOWN
LK	STD LOW POWER CONTACT (3.43)




dr	Eddy Zeng	2013/11/11	projection MM	size	A3	scale	3:2
eng	Xie Bob	2013/11/15		ecn no	-		
chr	Li-He	2013/11/15		rel level	Released		
appr	Pei-Ming Zheng	2013/11/15	product family	PwrBlade+			
www.fci.com		cat. no.	title		6LP	dwg no	10106262-0600001
			RA STB HEADER			rev	A
Product - Customer Drw				sheet 2 of 3			

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.  
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:  
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.  
-SIGNAL CONTACT - COPPER ALLOY.  
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7)  $1.15 \pm 0.025$ MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn  
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A  $1.02 \pm 0.07$ MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.  
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.  
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.



Copyright FCI.

dr	Eddy Zeng	2013/11/11	projection 	MM 	size	A3	scale	3:2
eng	Xie Bob	2013/11/15			ecn no	-		
chr	Li-He	2013/11/15			product family	PwrBlade+	rel level	Released
appr	Pei-Ming Zheng	2013/11/15			 title 6LP RA STB HEADER		dwg no 10106262-0600001	rev A
www.fci.com			cat. no.	Product - Customer Drw		sheet 3 of 3		



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.