


LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			D	REVISED PER ECO-12-018536	16OCT2012	JY	AC




2007170-1
SCALE 2:1



GASKET RETENTION PLATE
BOTTOM "KEEPER" FINGER ARE
NOT BENT 90°.

2007170-3
SCALE 2:1

1. MATERIAL:
CAGE ASSEMBLY: 0.25mm THICK NICKEL SILVER ALLOY
GASKET RETENTION PLATE: STAINLESS STEEL
GASKET: PLATED FILLED SILICONE
2. DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER.
3. MATES WITH SFP MSA COMPLIANT TRANSCEIVERS.
4. PADS AND VIAS CHASSIS GROUND.
5. INTERPRETATION OF DATUM REFERENCE FRAME IN ACCORDANCE WITH SECT 4.4.1.1 OF ASME Y14.5M-1994.
6. MINIMUM PC BOARD THICKNESS = 1.50mm.
7. HOLE PATTERN REPEATS FOR EACH PORT. SPACING BETWEEN PORTS IS 14.25mm.
8. REFERENCE APPLICATION SPEC. 114-13120, HOLE A, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.
9. REFERENCE APPLICATION SPEC. 114-13120, HOLE B, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.
10. PRODUCT COMPLIES WITH SPECIFICATION SFF-8433 IMPROVED PLUGGABLE FORM FACTOR FOR SFP+ GANGED CAGES.



2007170-1 AS SHOWN
SCALE 4:1





2007170-3
SCALE 4:1


2007170-3
2007170-1
PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Z.M.REAM 17JUL2007	TE Connectivity	
DIMENSIONS:		CHK M.R.SCHMITT 17JUL2007		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD R.H.WERTZ 17JUL2007	NAME SFP+ 1X6 CAGE ASSEMBLY PRESS FIT, EMI GASKET	
	0 PLC ±0.1	PRODUCT SPEC	SIZE A100779	
	1 PLC ±0.1	108-2364		
	2 PLC ±0.1	APPLICATION SPEC	CAGE CODE C=2007170	
	3 PLC ±0.1	114-13120		
	4 PLC ±0.1	WEIGHT	SCALE 1:1	
	ANGLES ±1°	-		
MATERIAL	FINISH	Customer Drawing	SHEET 1 OF 3	
	-		REV D	

LOC		DIST		REVISIONS					
GP		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
				-	-	SEE SHEET 1	-	-	-




2007170-1
MOUNTED ON PC BOARD
SHOWN THRU RECOMMENDED BEZEL



2007170-3
MOUNTED ON PC BOARD
SHOWN THRU RECOMMENDED BEZEL
SCALE 4:1

THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN	Z.M. REAM	17JUL2007	TE Connectivity		
				CHK	M.R. SCHMITT	17JUL2007			
				APVD	R.H. WERTZ	17JUL2007	NAME		
				PRODUCT SPEC			SFP+ 1X6 CAGE ASSEMBLY		
				108-2364			PRESS FIT, EMI GASKET		
				APPLICATION SPEC			-		
				114-13120			SIZE		
				WEIGHT			A100779C=2007170		
				Customer Drawing			RESTRICTED TO		
							SCALE		
							1:1		
							SHEET		
							2		
							OF		
							3		
							REV		
							D		



LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-	-	SEE SHEET 1	-	-	-

DETAIL X
RECOMMENDED PT CONNECTOR LAYOUT
6X INDIVIDUALLY
SCALE 10:1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±0.1

1 PLC ±0.1

2 PLC ±0.1

3 PLC ±0.1

4 PLC ±0.1

ANGLES ±1°

FINISH

MATERIAL

DWN Z.M. REAM 17JUL2007

CHK M.R. SCHMITT 17JUL2007

APVD R.H. WERTZ 17JUL2007

PRODUCT SPEC

108-2364

APPLICATION SPEC

114-13120

WEIGHT

Customer Drawing

NAME

SFP+ 1X6 CAGE ASSEMBLY
PRESS FIT, EMI GASKET

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A100779

©=2007170

SCALE 1:1

SHEET 3 OF 3

REV D



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.