

## External 72V 2U Rack/Tower Battery Pack for select Tripp Lite UPS Systems (BP72V18-2US)

MODEL NUMBER: **BP72V18-2US**



### Description

BP72V18-2US rack/tower external battery pack offers extended battery runtime when used in conjunction with expandable 72V Tripp Lite rackmount or tower UPS systems. Includes heavy gauge cabling with high current DC connector for safe, simple installation. Included daisychain connector enables the connection of additional compatible 72V external battery packs to the host UPS. Included mounting accessories support 2U rackmount installation in 4 post racks. Options for 2-point front-rail mounting, 2 post center-mounting, wallmount and upright tower installation available.

Compatible with these UPS Systems - [SMART3000RMOD2U](#), [SU3000RTXL2U](#), [SU3000RTXL3U](#), [SU3000RTXLCD2U](#), [SU3000RTXLCD3U](#), [SU3000RTXR3U](#), [SU3000RTXR3UHW](#), [SU3000XL](#), [SU3000XLCD](#), [SUIINT3000RTXL2U](#), [SUIINT3000RTXL3U](#) and other Tripp Lite UPS systems that specify the use of this battery pack.

### Features

- Offers extended-run UPS operation when used in conjunction with compatible 72V DC Tripp Lite UPS systems
- Includes heavy gauge cabling with high current DC connectors for simple installation
- Daisychain connector enables the connection of additional compatible 72V external battery packs to the host UPS
- Included mounting brackets support rackmount installation in 4 post racks using only 2 rack spaces (2U)
- UPDHDEARKIT option supports 2 point front-rail rackmount installation without rear supports
- [2POSTRMKITWMM](#) option supports balanced 2 point center-mounting in 2 post equipment racks
- [2POSTRMKITWMM](#) option also enables wallmount installation
- [2-9USTAND](#) option enables upright tower placement

### Highlights

- Extends the runtime of compatible 72V Tripp Lite UPS Systems
- Included daisychain connector supports the addition of multiple compatible external battery packs
- Supports 2U rackmount installation; 4 post installation accessories included
- Options for 2 post rackmount, tower and wallmount installation available

### Package Includes

- BP72V18-2US external battery pack with attached DC cabling
- 4 post compatible mounting hardware
- Owner's manual



## Specifications

| BATTERY   |   |
|---|---|
| DC System Voltage (VDC)                                       | 72  |
| UPS Connection  | Attached cable with black 3-point DC connector  |
| Typical Battery Lifespan                                      | 4-6 years typical (North America)   |
| PHYSICAL  |   |
| Installation Form Factors Supported with Included Accessories | 4 post 19 inch rackmount  |
| Installation Form Factors Supported with Optional Accessories | 2 post rackmount ( <a href="#">2POSTRMKITWM</a> ); Wallmount ( <a href="#">2POSTRMKITWM</a> ); Tower ( <a href="#">2-9USTAND</a> ); 2-4 post front rail rackmount ( <a href="#">UPSHDEARKIT</a> ) |
| Minimum Required Rack Depth (inches)                          | 31.8  |
| Minimum Required Rack Depth (cm)                              | 80.77   |
| Shipping Dimensions (hwd / in.)                               | 9.3 x 26.4 x 29.3   |
| Shipping Dimensions (hwd / cm)                                | 23.6 x 67.1 x 74.4  |
| Shipping Weight (lbs.)  | 134.4   |
| Shipping Weight (kg)  | 61  |
| Unit Dimensions (hwd / in.)                                   | 3.4 x 17.3 x 20.8   |
| Unit Dimensions (hwd / cm)                                    | 8.6 x 44 x 52.8   |
| Unit Weight (lbs.)  | 88.2  |
| Unit Weight (kg)  | 40.01   |
| Material of Construction                                      | Steel   |
| External Battery Pack Form Factor                             | Rack/Tower  |
| Minimum Required Rack Depth (mm)                              | 808   |
| WARRANTY  |   |
| Product Warranty Period (U.S. & Canada)                       | 2-year limited warranty   |
| Product Warranty Period (International)                       | 1-year limited warranty   |
| Product Warranty Period (Mexico)                              | 1-year limited warranty   |
| Product Warranty Period (Puerto Rico)                         | 1-year limited warranty   |
| Optional Coverage   | 3 year, 5 year, next day and on-site warranty coverage available  |



**Tripp Lite**  
1111 W. 35th Street  
Chicago, IL 60609 USA  
Telephone: 773.869.1234  
[www.tripplite.com](http://www.tripplite.com)

© 2017 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies:  
<https://www.tripplite.com/products/product-certification-agencies>



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.