

Path: [Home](#) > [Rack Index](#) > Rack Panel Mount - Doors & Chassis



## Hinged Flat Door Panel

- Standard 19" rack mount
- 14 gauge steel construction
- Door opening is 16.2" wide
- Includes lock, hasp & 2 keys
- Powder paint finish - smooth finish to match our standard panels
- Requires mounting [hardware](#)


Part Number	Color	Panel Height		 <a href="#">Assembly Instructions</a>
		Inches	Units	
<a href="#">PHPF19005BK2</a> <a href="#">PHPF19005CG2</a> <a href="#">PHPF19005LG2</a>	Black Beige* Light Gray	5.25"	3U	
<a href="#">PHPF19008BK2</a> <a href="#">PHPF19008CG2</a> <a href="#">PHPF19008LG2</a>	Black Beige* Light Gray	8.75"	5U	
<a href="#">PHPF19012BK2</a> <a href="#">PHPF19012CG2</a> <a href="#">PHPF19012LG2</a>	Black Beige* Light Gray	12.25"	7U	

**\*Note:** "CG2" (Beige color) is being phased out from stock - replaced with "LG2" a light gray (RAL7035)



## Hinged Panel Rail Door

- Standard 19" rack mount
- Hinges bolt directly to panel rail
- When door is open, space between panel rails is completely accessible
- Door is folded on all four sides
- Includes lock, hasp & 2 keys
- Powder paint finish - smooth finish to match our standard panels
- Door depth 0.63"
- Requires mounting [hardware](#)







Part Number	Color	 Reader File	AutoCAD .dxf file (zipped)	Panel Height		
				Inches	Units	
<a href="#">RSDP19010BK2</a> <a href="#">RSDP19010CG2</a> <a href="#">RSDP19010LG2</a>	Black Beige* Light Gray	 21K	 28K	10.5"	6U	 Assembly Instructions
<a href="#">RSDP19012BK2</a> <a href="#">RSDP19012CG2</a> <a href="#">RSDP19012LG2</a>	Black Beige* Light Gray	 22K	 24K	12.25"	7U	
<a href="#">RSDP19014BK2</a> <a href="#">RSDP19014CG2</a> <a href="#">RSDP19014LG2</a>	Black Beige* Light Gray	 23K	 31K	14.00"	8U	
<a href="#">RSDP19017BK2</a> <a href="#">RSDP19017CG2</a> <a href="#">RSDP19017LG2</a>	Black Beige* Light Gray	 25K	 33K	17.50"	10U	
<a href="#">RSDP19022BK2</a> <a href="#">RSDP19022CG2</a> <a href="#">RSDP19022LG2</a>	Black Beige* Light Gray	 28K	 37K	22.75"	13U	
<a href="#">RSDP19028BK2</a> <a href="#">RSDP19028CG2</a> <a href="#">RSDP19028LG2</a>	Black Beige* Light Gray	 32K	 41K	28.00"	16U	

**\*Note:** "CG2" (Beige color) is being phased out from stock - replaced with "LG2" a light gray (RAL7035)



### Steel Chassis With Panel

- Standard 19" rack mount
- Formed 16 gauge steel construction
- Chassis measures 17" wide x 3" deep
- Panel mounts over chassis
- Textured powder paint finish
- Requires mounting hardware

Part Number	Color	 Reader File	AutoCAD .dxf File	Panel Height		Chassis Height (In.)	
				Inches	Units		
<a href="#">5-350DCG1</a>	Beige	 12K	 136K	3.50	2	3.1	 Assembly Instructions
<a href="#">5-525DCG1</a>	Beige			5.25	3	4.9	



## Aluminum Chassis

- Standard 19" rack mount
- 0.06" thick aluminum construction
- Chassis measures 17" wide x 5.25" deep
- Natural finish aluminum
- Requires mounting [hardware](#)

Part Number	Reader File	AutoCAD .dxf File	Panel Height		 Assembly Instructions
			Inches	Units	
<b>7-350D</b>	 13K	 163K	3.50	2	
<b>7-525D</b>	 13K	 162K	5.25	3	

DOWNLOAD



[Panel Mount Doors & Chassis - catalog pages \(1\)](#) - Adobe Reader .pdf format (77K)

DOWNLOAD



[all accessories - catalog pages \(44\)](#) - Adobe Reader .pdf format (1,495K)

Exactly what you are looking for???

Link to our stocking distributors - most have "on-line" pricing, stock check and ordering!!!

[Our Distributors](#)

[Order from your favorite distributor](#)

[Home](#) | [Products](#) | [Distributors](#) | [Technical](#) | [Contact Us](#) | [Other Options](#)

Copyright; © 1998-2011 Hammond Mfg Co Inc

URL: <http://www.hammondmfg.com>



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.