# **Safety Data Sheet**



# Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

#### 1.1 Product identifier

**Product Name** 

• Battery pack containing sealed lead acid batteries

**Synonyms** 

Battery pack or accumulator pack contain Maintenance Free Battery or Valve

Regulated Battery

**Product Description** 

 Battery pack is a manufactured article consisting of a plastic and metal sealed case containing one or more sealed lead acid battery connected by wires.

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use(s)

Electric Storage Battery

Use(s) advised against

Transportation

# 1.3 Details of the supplier of the safety data sheet

Manufacturer

APC by Schneider Electric

132 Fairgrounds Road West Kingston, RI 02892

United States www.APC.com

Telephone (General) • 800-788-2208 or 401-789-5735

# 1.4 Emergency telephone number

Manufacturer • 800-788-2208

#### **Section 2: Hazards Identification**

#### **EU/EEC**

According to Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010] According to EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

#### 2.1 Classification of the substance or mixture

CLP

Acute Toxicity Oral 4 - H302
 Skin Corrosion 1A - H314

Reproductive Toxicity 1A - H360Df

Specific Target Organ Toxicity Repeated Exposure 2 - H373 Hazardous to the aquatic environment Acute 1 - H400 Hazardous to the aquatic environment Chronic 1 - H410

DSD/DPD

Harmful (Xn)
 Corrosive (C)

Substances Toxic To Reproduction - Category 1

Dangerous to the Environment (N)

R20/22, R48/22, R35, R60, R61, R50, R53

#### 2.2 Label Elements

**CLP** 

#### DANGER









#### Hazard statements •

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eve damage.

H360Df - May damage the unborn child. Suspected of damaging fertility.

H373 - May cause damage to organs through prolonged or repeated exposure.

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

#### **Precautionary statements**

#### Prevention .

P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P260 - Do not breathe mist/vapours/spray.

P264 - Wash thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P281 - Use personal protective equipment as required.

P273 - Avoid release to the environment.

Response P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P310 - Immediately call a POISON CENTER or doctor/physician.

P321 - Specific treatment, see supplemental first aid information.

P363 - Wash contaminated clothing before reuse.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P301+P312 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician if you feel unwell.

P330 - Rinse mouth.

P331 - Do NOT induce vomiting.

P314 - Get medical advice/attention if you feel unwell.

P308+P313 - IF exposed or concerned: Get medical advice/attention.

P391 - Collect spillage.

Storage/Disposal • P405 - Store locked up.

P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

# Supplemental information • 10.8 percent of this product consists of an ingredient of unknown toxicity. DSD/DPD









### Risk phrases •

R20/22 - Harmful by inhalation and if swallowed.

R48/22 - Harmful: danger of serious damage to health by prolonged exposure if swallowed.

R35 - Causes severe burns.

R60 - May impair fertility.

R61 - May cause harm to the unborn child.

R50 - Very toxic to aquatic organisms.

R53 - May cause long-term adverse effects in the aquatic environment.

#### Safety phrases .

S36 - Wear suitable protective clothing.

S37 - Wear suitable gloves.

S39 - Wear eye/face protection.

S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

S53 - Avoid exposure - óbtain special instructions before use.

S57 - Use appropriate containment to avoid environmental contamination.

#### 2.3 Other Hazards

**CLP** 

According to Regulation (EC) No. 1272/2008 (CLP) this material is considered hazardous.

DSD/DPD

According to European Directive 1999/45/EC this material is considered dangerous.

#### United States (US)

According to OSHA 29 CFR 1910.1200 HCS

#### 2.1 Classification of the substance or mixture

**OSHA HCS 2012** 

Skin Corrosion 1A - H314 Serious Eye Damage 1 - H318 Carcinogenicity 2 - H351 Reproductive Toxicity 1A - H360

Specific Target Organ Toxicity Repeated Exposure 1 - H372

# 2.2 Label elements **OSHA HCS 2012**

#### DANGER





Hazard statements • Causes severe skin burns and eye damage. - H314

Causes serious eye damage - H318 Suspected of causing cancer. - H351

May damage fertility or the unborn child. - H360

Causes damage to organs - nervous system/blood/liver/kidneys through prolonged or repeated exposure - H372

# **Precautionary statements**

#### Prevention .

Obtain special instructions before use. - P201

Do not handle until all safety precautions have been read and understood. - P202

Do not breathe mist/vapours/spray. - P260 Wash thoroughly after handling. - P264

Do not eat, drink or smoke when using this product. - P270

Wear protective gloves/protective clothing/eye protection/face protection. - P280

Response .

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. - P304+P340

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. - P303+P361+P353

Immediately call a POISON CENTER or doctor/physician. - P310 Specific treatment, see supplemental first aid information. - P321

Wash contaminated clothing before reuse. - P363

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing. - P305+P351+P338

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. - P301+P330+P331

IF exposed or concerned: Get medical advice/attention. - P308+P313

Get medical advice/attention if you feel unwell. - P314

#### Storage/Disposal .

Store locked up. - P405

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. - P501

#### 2.3 Other hazards

**OSHA HCS 2012** 

Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

#### Canada

According to WHMIS

# 2.1 Classification of the substance or mixture

#### **WHMIS**

Very Toxic - D1A
 Other Toxic Effects - D2A
 Corrosive - E

# 2.2 Label elements WHMIS







Very Toxic - D1A
 Other Toxic Effects - D2A
 Corrosive - E

# 2.3 Other hazards WHMIS

 In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

#### 2.4 Other information

• Acid batteries used in APC by Schneider Electric Replacement Battery Cartridges (RBCs) are contained within cartridges and are sealed, non-spillable design. Under normal use and handling, there is no contact with the internal components of the battery or the chemical hazards. Under normal use and handling, these products do not emit regulated or hazardous substances. Misuse of the product, such as overcharging, may result in a discharge of battery electrolyte. Classification provided are for the battery electrolyte and are only applicable in the event that the electrolyte is discharged.

See Section 12 for Ecological Information.

# Section 3 - Composition/Information on Ingredients

#### 3.1 Substances

 Material does not meet the criteria of a substance in accordance with Regulation (EC) No 1272/2008.

#### 3.2 Mixtures

	Composition							
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive				
Lead	CAS:7439-92-1 EC Number:231- 100-4	55.9% TO 63.4%	NDA	EU DSD/DPD: Annex I: Xn; R20/22; Repr. Cat. 1; R60/61; R48/22; N; R50-53 EU CLP: Annex VI: Acute Tox. 4 *, H332; Acute Tox. 4 *, H302; Repr. 1A, H360df; STOT RE 2 *, H373; Aquatic Acute 1, H400; Aquatic Chronic 1, H410 OSHA HCS 2012: Repr. 1A; STOT RE 1 (Liver, Kidney, Blood, Nervous system); Carc. 2				
Sulfuric acid	CAS:7664-93-9 EC Number:231- 639-5	15.8% TO 20.5%	Inhalation-Rat LC50 • 510 mg/m³ 2 Hour(s) Ingestion/Oral-Rat LD50 • 2140 mg/kg	EU DSD/DPD: Annex VI, Table 3.2: C; R35 EU CLP: Annex VI, Table 3.1: Skin Corr. 1A; H314 OSHA HCS 2012: Eye Dam. 1; Skin Corr. 1A				
1-Propene, homopolymer	CAS:9003-07-0	4.8% TO 12.3%	Ingestion/Oral-Rat LD50 • >8 g/kg	EU DSD/DPD: Not Classified EU CLP: Not Classified OSHA HCS 2012: Not Classified				

Amorphous/fused silica	CAS:60676-86-0 EINECS:262- 373-8	3.7% TO 5.6%	NDA	EU DSD/DPD: Not Classified EU CLP: Not Classified OSHA HCS 2012: Not Classified
Polyvinyl Chloride	CAS:9002-86-2	2.6%	NDA	EU DSD/DPD: Not Classified EU CLP: Not Classified OSHA HCS 2012: Not Classified
Copper	CAS:7440-50-8 EC Number:231- 159-6	2.6%	NDA	EU DSD/DPD: Self Classified: Repr 3 R63; Xi, R36/37 EU CLP: Self Classified: Repr. 2, H361; Eye Irrit. 2, H319; STOT SE 3: Resp. Irrit., H335 OSHA HCS 2012: Repr. 2, STOT SE 3: Resp. Irrit.; Eye Irrit. 2;
Steel	NDA	0.4%	NDA	EU DSD/DPD: Not Classified EU CLP: Not Classified OSHA HCS 2012: Not Classified
Tin	CAS:7440-31-5 EINECS:231- 141-8	0.3%	NDA	EU DSD/DPD: Self Classified: Xi R38; T; R48/26; Xn, R48/20 EU CLP: Self Classified: STOT SE 3: Resp. Irrit., H335; STOT RE 2 (Lungs, Inhalation), H373; STOT RE 1 (CNS, Liver, Kidney), H372 OSHA HCS 2012: STOT SE 3: Resp. Irrit.; STOT RE 2 (Lungs, Inhalation); STOT RE 1 (CNS, Liver, Kidney)
Polycarbonate	CAS:25037-45-0	0.1%	NDA	EU DSD/DPD: Not Classified EU CLP: Not Classified OSHA HCS 2012: Not Classified

See Section 11 for Toxicological Information. See Section 16 for full text of H-statements and R-phrases.

#### **Section 4 - First Aid Measures**

# 4.1 Description of first aid measures

Inhalation

 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. Do not use mouth-to-mouth method if victim inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Skin

 IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye

 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If signs/symptoms develop, get medical attention.

Ingestion

 Do NOT induce vomiting. If conscious, drink large quantities of milk or water. Follow with milk of magnesia, beaten egg, egg whites or vegetable oil. Get medical attention immediately.

# 4.2 Most important symptoms and effects, both acute and delayed

Refer to Section 11 - Toxicological Information.

# 4.3 Indication of any immediate medical attention and special treatment needed

**Notes to Physician** 

 All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

# **Section 5 - Firefighting Measures**

# 5.1 Extinguishing media

Suitable Extinguishing Media • Dry chemical or CO2.

**Unsuitable Extinguishing** • Water should not be used unless from a safe distance due to vigorous and exothermic

#### Media

reaction which will result.

# 5.2 Special hazards arising from the substance or mixture

# **Unusual Fire and Explosion** Hazards

 Hydrogen and oxygen gases are produced during normal battery operation and charging. These gases escape through the battery vents and may form an explosive atmosphere around the battery if ventilation is poor. Avoid open flame, sparks and other ignition sources in areas where batteries are used or stored.

# **Hazardous Combustion Products**

Acid mists and vapors, toxic fumes from burning plastic.

# 5.3 Advice for firefighters

 Fire fighters should wear complete protective clothing including self-contained breathing apparatus.
 Wear chemical protective clothing that is specifically recommended by the

manufacturer. It may provide little or no thermal protection.

Fire fighters to wear acid-resistant full protective clothing, including rubber footwear and self-contained breathing apparatus.

# **Section 6 - Accidental Release Measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

#### **Personal Precautions**

 Do not walk through spilled material. Wear appropriate personal protective equipment, avoid direct contact. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate enclosed areas. Do not get in eyes, on skin, or on clothing. Do not breathe dusts or mists.

#### **Emergency Procedures**

 As an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions. Keep unauthorized personnel away. Do not get water inside container.

# 6.2 Environmental precautions

Avoid run off to waterways and sewers.

# 6.3 Methods and material for containment and cleaning up

# Containment/Clean-up Measures

Stop leak if you can do it without risk.
If battery is leaking, place battery in a heavy duty plastic bag.
Contain spill by diking with soda ash, etc.
Neutralize spill area with (soda ash or lime, dilute with acetic acid)
Make certain mixture is neutral then collect residue and place in a drum or other suitable container.

#### 6.4 Reference to other sections

 Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

# Section 7 - Handling and Storage

# 7.1 Precautions for safe handling

#### Handling

• Use only in well ventilated areas. Use caution when combining with water; DO NOT add water to corrosive liquid, ALWAYS add corrosive liquid to water while stirring to prevent release of heat, steam and fumes. Wear appropriate personal protective equipment, avoid direct contact. Do not get in eyes, on skin, or on clothing. Do not breathe mist, vapors, spray. Avoid direct conductive connection across positive and negative terminals to prevent short circuit. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco.

# 7.2 Conditions for safe storage, including any incompatibilities

# Storage

 Batteries should be kept in an upright position away from ignition sources. Stack batteries so as to prevent accidental contact between terminal and/or other damage to terminals or containers. Whenever feasible, store on shipping pallet or rack. Do not stack loaded pallets or racks on top of other batteries. Store in a cool/lowtemperature, well-ventilated place. Avoid storage in areas exposed to heat or solar

buildup.

# 7.3 Specific end use(s)

Refer to Section 1.2 - Relevant identified uses.

# Section 8 - Exposure Controls/Personal Protection

### 8.1 Control parameters

Exposure Limits/Guidelines								
	Result	ACGIH	NIOSH	OSHA				
Tin (7440-31-5)	TWAs	2 mg/m3 TWA	2 mg/m3 TWA	Not established				
Copper (7440-50-8)	TWAs	0.2 mg/m3 TWA (fume)	1 mg/m3 TWA (dust and mist); 0.1 mg/m3 TWA (fume)	0.1 mg/m3 TWA (fume); 1 mg/m3 TWA (dust and mist)				
Polyvinyl Chloride (9002-86-2)	TWAs	1 mg/m3 TWA (respirable fraction)	Not established	Not established				
Sulfuric acid (7664-93-9)	TWAs	0.2 mg/m3 TWA (thoracic fraction)	1 mg/m3 TWA	1 mg/m3 TWA				
Lead as Lead, inorganic compounds	TWAs	0.05 mg/m3 TWA	0.050 mg/m3 TWA	50 μg/m3 TWA				

#### 8.2 Exposure controls

Engineering Measures/Controls  Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### **Personal Protective Equipment**

Respiratory

 Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

Eye/Face

 Wear eye/face protection - Chemical splash goggles, or - Full-face shield with safety glasses..

Skin/Body

 Acid resistant clothing with rubber/neoprene boots for major spill clean-up. Acid resistant gloves such as rubber, neoprene, vinyl coated, PVC.

**Environmental Exposure Controls** 

Controls should be engineered to prevent release to the environment, including
procedures to prevent spills, atmospheric release and release to waterways. Follow
best practice for site management and disposal of waste.

#### Key to abbreviations

ACGIH = American Conference of Governmental Industrial Hygiene

NIOSH = National Institute of Occupational Safety and Health

OSHA = Occupational Safety and Health Administration

TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures

# **Section 9 - Physical and Chemical Properties**

# 9.1 Information on Physical and Chemical Properties

Material Description						
Physical Form	Solid	Appearance/Description	Shaped article.			
Color	Data lacking	Odor	Data lacking			

Odor Threshold	Data lacking		
General Properties	•	•	•
Boiling Point	Data lacking	Melting Point	Data lacking
Decomposition Temperature	Data lacking	рН	Data lacking
Specific Gravity/Relative Density	Data lacking	Water Solubility	Data lacking
Viscosity	Data lacking	Explosive Properties	Not explosive.
Oxidizing Properties:	Not an oxidizer.		
Volatility	•	•	•
Vapor Pressure	Data lacking	Vapor Density	Data lacking
Evaporation Rate	Data lacking		
Flammability		-	•
Flash Point	Data lacking	UEL	Data lacking
LEL	Data lacking	Autoignition	Data lacking
Flammability (solid, gas)	Not flammable.		
Environmental		-	-
Octanol/Water Partition coefficient	Data lacking		

#### 9.2 Other Information

No additional physical and chemical parameters noted.

# **Section 10: Stability and Reactivity**

# 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

# 10.2 Chemical stability

Stable under normal temperatures and pressures.

# 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

 Use only approved charging methods. Avoid overcharging. Avoid shortcircuiting. Avoid sparks and other ignition sources. Do not open, break or melt the casing.

# 10.5 Incompatible materials

Strong oxidizing or reducing agents.

# 10.6 Hazardous decomposition products

 Can emit highly toxic fumes when heated. Combustion can produce carbon dioxide and carbon monoxide. Will release an explosive hydrogen/oxygen gas mixture. Oxides of lead, lead and/or lead compounds may be released. Sulfuric acid may release sulfur dioxide and/or sulfur trioxide.

# **Section 11 - Toxicological Information**

# 11.1 Information on toxicological effects

	Components					
Sulfuric acid (15.8% TO 20.5%)	7004	Acute Toxicity: Ingestion/Oral-Rat LD50 • 2140 mg/kg; Inhalation-Rat LC50 • 510 mg/m³ 2 Hour(s); Irritation: Eye-Rabbit • 250 µg • Severe irritation; Multi-dose Toxicity: Inhalation-Rat TCLo • 1.8 mg/m³ 24 Hour(s) 65 Day(s)-Continuous; Peripheral Nerve and Sensation:Recording from peripheral motor nerve; Kidney, Ureter, and Bladder:Changes in both tubules and glomeruli				

Polyvinyl Chloride (2.6%)		Tumorigen / Carcinogen: Ingestion/Oral-Rat TDLo • 210 g/kg 30 Week(s)-Continuous; Tumorigenic:Equivocal tumorigenic agent by RTECS criteria; Lungs, Thorax, or Respiration:Tumors; Skin and Appendages:Other:Tumors
Copper (2.6%)	7440- 50-8	Reproductive: Ingestion/Oral-Rat TDLo • 152 mg/kg (22W pre); Reproductive Effects:Effects on Embryo or Fetus:Fetotoxicity (except death, e.g., stunted fetus); Reproductive Effects:Specific Developmental Abnormalities:Central nervous system

GHS Properties	Classification
Acute toxicity	EU/CLP • Acute Toxicity - Oral 4 - ATEmix = 703.47 mg/kg OSHA HCS 2012 • Classification criteria not met
Aspiration Hazard	EU/CLP   Classification criteria not met  OSHA HCS 2012   Classification criteria not met
Carcinogenicity	EU/CLP ◆ Classification criteria not met OSHA HCS 2012 ◆ Carcinogenicity 2
Germ Cell Mutagenicity	EU/CLP   Classification criteria not met  OSHA HCS 2012   Classification criteria not met
Skin corrosion/Irritation	EU/CLP • Skin Corrosion 1A OSHA HCS 2012 • Skin Corrosion 1A
Skin sensitization	EU/CLP   Classification criteria not met  OSHA HCS 2012   Classification criteria not met
STOT-RE	EU/CLP • Specific Target Organ Toxicity Repeated Exposure 2 OSHA HCS 2012 • Specific Target Organ Toxicity Repeated Exposure 1
STOT-SE	EU/CLP   Classification criteria not met  OSHA HCS 2012   Classification criteria not met
Toxicity for Reproduction	EU/CLP • Toxic to Reproduction 1A OSHA HCS 2012 • Toxic to Reproduction 1A
Respiratory sensitization	EU/CLP   Classification criteria not met  OSHA HCS 2012   Classification criteria not met
Serious eye damage/Irritation	EU/CLP • Classification criteria not met OSHA HCS 2012 • Serious Eye Damage 1

#### **Target Organs**

# Route(s) of entry/exposure Potential Health Effects Inhalation

Nervous System, Blood, Liver, Kidney

Inhalation, Skin, Eye, Ingestion

#### Acute (Immediate)

• Lead - For industry, inhalation is much more important than is ingestion. Systemic effects include loss of appetite, anemia, malaise, insomnia, headache, irritability, muscle and joint pains, tremors, flaccid paralysis without anesthesia, hallucinations and distorted perceptions, muscle weakness, gastritis and liver changes. Major organ systems affected are the nervous system, blood system and kidneys. Experimental evidence suggests that blood levels of lead below 10 μg/dL can lower the IQ scores of children. Low levels of lead impair neurotransmission and immune system function and may increase systolic blood pressure. Reversible kidney damage can occur from acute exposure. Sulfuric Acid - Experimental poison by inhalation.

#### **Chronic (Delayed)**

 Lead - Chronic exposure can lead to irreversible vascular sclerosis, tubular cell atrophy, interstitial fibrosis, and glomerular sclerosis. Very heavy intoxication can sometimes be detected by formation of a dark line on the gum margins. Sulfuric acid -Repeated or prolonged inhalation of sulfuric acid mist can cause inflammation of the upper respiratory tract, leading to chronic bronchitis. Severe exposure may cause chemical pneumonitis. Erosion of tooth enamel due to strong acid fume exposure has been observed in industry. Workers exposed to low concentrations of the vapors gradually lose their sensitivity to its irritating action. Occupational exposures to strong-acid mists containing sulfuric acid have been associated with several respiratory tract cancers. However, there is no animal data supporting the carcinogenicity of sulfuric acid. Sulfuric acid has been found to be non-mutagenic, and in two studies of workers employed in lead acid battery manufacture, no association between sulfuric acid mist exposure and respiratory tract cancers was observed.

#### Skin

Acute (Immediate)

 Sulfuric Acid - Extremely irritating, corrosive, and toxic to tissue, resulting in rapid destruction of tissue, causing severe burns. If much skin is involved, exposure is accompanied by shock, collapse and symptoms similar to those seen in severe burns. Repeated contact with dilute solutions can cause dermatitis.

**Chronic (Delayed)** 

No data available

Eye

Acute (Immediate)

Causes serious eye damage.

Chronic (Delayed)

No data available

Ingestion

**Acute (Immediate)** 

 Lead - Poison by ingestion in large dosages and with prolonged exposure leading to the same effects as seen in exposure by inhalation. Adults absorb 5-15% of ingested lead and retain less than 5%. Children absorb about 50% and retain about 30%.
 Sulfuric Acid - Moderately toxic by ingestion.

Chronic (Delayed)

No data available

**Carcinogenic Effects** 

Repeated and prolonged exposure may cause cancer.

Carcinogenic Effects						
	CAS	IARC	NTP			
Sulfuric acid	7664-93-9	Group 1-Carcinogenic	Not Listed			
Lead	7439-92-1	Group 2A-Probable Carcinogen	Reasonably Anticipated to be Human Carcinogen			
Lead as Lead Compounds	NDA	Not Listed	Reasonably Anticipated to be Human Carcinogen			
Lead as Lead, inorganic compounds	NDA	Group 2A-Probable Carcinogen	Not Listed			

#### **Reproductive Effects**

 Lead - Severe toxicity can cause sterility, abortion, and neonatal mortality and morbidity. Experimental teratogen. Experimental reproductive effects. Pathological lesions have been found on male gonads. Sulfuric Acid - Experimental teratogen.

# **Section 12 - Ecological Information**

# 12.1 Toxicity

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

# 12.2 Persistence and degradability

Material data lacking.

# 12.3 Bioaccumulative potential

Material data lacking.

# 12.4 Mobility in Soil

Material data lacking.

#### 12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment has not been conducted for this material.

#### 12.6 Other adverse effects

No studies have been found.

# Section 13 - Disposal Considerations

#### 13.1 Waste treatment methods

**Product waste** 

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

# **Section 14 - Transport Information**

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	NDA	Not regulated	NDA	NDA	NDA
TDG	NDA	Not regulated	NDA	NDA	NDA
IMO/IMDG	NDA	Not regulated	NDA	NDA	NDA
IATA/ICAO	NDA	Not Restricted	NDA	NDA	NDA

14.6 Special precautions for user

None known.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant.

14.8 Other information

**DOT** The batteries used in APC Replaceable Battery Cartridges are non-spillable wet. electric storage batteries. When shipped in the original factory packaging or contained within UPSs, batteries are excepted from the requirements of the DOT's hazardous materials regulations because they meet the requirements of 49 CFR 173.159a. See Code of Federal Regulations, 49 CFR Section 173.159 for complete information.

**IMO/IMDG** APC Replaceable Battery Cartridges when in their original factory packaging or contained within UPSs are packaged and determined to be in compliance with IMDG special provision 238.1 & 238.2 therefore are not restricted for shipment via sea and are exempted from the hazardous material category.

IATA/ICAO APC Replaceable Battery Cartridges when in their original factory packaging or contained within UPSs are packaged and determined to be in compliance with the International Air Transportation Association (IATA), Special Provisions (S.P.) A48, A67, A164, A183 & Packaging Instruction 872 therefore are not restricted for shipment via air and are exempted from the hazardous material category.

# **Section 15 - Regulatory Information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications . Acute, Chronic

Inventory							
Component	CAS	Canada DSL	Canada NDSL	EU EINECS	EU ELNICS	TSCA	
1-Propene, homopolymer	9003-07-0	Yes	No	No	No	Yes	

Amorphous/fused silica	60676-86-0	Yes	No	Yes	Yes	Yes
Calcium	7440-70-2	Yes	No	Yes	No	Yes
Copper	7440-50-8	Yes	No	Yes	No	Yes
Lead	7439-92-1	Yes	No	Yes	No	Yes
Polycarbonate	25037-45-0	Yes	No	No	No	Yes
Polyvinyl Chloride	9002-86-2	Yes	No	No	Yes	Yes
Sulfuric acid	7664-93-9	Yes	No	Yes	No	Yes
Tin	7440-31-5	Yes	No	Yes	No	Yes

# Canada

Canada - WHMIS - Classifications of Substances		
<ul> <li>Polycarbonate</li> </ul>	25037-45-0	Not Listed
Calcium	7440-70-2	B6, E
• Copper	7440-50-8	Uncontrolled product according to WHMIS classification criteria
Copper as Copper compounds		Not Listed
Polyvinyl Chloride	9002-86-2	Uncontrolled product according to WHMIS classification criteria
Sulfuric acid	7664-93-9	D1A, E (including >51%, <=51%)
• Lead	7439-92-1	D2A
Lead as Lead compounds		Not Listed
Lead as Lead, inorganic compounds		Not Listed
• Tin	7440-31-5	Uncontrolled product according to WHMIS classification criteria
Tin as Tin compounds		Not Listed
Amorphous/fused silica	60676-86-0	Uncontrolled product according to WHMIS classification criteria
• 1-Propene, homopolymer	9003-07-0	Uncontrolled product according to WHMIS classification criteria
Canada - WHMIS - Ingredient Disclosure List		
Polycarbonate	25037-45-0	Not Listed
Calcium	7440-70-2	Not Listed
• Copper	7440-50-8	1 %
Copper as Copper compounds		1 %
Polyvinyl Chloride	9002-86-2	Not Listed
Sulfuric acid	7664-93-9	1 %
• Lead	7439-92-1	0.1 %
Lead as Lead compounds		Not Listed
Lead as Lead, inorganic compounds		1 %
• Tin	7440-31-5	1 %
Tin as Tin compounds		1 %
Amorphous/fused silica	60676-86-0	1 %
• 1-Propene, homopolymer	9003-07-0	Not Listed

nvironment Canada - 2004 NPRI (National Pollutant Release Inventory)		
Polycarbonate	25037-45-0	Not Listed
Calcium	7440-70-2	Not Listed
• Copper	7440-50-8	Part 1, Group 1 Substance
Copper as Copper compounds		Part 1, Group 1 Substance
Polyvinyl Chloride	9002-86-2	Not Listed
Sulfuric acid	7664-93-9	Part 1, Group 1 Substance
		Part 1, Group 4 Substance
• Lead	7439-92-1	(Does not include lead contained in stainless stee brass, or bronze alloys)
		Part 1, Group 4 Substance (Does not include lead
Lead as Lead compounds		compounds contained in stainless steel, brass, or bronze alloys)
Lead as Lead, inorganic compounds		Not Listed
• Tin	7440-31-5	Not Listed
Tin as Tin compounds		Not Listed
Amorphous/fused silica	60676-86-0	Not Listed
1-Propene, homopolymer	9003-07-0	Not Listed
Conada 2005 NDBI (National Pollutent Polacea Inventory)		
Canada - 2005 NPRI (National Pollutant Release Inventory)  • Polycarbonate	25037-45-0	Not Listed
• Calcium	7440-70-2	Not Listed
• Copper	7440-70-2	Part 1, Group 1 Substance
Copper as Copper compounds	7440-30-6	Part 1, Group 1 Substance
	9002-86-2	Not Listed
Polyvinyl Chloride     Sulfurio poid		
Sulfuric acid	7664-93-9	Part 1, Group 1 Substance
• Lead on Load compounds	7439-92-1	Part 1, Group 4 Substance
Lead as Lead compounds     Lead as Lead increasis compounds		Part 1, Group 4 Substance
Lead as Lead, inorganic compounds	7440.04.5	Not Listed
• Tin	7440-31-5	Not Listed
• Tin as Tin compounds	00070 00 0	Not Listed
Amorphous/fused silica	60676-86-0	Not Listed
1-Propene, homopolymer	9003-07-0	Not Listed
Canada - CEPA - Greenhouse Gases Subject to Mandatory Reporting		
Polycarbonate	25037-45-0	Not Listed
Calcium	7440-70-2	Not Listed
• Copper	7440-50-8	Not Listed
Copper as Copper compounds		Not Listed
Polyvinyl Chloride	9002-86-2	Not Listed
Sulfuric acid	7664-93-9	Not Listed
• Lead	7439-92-1	Not Listed
Lead as Lead compounds		Not Listed
Lead as Lead, inorganic compounds		Not Listed
• Tin	7440-31-5	Not Listed
Tin as Tin compounds		Not Listed
Amorphous/fused silica	60676-86-0	Not Listed
• 1-Propene, homopolymer	9003-07-0	Not Listed
1 1 Topono, nomoporymor		

<ul><li>Polycarbonate</li><li>Calcium</li></ul>	25037-45-0 7440-70-2	Not Listed Not Listed
• Copper	7440-50-8	Not Listed
Copper as Copper compounds  Published Obligation	0000 00 0	Not Listed
Polyvinyl Chloride	9002-86-2	Not Listed
• Sulfuric acid	7664-93-9	Not Listed
• Lead	7439-92-1	Not Listed
Lead as Lead compounds		Not Listed
<ul> <li>Lead as Lead, inorganic compounds</li> </ul>		Not Listed
• Tin	7440-31-5	Not Listed
Tin as Tin compounds		Not Listed
Amorphous/fused silica	60676-86-0	Not Listed
1-Propene, homopolymer	9003-07-0	Not Listed
Canada - DWQ (Drinking Water Quality) - IMACs		
<ul> <li>Polycarbonate</li> </ul>	25037-45-0	Not Listed
Calcium	7440-70-2	Not Listed
• Copper	7440-50-8	Not Listed
Copper as Copper compounds		Not Listed
Polyvinyl Chloride	9002-86-2	Not Listed
Sulfuric acid	7664-93-9	Not Listed
• Lead	7439-92-1	Not Listed
Lead as Lead compounds		Not Listed
Lead as Lead, inorganic compounds		Not Listed
• Tin	7440-31-5	Not Listed
Tin as Tin compounds		Not Listed
Amorphous/fused silica	60676-86-0	Not Listed
1-Propene, homopolymer	9003-07-0	Not Listed

Other
-------

Canada - Accelerated Reduction/Elimination of Toxics (ARET)		
Polycarbonate	25037-45-0	Not Listed
Calcium	7440-70-2	Not Listed
Copper	7440-50-8	Not Listed
Copper as Copper compounds		Not Listed
Polyvinyl Chloride	9002-86-2	Not Listed
Sulfuric acid	7664-93-9	Not Listed
• Lead	7439-92-1	Not Listed
Lead as Lead compounds		Not Listed
Lead as Lead, inorganic compounds		Not Listed
• Tin	7440-31-5	Not Listed
Tin as Tin compounds		Not Listed
Amorphous/fused silica	60676-86-0	Not Listed
• 1-Propene, homopolymer	9003-07-0	Not Listed

# **Canada New Brunswick**

Environment Canada - New Brunswick - Ozone Depleting Substances - Schedule A		
<ul> <li>Polycarbonate</li> </ul>	25037-45-0	Not Listed
Calcium	7440-70-2	Not Listed
• Copper	7440-50-8	Not Listed
Copper as Copper compounds		Not Listed
Polyvinyl Chloride	9002-86-2	Not Listed

Sulfuric acid	7664-93-9	Not Listed
• Lead	7439-92-1	Not Listed
Lead as Lead compounds		Not Listed
Lead as Lead, inorganic compounds		Not Listed
• Tin	7440-31-5	Not Listed
Tin as Tin compounds		Not Listed
Amorphous/fused silica	60676-86-0	Not Listed
• 1-Propene, homopolymer	9003-07-0	Not Listed
Canada - New Brunswick - Ozone Depleting Substances - Schedule B		
Polycarbonate	25037-45-0	Not Listed
Calcium	7440-70-2	Not Listed
Copper	7440-50-8	Not Listed
Copper as Copper compounds		Not Listed
Polyvinyl Chloride	9002-86-2	Not Listed
Sulfuric acid	7664-93-9	Not Listed
• Lead	7439-92-1	Not Listed
Lead as Lead compounds		Not Listed
Lead as Lead, inorganic compounds		Not Listed
• Tin	7440-31-5	Not Listed
Tin as Tin compounds		Not Listed
Amorphous/fused silica	60676-86-0	Not Listed
• 1-Propene, homopolymer	9003-07-0	Not Listed

# **United States**

U.S OSHA - Process Safety Management - Highly Hazardous Chemic		
Polycarbonate	25037-45-0	Not Listed
Calcium	7440-70-2	Not Listed
• Copper	7440-50-8	Not Listed
Copper as Copper compounds		Not Listed
Polyvinyl Chloride	9002-86-2	Not Listed
Sulfuric acid	7664-93-9	Not Listed
• Lead	7439-92-1	Not Listed
Lead as Lead compounds		Not Listed
Lead as Lead, inorganic compounds		Not Listed
• Tin	7440-31-5	Not Listed
Tin as Tin compounds		Not Listed
Amorphous/fused silica	60676-86-0	Not Listed
• 1-Propene, homopolymer	9003-07-0	Not Listed
U.S OSHA - Specifically Regulated Chemicals		
<ul> <li>Polycarbonate</li> </ul>	25037-45-0	Not Listed
Calcium	7440-70-2	Not Listed
• Copper	7440-50-8	Not Listed
Copper as Copper compounds		Not Listed
Polyvinyl Chloride	9002-86-2	Not Listed
Sulfuric acid	7664-93-9	Not Listed
		30 μg/m3 Action Level (See 2
• Lead	7439-92-1	CFR 1910.1025); 50 µg/m3
		TWA (See 29 CFR 1910.1025
Lead as Lead compounds		Not Listed
		30 µg/m3 Action Level (See 2

	CFR 1910.1025, as Pb); 50 μg/m3 TWA (See 29 CFR 1910.1025, as Pb)
7440-31-5	Not Listed
	Not Listed
60676-86-0	Not Listed
9003-07-0	Not Listed
	60676-86-0

• 1-Propene, homopolymer	9003-07-0	Not Listed
Environment		
U.S CAA (Clean Air Act) - 1990 Hazardous Air Pollutants		
<ul> <li>Polycarbonate</li> </ul>	25037-45-0	Not Listed
Calcium	7440-70-2	Not Listed
Copper	7440-50-8	Not Listed
Copper as Copper compounds		Not Listed
Polyvinyl Chloride	9002-86-2	Not Listed
Sulfuric acid	7664-93-9	Not Listed
• Lead	7439-92-1	Not Listed
Lead as Lead compounds		(including any unique chemical substance that contains Lead as part of its infrastructure)
Lead as Lead, inorganic compounds		Not Listed
• Tin	7440-31-5	Not Listed
Tin as Tin compounds		Not Listed
Amorphous/fused silica	60676-86-0	Not Listed
• 1-Propene, homopolymer	9003-07-0	Not Listed
U.S CERCLA/SARA - Hazardous Substances and their Reportable Quantities		
Polycarbonate	25037-45-0	Not Listed
Calcium	7440-70-2	Not Listed
• Copper	7440-50-8	5000 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 μm); 2270 kg final RQ (no reporting of releases of this
<ul><li>Copper as Copper compounds</li><li>Polyvinyl Chloride</li></ul>	9002-86-2	hazardous substance is required if the diameter of the pieces of the solid metal released is >100 µm)  Not Listed  Not Listed
Sulfuric acid	7664-93-9	1000 lb final RQ; 454 kg final
- Guiruite aciu		RQ 10 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100
• Lead	7439-92-1	μm); 4.54 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 μm)
Lead as Lead compounds		Not Listed
Lead as Lead, inorganic compounds		Not Listed

• Tin	7440-31-5	Not Listed
• Tin as Tin compounds	00070 00 0	Not Listed
Amorphous/fused silica	60676-86-0	Not Listed
• 1-Propene, homopolymer	9003-07-0	Not Listed
U.S CERCLA/SARA - Radionuclides and Their Reportable Quantities		
Polycarbonate	25037-45-0	Not Listed
Calcium	7440-70-2	Not Listed
• Copper	7440-50-8	Not Listed
Copper as Copper compounds		Not Listed
Polyvinyl Chloride	9002-86-2	Not Listed
Sulfuric acid	7664-93-9	Not Listed
• Lead	7439-92-1	Not Listed
Lead as Lead compounds		Not Listed
Lead as Lead, inorganic compounds		Not Listed
• Tin	7440-31-5	Not Listed
Tin as Tin compounds		Not Listed
Amorphous/fused silica	60676-86-0	Not Listed
• 1-Propene, homopolymer	9003-07-0	Not Listed
U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs		
Polycarbonate	25037-45-0	Not Listed
Calcium	7440-70-2	Not Listed
Copper	7440-50-8	Not Listed
Copper as Copper compounds		Not Listed
Polyvinyl Chloride	9002-86-2	Not Listed
Sulfuric acid	7664-93-9	1000 lb EPCRA RQ
• Lead	7439-92-1	Not Listed
Lead as Lead compounds		Not Listed
Lead as Lead, inorganic compounds		Not Listed
• Tin	7440-31-5	Not Listed
Tin as Tin compounds		Not Listed
Amorphous/fused silica	60676-86-0	Not Listed
• 1-Propene, homopolymer	9003-07-0	Not Listed
U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs		
Polycarbonate	25037-45-0	Not Listed
Calcium	7440-70-2	Not Listed
• Copper	7440-50-8	Not Listed
Copper as Copper compounds		Not Listed
Polyvinyl Chloride	9002-86-2	Not Listed
Sulfuric acid	7664-93-9	1000 lb TPQ
• Lead	7439-92-1	Not Listed
Lead as Lead compounds		Not Listed
Lead as Lead, inorganic compounds		Not Listed
• Tin	7440-31-5	Not Listed
• Tin as Tin compounds		Not Listed
Amorphous/fused silica	60676-86-0	Not Listed
• 1-Propene, homopolymer	9003-07-0	Not Listed
U.S CERCLA/SARA - Section 313 - Emission Reporting		
U.S CERCLA/SARA - Section 313 - Emission Reporting  • Polycarbonate	25037-45-0	Not Listed

• Copper	7440-50-8	1.0 % de minimis concentration
		1.0 % de minimis concentration (This category
		does not include CAS numbers
		147-14-8, 1328-53-6, or
Copper as Copper compounds		14302-13-7, or copper
coppor do coppor compoundo		phthalocyanine compounds
		that are substituted with only
		hydrogen and/or chlorine
		and/or bromine.)
Polyvinyl Chloride	9002-86-2	Not Listed
• •		1.0 % de minimis
		concentration (acid aerosols
Sulfuric acid	7664-93-9	including mists, vapors, gas,
		fog, and other airborne forms
		of any particle size)
		0.1 % Supplier notification limit;
• Lead	7439-92-1	0.1 % de minimis concentration
Lodd	7400 02 1	(when contained in stainless
		steel, brass, or bronze)
Lead as Lead compounds		Not Listed
Lead as Lead, inorganic compounds		0.1 % Supplier notification limit
Lead as Lead, morganic compounds		(Chemical Category N420)
• Tin	7440-31-5	Not Listed
Tin as Tin compounds		Not Listed
Amorphous/fused silica	60676-86-0	Not Listed
• 1-Propene, homopolymer	9003-07-0	Not Listed
U.S CERCLA/SARA - Section 313 - PBT Chemical Listing		
Polycarbonate	25037-45-0	Not Listed
Calcium	7440-70-2	Not Listed
• Copper	7440-50-8	Not Listed
Copper as Copper compounds		Not Listed
Polyvinyl Chloride	9002-86-2	Not Listed
Sulfuric acid	7664-93-9	Not Listed
	700.000	100 lb RT (this lower threshold
		does not apply to lead when it
• Lead	7439-92-1	is contained in stainless steel,
		brass or bronze alloy)
Lead as Lead compounds		100 lb RT
Lead as Lead, inorganic compounds		Not Listed
• Tin	7440-31-5	Not Listed
• Tin as Tin compounds	7-10-01-0	Not Listed
Amorphous/fused silica	60676-86-0	Not Listed
Amorphous/rused silica     1-Propene, homopolymer		
- 1-rtopetie, floritopolytitet	9003-07-0	Not Listed

# **United States - California**

Environment U.S California - Proposition 65 - Carcinogens List		
Polycarbonate	25037-45-0	Not Listed
Calcium	7440-70-2	Not Listed
Copper	7440-50-8	Not Listed
Copper as Copper compounds		Not Listed
Polyvinyl Chloride	9002-86-2	Not Listed
Sulfuric acid	7664-93-9	Not Listed

• Lead	7439-92-1	carcinogen, initial date 10/1/92
Lead as Lead compounds		carcinogen, initial date 10/1/92
Lead as Lead, inorganic compounds     Tin	7440 24 5	Not Listed Not Listed
	7440-31-5	Not Listed
<ul><li> Tin as Tin compounds</li><li> Amorphous/fused silica</li></ul>	60676-86-0	Not Listed
1-Propene, homopolymer	9003-07-0	Not Listed
• 1-Froperie, nomopolymei	9003-07-0	Not Listed
U.S California - Proposition 65 - Developmental Toxicity		
Polycarbonate	25037-45-0	Not Listed
Calcium	7440-70-2	Not Listed
• Copper	7440-50-8	Not Listed
Copper as Copper compounds		Not Listed
Polyvinyl Chloride	9002-86-2	Not Listed
Sulfuric acid	7664-93-9	Not Listed
• Lead	7439-92-1	developmental toxicity, initial date 2/27/87
Lead as Lead compounds		Not Listed
Lead as Lead, inorganic compounds		developmental toxicity, initial date 2/27/87
• Tin	7440-31-5	Not Listed
Tin as Tin compounds		Not Listed
Amorphous/fused silica	60676-86-0	Not Listed
1-Propene, homopolymer	9003-07-0	Not Listed
U.S California - Proposition 65 - Maximum Allowable Dose Levels (MADL)		
Polycarbonate	25037-45-0	Not Listed
Calcium	7440-70-2	Not Listed
• Copper	7440-50-8	Not Listed
Copper as Copper compounds		Not Listed
Polyvinyl Chloride	9002-86-2	Not Listed
Sulfuric acid	7664-93-9	Not Listed
• Lead	7439-92-1	0.5 μg/day MADL
Lead as Lead compounds		Not Listed
Lead as Lead, inorganic compounds  The state of the	7440.04.5	Not Listed
• Tin	7440-31-5	Not Listed
Tin as Tin compounds     A morph and filling.	00070 00 0	Not Listed
Amorphous/fused silica     A Propose began all many and the silica and the s	60676-86-0	Not Listed
• 1-Propene, homopolymer	9003-07-0	Not Listed
U.S California - Proposition 65 - No Significant Risk Levels (NSRL)		
Polycarbonate	25037-45-0	Not Listed
Calcium	7440-70-2	Not Listed
Copper	7440-50-8	Not Listed
Copper as Copper compounds		Not Listed
Polyvinyl Chloride	9002-86-2	Not Listed
Sulfuric acid	7664-93-9	Not Listed
• Lead	7439-92-1	15 µg/day NSRL (oral)
Lead as Lead compounds		Not Listed
Lead as Lead, inorganic compounds		Not Listed
• Tin	7440-31-5	Not Listed
Tin as Tin compounds		Not Listed
Amorphous/fused silica	60676-86-0	Not Listed
• 1-Propene, homopolymer	9003-07-0	Not Listed

Polycarbonate	25037-45-0	Not Listed
Calcium	7440-70-2	Not Listed
Copper	7440-50-8	Not Listed
Copper as Copper compounds		Not Listed
Polyvinyl Chloride	9002-86-2	Not Listed
Sulfuric acid	7664-93-9	Not Listed
Lead	7439-92-1	female reproductive toxicit initial date 2/27/87
Lead as Lead compounds		Not Listed
Lead as Lead, inorganic compounds		Not Listed
Tin	7440-31-5	Not Listed
Tin as Tin compounds		Not Listed
Amorphous/fused silica	60676-86-0	Not Listed
1-Propene, homopolymer	9003-07-0	Not Listed
U.S California - Proposition 65 - Reproductive Toxicity - Male		
Polycarbonate	25037-45-0	Not Listed
Calcium	7440-70-2	Not Listed
Copper	7440-50-8	Not Listed
Copper as Copper compounds		Not Listed
Polyvinyl Chloride	9002-86-2	Not Listed
Sulfuric acid	7664-93-9	Not Listed
Lead	7439-92-1	male reproductive toxicity, initial date 2/27/87
Lead as Lead compounds		Not Listed
Lead as Lead, inorganic compounds		Not Listed
Tin	7440-31-5	Not Listed
Tin as Tin compounds		Not Listed
Amorphous/fused silica	60676-86-0	Not Listed
		Not Listed

# 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out.

#### 15.3 Other Information

 WARNING: This product contains a chemical known to the State of California to cause cancer, birth defects, or other reproductive harm.

#### **Section 16 - Other Information**

#### Relevant Phrases (code & full text)

- H319 Causes serious eye irritation
  - H332 Harmful if inhaled
  - H335 May cause respiratory irritation
  - H361 Suspected of damaging fertility or the unborn child.
  - H372 Causes damage to organs through prolonged or repeated exposure.
  - R36/37 Irritating to eyes and respiratory system.
  - R38 Irritating to skin.
  - R48/20 Harmful: danger of serious damage to health by prolonged exposure through inhalation.
  - R63 Possible risk of harm to the unborn child.

#### **Last Revision Date**

23/May/2014

#### **Preparation Date**

# Disclaimer/Statement of Liability

#### 23/May/2014

Every endeavor has been made to ensure that the information contained in this publication is reliable and offered in good faith. It is meant to describe the safety requirements of our products and should not be construed as guaranteeing specific properties. Customers are encouraged to conduct their own tests as end user suitability of the product for particular uses is beyond our control. The information is not intended as an inducement to bargain and no warranty expressed or implied is made as to its accuracy, reliability or completeness. Schneider Electric Incorporated accepts no liability for loss, injury or damage arising from reliance upon the information contained in this data sheet except in conjunction with the proper use of the product to which it refers. Due care should be taken that the use and disposal of this product is in compliance with appropriate Federal, State and Local Government regulations.

#### Key to abbreviations

NDA = No Data Available



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

#### Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов:
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001:
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина,

дом 2, корпус 4, литера А.